

TWO-WAY RADIO CASES 2024



Used by Emergency Services, Safety & Rescue Teams and Coast Guards worldwide.







NTING

PROTECTIVE WATERPROOF CASES SINCE 1983

No.



www.aquapac.net



SINCE 1983 WE HAVE SOLD NEARLY 6 MILLION WATERPROOF CASES IN 60+ COUNTRIES WITH OUR AWARD WINNING INNOVATION THAT STANDS UP TO THE MOST INTENSE CONDITIONS.

Aquapac cases are proven to be:

RELIABLE

Designed with quality materials to withstand extreme cold and heat

DURABLE

Battle-tested to ensure the highest standards of keeping essential and valuable equipment functioning and protected everywhere

TRUSTWORTHY

Used by Military, Coast Guard, Emergency Services and Safety & Rescue Teams in life and death situations

OPTIMAL

Strategically designed to enable hands free use as much as possible

ENVIRONMENTALLY FRIENDLY

Made from biodegradable or recycled components

PRODUCT EXTENDING

Reduce corrosion of printed circuit boards in electronics – even waterproof units

PROTECTED

5-year no-nonsense warranty on most products



Over 80% of our products are made in the UK in our own factory.





CONTENTS

- Page 2 INTRODUCTION Page 3 CONTENTS Page 4 WATERPROOF RATINGS / TECH SPECS AQUACLIP IPX6/7/8 SEALING SYSTEMS Page 5 Page 6 **TWO-WAY RADIO CASES** Page 11 AQUAPAC DOCK SYSTEM Page 14 **CARRYING ACCESSORIES** Page 15 **CUSTOM CASES & LOGO PRINTING** Page 16 **ABOUT AQUAPAC**
- Page 17 CONTACT US, INFO & TRADEMARKS









WATERPROOF RATINGS



Stormproof

Protected against powerful water jets – water projected at all angles via a 12.5mm / 0.49" nozzle



Submersible

Protected against immersion for 30 minutes to a depth of less than 1m / 3'



Submersible

Protected against continuous immersion to a depth of 10m / 30'

OPERATING TEMPERATURE

Our cases are designed to work between: -20° C / to +45 C° or -4° F to 113° F

FULL 5-YEAR WARRANTY

Our warranty covers any Aquapac for five years from the date of purchase as new.

Our five year warranty covers defects in materials or workmanship. It does not cover defects caused by accident, animal attacks, neglect, normal wear and tear, improper care, or failure to follow our written directions available on our website at www.aquapac.net. It does not apply if examination or testing show an alleged defect does not exist.

It covers the product only, and not any items you may put inside the product. We are not liable for the cost of repairing or replacing any such items or any other incidental, consequential, special, or other damages. Some states and territories do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

Aquasac economy phone cases and accessoriescarry a one year guarantee.

BIODEGRADABLE TPU



How long does the Biodegradable TPU plastic used on Aquapac cases take to biodegrade?

There is no specific testing standard for TPU but tests have been carried out. With heat and water acting as a catalyst, TPU will biodegrade faster.


However, if TPU lies in the ground by itself in a dry condition, it will last longer. Average biodegrade time from two to five years.

TECHNICAL SPECIFICATIONS

We have shown dimensions to all products wherever possible in metric and imperial measurements.

For phones, two-way radios and radio mics:

To calculate A = add together the width and the depth of your device and multiply by 2 i.e. iPhone 11 = 7.6cm wide + 1cm deep = 8.6cm x 2 = 17.2



www.aquapac.net





AQUACLIP IPX8 SEALING SYSTEM & IPX6/7 CLOSURES

Our patented AQUACLIP sealing system was ground-breaking as it is made entirely of plastic, it is the first entirely rustproof, durable reusable sealing system.



New Ergonomically designed 105mm Aquaclip waterproof to 50m/165'

New 105mm Aquaclip with ergonomic design – ideal to wear close to the body – easy and secure to use.

AQUACLIPS allow for lanyards and shoulder straps to be attached so the user can safely and practically open and close as well as carry an Aquapac.

The AQUACLIP has been independently tested and proven to be:

- Waterproof for 30 minutes underwater to a depth of 10m / 30'
- The 85mm & 105mm AQUACLIP are waterproof to 50m / 165'
- Withstand a temperature range of -25C / -13 F to 50C / 120F
- Able to be opened and closed over 5,000 times.

The AQUACLIP comes in 9 different lengths from: 85mm to 35cm / 3.3" to 13.7".



The TC AQUACLIP Waterproofs a cable up to 2.5mm / 0.1" to an IPX6 waterproof standard.



IPX8 AQUACLIP Sections of 350mm and 130mm. Aquaclips closed and ready for use.



IPX8 AQUACLIP

The case is designed to stay attached to the AQUACLIP even when you open the case enabling simple practical use.



IPX6/7 Closures

We also use a range of other sealing systems for non-submersible waterproof protection, including combinations of triple roll over, Velcro, heavy duty ziplock and double ziplock seals.



LOUD, CLEAR & SAFE TWO-WAY RADIO CASES

DIGITAL, DMR, TETRA & VHF





FOR HANDS FREE USE



THE PROFESSIONAL'S CHOICE



TWO-WAY CLASSIC RADIO CASE RANGE



Receive and transmit normally with radio inside the case

Operate all controls easily



Radio floats inside the case



Made from tough biodegradable UV-resistant TPU



Used by Military, Safety & Rescue teams and Emergency Services worldwide

All cases can be used with Dock System



All Made in UK

" Excellent... I highly recommend these products to law enforcement agencies." Lt J Cashin, Randall Police Dept USA



208 Mini VHF

SUPPLIED WITH: Adjustable 50cm / 20" black lanyard loop



229 VHF Pro

SUPPLIED WITH: 3-way harness and 4 lash points / eyelets



222/228/224 Small VHF

SUPPLIED WITH: Adjustable 50cm / 20" black lanyard loop



226 Extreme Dock Pro


SUPPLIED WITH: 981 welded stud plate 973 harness



248 Large VHF

SUPPLIED WITH: Adjustable 50cm / 20" black lanyard loop

SKU	A	B
208	19.5cm 7.7"	27cm 10.6"
222/224/228	8 19.5cm 7.7"	33cm 13"
248	22cm 8.6"	40cm 15.7"
229	19.5cm 7.6"	33cm 13"
226	19.5cm 7.6"	33cm 13"



IPX8

10m

30ft



SIZE COMPARISONS & CARRY SYSTEMS







NEW – 922 [25mm/1" x 1.35m/53"] adjustable shoulder strap available as accessory for 208/222/224/228/248 Mini, Small & Large sizes VHF cases









- 208/222/228/248 supplied with 50cm/20" adjustable lanyards
- 229 with three way harness
- 214 with shoulder strap
- 226 with 973 shoulder harness





TWO-WAY RADIO CASE **EXTREME DOCK PRO**

В

330mm / 13"

Made in the UK

A 19.5mm / 7.6"



226 case shown is supplied with 973 shoulder harness

The slim, tough stud connector is at the heart of the Aquapac Dock System. The octagonal stud simply slides into any Aquapac Dock System dock and locks securely in place. Undocking your case takes a few seconds; simply rotate the case to the inverted position and it slides free.

The new Extreme Dock Pro two-way radio case

offers rugged protection with a hugely versatile

and durable choice of attachments enabling

for hands-free use in any environment.


you to attach your radios securely and guickly

Aquapac Dock System docks for radios can be attached to shoulder harnesses, jackets, belts, tactical loops or to rail/ bicycle/motorbike mounts. Aquapac Dock System docks are featured on page 12 of the catalogue.





Back of case with welded stud plate connector



Once docked, your kit can be rotated to any of seven fixed positions thanks to the built-in ratchet positioner.

NATCH THE DOCK SYSTEM VIDEO



TWO-WAY RADIO CASES STORMPROOF & EXTRA STRONG

B





KEY FEATURES: Withstands powerful water jets at all angles. Made with 70D PU-coated ripstop nylon. Three-roll seal.

SUPPLIED WITH: Adjustable shoulder strap 25mm / 1" x 135cm / 53"

Made in China



242 • Extra Strong Lash Down Pro Case

IPX

1m

3ft

KEY FEATURES:

Built from super tough 600 micron UV resistant TPU. Double ziplock closure. Four lashpoints/eyelets for shoulder strap/tie down to board or boat.

SUPPLIED WITH:

Adjustable 3-way harness 20mm / 0.8" x 60cm / 23.6"



Made in Taiwan

SKU 242 A
B
220mm / 8.7"
B
330mm / 13"

10



BEST HANDS-FREE ACCESSORIES, HANDS DOWN





THE PROFESSIONAL'S CHOICE





AQUAPAC DOCK SYSTEM ACCESSORIES

Carry your gear hands free in an Aquapac with any of these Dock System dock connectors.

Docks can be used with either Extreme Pro Dock cases or with Retrofit Kit Stud.

Extremely versatile system for any carrying or mounting situation in any environment.

WATCH THE DOCK SYSTEM VIDEO



981 Retrofit Stud Plate Kit with 3M VHB Tape & Cleaning Wipe

Extremely versatile system for any carrying or mounting situation



971 / 977 / 978 Belt Slide On

971 - 38mm / 1.5" 977 - 50mm / 2" 978 - 60mm / 2.4"



972 Stick On Dock

Supplied with 3M VHB tape and can be stuck to anything: bulkheads, high viz jackets



970 Backpack Fits easily onto padded strap



976 Belt Clip On

Fits either 25mm / 1" or 50mm / 2" webbing



974 Molle Fitted onto any tactical loop (horizontally or vertically)





975 Railmount For use on bicycles, motorcycles or yacht rails





AQUAPAC DOCK SYSTEM RETROFIT KIT

The Aquapac Dock System connector stud can be retrofitted to any Aquapac case.

► WATCH THE DOCK SYSTEM VIDEO

All you need to do is wipe the area you want to stick the stud with the surface cleaner, peel off the red liner and press to the mounting position and apply firm pressure for ten seconds. For a complete bond apply the stud plate and leave it for 24 hours before using it. After 20 minutes, it has bonded sufficiently for most applications. This world class 3M VHB tape has been thoroughly tested for over ten years in every environment, from underwater, to the coldest and hottest temperatures on the globe.

This is usually a permanent installation but if you ever want to remove the stud and tape from the case, instructions are available on our website.



357 phone case in use with 981 Stud plate kit fitted on 970 backpack dock



981 Stud Plate Kit with 3M VHB Tape & Cleaning Wipe





922 Adjustable Shoulder strap for VHF radios -25mm x 1.25m / 1"x 50"



ACCESSORIES



910 Shoulder Strap --38mm/1.5" x 1.5m/60" **911** 3-way Harness

25mm/1" x 60cm/ 23" x 3 **913** Webbing Belt

1.5m/60cm long adjustable belt

914 / 915 / 916 / 918 / 920 Adjustable Lanyards

50cm / 20" loop available in acid green (914) or black (916)

100cm/39" loop available in acid green (915), black (918) or burnt orange (920)



991 FD-1 Flotation Device

Fit to any phone case lanyard to make the phone float 25X120mm/1"x4.7" H1 Carry Handle

Clicks into 200 / 250 / 350mm Aquaclips

Works with 669 / 670 / 671 / 834 / 668 / 835 / 890

```
www.aquapac.net
```



CUSTOM CASES & LOGO PRINTING

Aquapac have been printing logos and making custom cases for over 35 years for various sectors including:

- Coast Guard
- Military
- Medical
- Industrial
- Agricultural
- Clothing Manufacturers
- Communications

Our product development team will help you create the best solution for your requirement. We can make special cases as shown in the images.

Print company logos or any message for a minimum of only 100 IPX8 Aquapac cases. We require artwork, pantone or CMYK reference for the colours you require.

We now offer Custom Sewn as well as High Frequency Welded Bags, Cases & Covers.











AQUAPAC PAST, PRESENT & FUTURE

'83

6M

UK

USA

X3



SINCE 1983 WE HAVE BEEN A GLOBAL LEADER IN WATERPROOF CASES

NEARLY SIX MILLION CASES HAVE BEEN SOLD IN MORE THAN 60 COUNTRIES

AQUAPAC IS A BRITISH COMPANY HEADQUARTERED IN LANCASHIRE

AQUAPAC USA LLC IS BASED IN DEER Park, New York

AWARDED THREE QUEEN'S AWARDS: EXPORT, INNOVATION & ENTERPRISE

EU NEW EU DISTRIBUTION HUB NEAR ORLEANS, FRANCE

In November 2021, the Aquapac Group Limited was created which includes:

- Aquapac International Ltd in the UK
- Aquapac EU SAS in France
- Aquapac USA LLC
- Carradice of Nelson Limited

OUR CUSTOMERS

Our products are used by Search & Rescue teams, Emergency Services, Coast Guards, lifeguards, forestry managers, shipping companies and by many other outdoor workers all over the world. They are also used by hikers, mountain climbers and water sports enthusiasts as well as travellers.

We have supplied some of the leading companies and organizations in the world including Nokia, Sony, Jaguar, Motorola, Range Rover, the Winter Olympic Games, the US Coast Guard, the Royal Navy and many others.

OUR MISSION

Design and manufacture high quality products which protect valuable equipment and possessions to make the outdoors safer and more enjoyable.

We look to offset and minimise more and more our environmental impact every year. We love nature, the great outdoors and we have a role to maintain it.

We aim to treat our customers the way we like to be treated ourselves. There is always more to be learnt from listening to what our customers want.

We want to empower people to immerse themselves worry free in their activities wherever they go.

Our Global Headquarters for all our brands, where all our manufacturing and assembly is based, is in Nelson, Lancashire.





Aquapac phone / two-way radio / camera / armband / tablet / multi-purpose cases and dock system are all Made in Britain.

Map cases, backpacks, daysacks, pack dividers and first aid kit are designed by Aquapac and made in China.



Aquapac is a Trademark of Aquapac International Limited.

Trademarks: Kindle is a trademark of AMAZON Inc.

iPad and iPhone are Trademarks of Apple Inc.

Galaxy is a Trademark of Samsung Electronics Co Ltd.

©2024 Aquapac International Limited.

All rights reserved.

CONTACT US

Aquapac International Limited

Westmoreland Works St Mary's Street, Nelson Lancs BB9 7BA UK sales@aquapac.net

+44 (0) 20 7738 4466

Aquapac USA LLC

280B Suburban Avenue Deer Park NY 11729 USA sales@aquapac.net +1 631 522 1379

Aquapac Europe SAS

10 rue de Baudreville 45480 Erceville France

eu@aquapac.net +33 (0)2 38 06 74 98

Carradice of Nelson Ltd

Westmoreland Works St Mary's Street, Nelson Lancs BB9 7BA sales@carradice.co.uk +44 (0)1282 615886 www.carradice.co.uk www.upsobags.co.uk

https://aquapac.net/reseller-resources

A resource for useful Aquapac information including barcodes, weights, image library, care instructions, size guides and more.

Other product ranges available: Boating Paddle Watersports, Outdoor & Radio Mic.

www.aquapac.net

17