SANTA SLEIGH CENTREPIECE

Tools Required to Make this Design:

Scrolling: Mk 1/2 and either Mk2/2H or Mk 2/3) Scroll Formers Punching: Practical Punch/Shear (or Master Punch/Shear or XL5+ Power Bender fitted with 3mm punch block & pin

Riveting: Practical RBR Bending:Practical RBR Rolling: Practical

Cutting: Practical Punch/Shear (or Master Punch/Shear or XL5+ Power Bender)


Note- with all lengths of steel it is recommended that you wipe it clean of any oil or scale before working and for a better finish trim the corners of all cut lengths. Use a fine tip indelible marker or pencil to mark the steel.

1 Sleigh Runners 820mm (x 2)

COMPONENT 1

Take one 914mm length of 12mm x 2mm material and mark out 820mm and cut at this mark. Repeat with other 914mm length so that you end up with two 820mm lengths.

Using the Design Sheet as a reference, mark scroll points \$1 & \$2 120mm from each end. Then mark bend positions B1 and B2 and Hole Position H1 & H2. Note make sure \$1 on the other side of the bar to \$2 and all the marks.



the other end, taking care to make sure that you form the scroll S2 on the other side of the bar in order to achieve a long scroll.

Next use Templates 1 and 2 to form the appropriate bends at postions B1 and B2 respectively.

Finally, punch holes at Holes H1 and H2. Repeat on the other cut length to make a matching pair.

COMPONENT 2 2 Sleigh runner support 400 (x 2) Take one 914mm length of 12mm x 2mm material and mark out two lengths each measuring 400mm.

Using the Design Sheet as a reference, mark scroll points S3 & S4 140mm from each end Note - to achieve the desired C scroll make sure the marks \$3 and S4 are on the same side of the bar

Form scroll \$3 and \$4 on Mk1/2 scroll former making sure the resulting scroll is as close a match to template 3 as possible

Repeat with the other cut length to make a matching pair.



Sleigh sides 700mm (x 2)

Take two 914mm length of 12mm x 2mm material and mark out two lengths each measuring 700mm.

Using the Design Sheet as a reference, mark scroll points S5 & S6 450mm and 230mm accordingly. Note – to achieve the desired C scroll make sure the marks S5 and S6 are on

different sides of the bar Form scroll S6 first on the Mk1/2 scroll former and then on the reverse face use

Mk2/3 scroll former to make the larger scroll. The resulting scroll should be a stylish S scroll.

Repeat with the other cut length to make a matching

4 Sleigh Base Plate 700mm (x 2)

COMPONENT 4

COMPONENT 3

Take the Large classic base plate provided and mark 5mm in from each

outer corner at each corner.

the Mk2/2H or

as indicated and carefully punch holes 0

5 Assembly

Gather all components made in the steps above and lay each side out on a flat surface. Firstly, mark where holes H1 and H2 on Component 1 line up with Component 2. Punch required holes in component 2 and join together with nuts and bolts. Repeat for the other Component 1 & 2 to form matching pair.

Re-layout the sides and you should be able to offer up the base plate between component 2 and component 3 and see where the holes on the base plate line up on component 2 (should be on the tops of the two scrolls) and where the touch component 3. Mark these touching points on components 2 and 3 and carefully punch required holes to join one side together with nuts and

Repeat the process for the other side, using the base plate again and when happy, punch and assemble the complete sleigh with nuts and bolts provided. Provided everything goes together correctly (if not re-trace steps and make any minor tweaks to scrolls or hole positions) and then go round each nut and bolt joint in turn and replace them with a rivet and use the RBR tool to rivet that joint before moving onto the next joint.

COPYRIGHT OF JACER WOOD! All rights reserved, No part of this publication may be reproduced by whatever means without prior written permission of JACER Wood.

email: info@jandcrwood.co.uk

99 CLOUGH ROAD, HULL HUS 1SR TEL: 01482 345067 FAX: 01482 441141

1 & CR WOOD

the metal is free of all scale, dirt, grease or rust. slwsys follow instructions on the tin and make sure Painting/Decorating outlets. For best results, Hammerite ranges - available from most DIY and case we used paints from the Plasti-kote and make your finished item look professional. In this However, even with aerosol or paint finish you can commercial/industrial scale finishing. applied but these type of finishes are more for Powder coating and plastic dip finishes can also be metallic) either by aerosol or by brush application. variety of finishes (smooth, satin, hammer and

The finished item can now be painted in a wide

L'ON ∋nss



səшəлой тон





wa a centrepiece

metal craft

Design Pack SANTA SLEIGH CENTREPIECE



DIFFICULTY RATING:	
EASY	
STRAIGHTFORWARD	/
MORE COMPLEX	

Reindeer

As an optional extra you can always make a Reindeer to pull the sleigh. To make it, follow the next steps

6 Reindeer Body 350mm (x 1)

COMPONENT 5

Take one 914mm length of 12mm x 2mm material and mark out 350mm and cut at this mark. .

Using the Design Sheet 2 as a reference, mark scroll point \$7 70mm from one end. Then mark bend positions B3 from the other end. Flip the bar over and mark position B4 and B5 before marking and then punching all the hole positions Hole Positions H3, H4, H5 and H6.

Start by forming the scroll S7 on the Mk1/2 scroll former until the S7 mark on the steel just touches the segment of the scroll forming tool. Next use Template 4 to form the appropriate bends at positions B3 and

flipping it over to bend B4 and B5 respectively.



Reindeer Back 240 (x 1)

COMPONENT 6


From the offcut of Component 5 mark and cut a length of 240mm. Using the Design Sheet 2 as a

reference, mark scroll points \$8 85mm from each end but on opposite faces of the bar.. Make the scrolls to form an S scroll.



8 Legs 200 (x 2)

Taking the two offcuts from Component 3 mark and cut a length of 200mm. Using the Design Sheet 2 as a reference, mark Bend points B6 & B7 and hole Position H7. Use Template B5 to set the angle of the bends and punch the hole



at position H7.

COMPONENT 8

Lower Antlers 150 (x 2)

From the offcut of Component 5 and 6 mark and cut two lengths of 150mm. Using the Design Sheet 2 as a reference, mark scroll point \$9 70mm from one end and on the reverse face mark bend point B8 15mm from the


other end. Then mark Hole Positions H8 and H9 and punch accordingly. Then

Upper Antlers 150mm (x 2)

COMPONENT 9


From a full 915mm length mark and cut two lengths measuring 150mm. Using the Design Sheet 2, mark scroll point \$10 70mm from one end and then

mark and punch Hole Position H10. Then make the scroll and repeat for the other upper antler.



Firstly use Template 6 to align holes H9 on Component 8 and Hole 10 on Component 9 and rivet together. Repeat for the set of upper and lower antiers. Next attach the legs by aligning the holes H7 on each set of legs with Hole H4 and H5 on the main body and riveting in place. The legs can be riveted flat to start with and then twisted through 90 degrees later. Lay component 6 against the Component 5 as per the assembly drawing on Design Sheet 1 and mark the points where the scroll for the back touches the body.

Finally line up the holes H8 in both sets of antlers with Hole H3 on the head and rivet both sets in place. Again you can splay these out after riveting with a longer 8mm x 3mm rivet.





Design Pack: SANTA SLEIGH CENTREPIECE - DESIGN SHEET 1 (SLEIGH) **NOT TO SCALE:** COMPONENT No. 1 820mm <-50mm **>** 120mm 120mm -√ 50mm → _ 180mm -280mm 360mm -S5 S6 COMPONENT No. 3 700mm x 2 450mm -230mm -TEMPLATE No. 1 TEMPLATE No. 2 COMPONENT No. 2 400mm x 2 – 140mm – 140mm -TEMPLATE No. 3 COMPONENT No. 9 COMPONENT No. 1 COMPONENT No. 8 COMPONENT No. 3 COMPONENT No. 5 COMPONENT No. 4 Base Plate COMPONENT No. 6 COMPONENT No. 2 COMPONENT No. 7 COMPONENT No. 4

Design Pack: SANTA SLEIGH CENTREPIECE - DESIGN SHEET 2 (REINDEER) **NOT TO SCALE:** H3 B3 B4 H4 H5 B5 COMPONENT No. 5 350mm x 1 → 10mm < 30mm > -80mm |10mm |**≪**25mm **>**| 70mm НЗ <--40mm→ 100mm TEMPLATE No. 4 S8 S8 COMPONENT No. 6 240mm x 1 85mm 85mm B6 H7 B7 COMPONENT No. 7 200mm H8 B8 S9 Н9 90mm → 10mm | 10mm | 90mm COMPONENT No. 8 150mm x 2 S10 |7mm|8mm | **←** 45mm **→** 70mm B7 TEMPLATE No. 5 TEMPLATE No. 6 S10 H10 COMPONENT No. 9 150mm x 2 **←** 35mm → 70mm H9/H10 List of Materials Required: 7 x 914mm (3ft) Length of 12mm x 2mm Steel Strip [Re-Order Ref: MC034] 1 x Large Classic Back Plate [Re-order Ref MC1254] 9 x 6mm x 3mm Rivets [Re-Order Ref: MC050L] 1 x 8mm x 3mm Rivet [Re-Order Ref: MC051L] 4 x 10mm x 3mm Rivets [Re-Order Ref: MC052L] 14 x 10mm x 3mm Nuts & Bolts [Re-Order Ref: MC060L] Н8