

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Abacus	Cortex 10	8.27in (210mm)	8.27in (210mm)	13.78in (350mm)	17.97lb (8.15kg)	Small	Light
Abacus	Cortex 9C	17.33in (440mm)	7.88in (200mm)	7.09in (180mm)	20.51lb (9.3kg)	Large	Light
Abacus	11W	7.09in (180mm)	7.09in (180mm)	18.51in (470mm)	21.39lb (9.7kg)	Small	Light
Acoustic Energy	Ae1 Classic	7.09in (180mm)	10.04in (255mm)	11.61in (295mm)	16.53lb (7.5kg)	Small	Light
Acoustic Energy	Ae22 Active	13.7in (348mm)	13in (330mm)	9.8in (249mm)	33lb (14.97kg)	Large	Medium
Acoustic Energy	Ae22 Passive	13.7in (348mm)	11.8in (300mm)	9.8in (249mm)	22lb (9.98kg)	Small	Light
Adam Audio	A3X	6in (152mm)	7.5in (191mm)	10in (254mm)	19.1lb (8.66kg)	Small	Light
Adam Audio	A5X	6.5in (165mm)	8.5in (216mm)	11in (279mm)	14.6lb (6.62kg)	Small	Light
Adam Audio	A77X	21in (533mm)	11in (279mm)	9.5in (241mm)	28.2lb (12.79kg)	Large	Medium
Adam Audio	A7X	8in (203mm)	11in (279mm)	13.5in (343mm)	20.3lb (9.21kg)	Small	Light
Adam Audio	A8X	10in (254mm)	12.5in (318mm)	15.5in (394mm)	28.7lb (13.02kg)	Small	Medium
Adam Audio	F5	7.5in (191mm)	9in (229mm)	11.5in (292mm)	15lb (6.8kg)	Small	Light
Adam Audio	F7	9in (229mm)	10.5in (267mm)	12.5in (318mm)	19.8lb (8.98kg)	Small	Light
Adam Audio	P11A	8.5in (216mm)	11in (279mm)	13in (330mm)	22lb (9.98kg)	Small	Light
Adam Audio	P22A	10in (254mm)	13.5in (343mm)	17in (432mm)	28.7lb (13.02kg)	Small	Medium
Adam Audio	S1X	7in (178mm)	10in (254mm)	11.5in (292mm)	13.2lb (5.99kg)	Small	Light
Adam Audio	S2A	9in (229mm)	13in (330mm)	15in (381mm)	28.5lb (12.93kg)	Small	Medium
Adam Audio	S3A	19.69in (500mm)	12.6in (320mm)	9.45in (240mm)	35.5lb (16.1kg)	Large	Medium
Adam Audio	S2V	8.7in (221mm)	13.6in (345mm)	13.7in (348mm)	24.2lb (10.98kg)	Small	Light
Adam Audio	S2X	8.5in (216mm)	12.5in (318mm)	14.5in (368mm)	23.8lb (10.8kg)	Small	Light
Adam Audio	S3V	11.5in (292mm)	15in (381mm)	21.5in (546mm)	55lb (24.95kg)	Small	Heavy
Adam Audio	S3H	23in (584mm)	15in (381mm)	11in (279mm)	58.6lb (26.58kg)	Large	Heavy
Adam Audio	S3X-H	21in (533mm)	12.5in (318mm)	11in (279mm)	43.2lb (19.6kg)	Large	Medium
Adam Audio	S3X-V	11in (279mm)	11.5in (292mm)	19in (483mm)	34lb (15.42kg)	Small	Medium

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Adam Audio	T5V	7in (178mm)	11.7in (297mm)	11.7in (297mm)	12.6lb (5.72kg)	Small	Light
Adam Audio	T7V	8.3in (211mm)	11.5in (292mm)	13.7in (348mm)	15.7lb (7.12kg)	Small	Light
Adam Audio	T8V	9.8in (249mm)	13.2in (335mm)	15.8in (401mm)	21.6lb (9.8kg)	Small	Light
Alesis	Elevate 5	7.2in (183mm)	10.6in (269mm)	8.7in (221mm)	12.5lb (5.67kg)	Small	Light
Alesis	Elevate 6	8.5in (216mm)	10.3in (262mm)	15in (381mm)	16.6lb (7.53kg)	Small	Light
Alesis	M1 Active 320	5in (127mm)	6.5in (165mm)	7.4in (188mm)	5lb (2.27kg)	Small	Light
Alesis	M1 Active 520	6.5in (165mm)	7.8in (198mm)	10.5in (267mm)	13lb (5.9kg)	Small	Light
Alesis	M1 Active 520 Usb	7.3in (185mm)	8.9in (226mm)	10.6in (269mm)	13lb (5.9kg)	Small	Light
Alesis	M1 Active 620	8.5in (216mm)	10.3in (262mm)	15in (381mm)	21lb (9.53kg)	Small	Light
Alesis	Monitor One Mkii	8.5in (216mm)	10in (254mm)	15in (381mm)	15lb (6.8kg)	Small	Light
Amphion	One12	5.2in (132mm)	8.66in (220mm)	10.2in (259mm)	13.2lb (5.99kg)	Small	Light
Amphion	One15	6.3in (160mm)	10.43in (265mm)	12.44in (316mm)	15.4lb (6.99kg)	Small	Light
Amphion	One18	7.52in (191mm)	12.4in (315mm)	14.96in (380mm)	26.4lb (11.97kg)	Small	Light
Amphion	Two15	6.3in (160mm)	10.43in (265mm)	20.08in (510mm)	26.4lb (11.97kg)	Small	Light
Amphion	Two15 (Side Orientation)	20.08in (510mm)	10.43in (265mm)	6.3in (160mm)	26.4lb (11.97kg)	Large	Light
Amphion	Two18	7.52in (191mm)	12.4in (315mm)	21.65in (550mm)	39.6lb (17.96kg)	Small	Medium
Amphion	Two18 (Side Orientation)	21.65in (550mm)	12.4in (315mm)	7.52in (191mm)	39.6lb (17.96kg)	Large	Medium
Aps	Aeon	10.5in (267mm)	14in (356mm)	16.5in (419mm)	39.6lb (17.96kg)	Small	Medium
Aps	Aeon 2	8.6in (218mm)	13.8in (351mm)	14.5in (368mm)	34lb (15.42kg)	Small	Medium
Aps	Klasik	8.3in (211mm)	11in (279mm)	12.6in (320mm)	19lb (8.62kg)	Small	Light
ATC	SCM12 Pro	9.4in (239mm)	9.3in (236mm)	15.7in (399mm)	24lb (10.89kg)	Small	Light
ATC	SCM12i Pro	9.4in (239mm)	9.3in (236mm)	15.7in (399mm)	33lb (14.97kg)	Small	Medium
ATC	SCM20 ASL	10.6in (269mm)	12.2in (310mm)	17.6in (447mm)	62lb (28.12kg)	Small	Heavy
ATC	SCM20ASL	9.8in (249mm)	15.4in (391mm)	17.7in (450mm)	58lb (26.31kg)	Small	Heavy

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
ATC	SCM20PSL	9.8in (249mm)	11.6in (295mm)	17.7in (450mm)	39.7lb (18.01kg)	Small	Medium
ATC	SCM25A	16.9in (429mm)	14.5in (368mm)	10.4in (264mm)	66lb (29.94kg)	Large	Heavy
ATC	SCM45A	23.6in (599mm)	14.8in (376mm)	13.9in (353mm)	79.2lb (35.92kg)	Large	Heavy
Audio Pro Solution	Klasik	8.3in (211mm)	11in (279mm)	12.6in (320mm)	18.7lb (8.48kg)	Small	Light
Auratone	5C	6.5in (165mm)	6in (152mm)	6.5in (165mm)	12lb (5.44kg)	Small	Light
Avantone	Mix Tower	7.5in (191mm)	10in (254mm)	18.7in (475mm)	23.3lb (10.57kg)	Small	Light
Avantone	Mixcubes	6.5in (165mm)	8.2in (208mm)	6.5in (165mm)	8.8lb (3.99kg)	Small	Light
Avantone	Pro Abbey	10.6in (269mm)	15.2in (386mm)	14.2in (361mm)	35.2lb (15.97kg)	Small	Medium
Barefoot Sound	Footprint01	9.5in (241mm)	13in (330mm)	14in (356mm)	35lb (15.88kg)	Small	Medium
Barefoot Sound	Footprint02	8.7in (221mm)	13in (330mm)	12.2in (310mm)	27.9lb (12.66kg)	Small	Medium
Barefoot Sound	Micromain26	9.5in (241mm)	15.5in (394mm)	20.5in (521mm)	71lb (32.21kg)	Small	Heavy
Barefoot Sound	Micromain27	9.5in (241mm)	15.5in (394mm)	20.5in (521mm)	68lb (30.84kg)	Small	Heavy
Barefoot Sound	Micromain27 Gen1	9.5in (241mm)	15.25in (387mm)	20.5in (521mm)	71lb (32.21kg)	Small	Heavy
Barefoot Sound	Micromain27 Gen2	9.5in (241mm)	15.5in (394mm)	20.5in (521mm)	68lb (30.84kg)	Small	Heavy
Barefoot Sound	Micromain35 Gen1	9.5in (241mm)	15.5in (394mm)	14.2in (361mm)	43lb (19.5kg)	Small	Medium
Barefoot Sound	Micromain35 Gen2	9.5in (241mm)	15.5in (394mm)	14.2in (361mm)	43lb (19.5kg)	Small	Medium
Barefoot Sound	Micromain45	15.5in (394mm)	10.75in (273mm)	11in (279mm)	37.5lb (17.01kg)	Small	Medium
Behringer	B1030A	7.8in (198mm)	11in (279mm)	11.3in (287mm)	12.1lb (5.49kg)	Small	Light
Behringer	B1031A	10.3in (262mm)	13.6in (345mm)	15.5in (394mm)	24.91lb (11.3kg)	Small	Light
Behringer	B2030A	8.4in (213mm)	8.6in (218mm)	12.5in (318mm)	21.7lb (9.84kg)	Small	Light
Behringer	B2031A	9.8in (249mm)	11.4in (290mm)	15.8in (401mm)	33lb (14.97kg)	Small	Medium
Behringer	B3030A	8.4in (213mm)	8.3in (211mm)	12.5in (318mm)	22lb (9.98kg)	Small	Light
Behringer	B3031A	9.8in (249mm)	11.4in (290mm)	15.7in (399mm)	33lb (14.97kg)	Small	Medium
Behringer	C50A	6.5in (165mm)	7.9in (201mm)	6.5in (165mm)	7.7lb (3.49kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Behringer	C5A	6.5in (165mm)	7.9in (201mm)	6.5in (165mm)	7.3lb (3.31kg)	Small	Light
Behringer	Ms20	6in (152mm)	7.4in (188mm)	9.4in (239mm)	8lb (3.63kg)	Small	Light
Behringer	Ms40	6.8in (173mm)	9.6in (244mm)	11in (279mm)	10.7lb (4.85kg)	Small	Light
Behringer	Studio 50 USB	8in (203mm)	7in (178mm)	10in (254mm)	16.3lb (7.39kg)	Small	Light
Behringer	Truth B1030A	7.8in (198mm)	11in (279mm)	11.3in (287mm)	12lb (5.44kg)	Small	Light
Bowers & Wilkins	805 D3	9.37in (238mm)	13.58in (345mm)	16.69in (424mm)	28lb (12.7kg)	Small	Medium
Bowers & Wilkins	805 S	9.37in (238mm)	13.81in (351mm)	16.45in (418mm)	26lb (11.79kg)	Small	Light
Bowers & Wilkins	Db1D	16.88in (429mm)	16.14in (410mm)	18.11in (460mm)	43lb (19.5kg)	Large	Medium
Bowers & Wilkins	Db2D	14.84in (377mm)	14.17in (360mm)	16.92in (430mm)	79.37lb (36kg)	Large	Heavy
Bowers & Wilkins	Db3D	12.6in (320mm)	11.8in (300mm)	14.17in (360mm)	55lb (24.95kg)	Small	Heavy
Bowers & Wilkins	705 S2	7.8in (198mm)	11.2in (284mm)	13.4in (340mm)	20.5lb (9.3kg)	Small	Light
Bowers & Wilkins	706 S2	7.8in (198mm)	11.2in (284mm)	13.4in (340mm)	17.7lb (8.03kg)	Small	Light
Bowers & Wilkins	707 S2	6.5in (165mm)	16.2in (411mm)	11in (279mm)	13.23lb (6kg)	Large	Light
Bowers & Wilkins	HTM71 S2	23.2in (589mm)	11.2in (284mm)	8.6in (218mm)	39.7lb (18.01kg)	Large	Medium
Bowers & Wilkins	HTM72 S2	18.9in (480mm)	10.2in (259mm)	6.6in (168mm)	20.1lb (9.12kg)	Large	Light
Bowers & Wilkins	DB4S	14.1in (358mm)	14.5in (368mm)	14.8in (376mm)	57.3lb (25.99kg)	Large	Heavy
Bowers & Wilkins	606	7.5in (191mm)	11.8in (300mm)	13.5in (343mm)	35.3lb (16.01kg)	Small	Medium
Bowers & Wilkins	607	8.15in (207mm)	9.09in (231mm)	6.5in (165mm)	10.36lb (4.7kg)	Small	Light
Bowers & Wilkins	HTM6	18.9in (480mm)	10in (254mm)	6.3in (160mm)	17.2lb (7.8kg)	Large	Light
Bowers & Wilkins	ASW610 XP	12.8in (325mm)	13.68in (347mm)	12.8in (325mm)	41.2lb (18.69kg)	Large	Medium
Bowers & Wilkins	ASW610	12.2in (310mm)	13.66in (347mm)	12.2in (310mm)	27.6lb (12.52kg)	Large	Medium
Bowers & Wilkins	ASW608	10.2in (259mm)	11.99in (305mm)	10.2in (259mm)	19.5lb (8.85kg)	Small	Light
Blue Sky	Sat 6D	8in (203mm)	11.75in (298mm)	13in (330mm)	20lb (9.07kg)	Small	Light
Definitive Technology	Studio Monitor 45	6.75in (171mm)	11.62in (295mm)	11.62in (295mm)	12lb (5.44kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Definitive Technology	Studio Monitor 55	7.87in (200mm)	12.5in (318mm)	12.93in (328mm)	15lb (6.8kg)	Small	Light
Definitive Technology	Studio Monitor 65	7.87in (200mm)	15.8in (401mm)	16.35in (415mm)	22lb (9.98kg)	Large	Light
Digidesign	RM2	7.64in (194mm)	14.57in (370mm)	15.75in (400mm)	20lb (9.07kg)	Small	Light
Dynaudio	AIR12	9.4in (239mm)	14.9in (378mm)	15.2in (386mm)	28.4lb (12.88kg)	Small	Medium
Dynaudio	AIR15	10.8in (274mm)	15.5in (394mm)	16.7in (424mm)	34.5lb (15.65kg)	Small	Medium
Dynaudio	AIR20	12.2in (310mm)	15.5in (394mm)	22.6in (574mm)	62.2lb (28.21kg)	Large	Heavy
Dynaudio	Air6	8.5in (216mm)	13.6in (345mm)	13.3in (338mm)	21.8lb (9.89kg)	Small	Light
Dynaudio	Bm Compact Mkiii	6.7in (170mm)	7.6in (193mm)	10.2in (259mm)	11.9lb (5.4kg)	Small	Light
Dynaudio	Bm12 Mkiii	9.2in (234mm)	14.9in (378mm)	14.6in (371mm)	27.5lb (12.47kg)	Small	Medium
Dynaudio	Bm12A	9.2in (234mm)	12.9in (328mm)	14.6in (371mm)	26.6lb (12.07kg)	Small	Medium
Dynaudio	Bm14S	13.8in (351mm)	14.5in (368mm)	13.8in (351mm)	46.3lb (21kg)	Large	Heavy
Dynaudio	Bm14S Mkii	13.8in (351mm)	14.5in (368mm)	13.8in (351mm)	46.3lb (21kg)	Large	Heavy
Dynaudio	Bm15A	11.4in (290mm)	15.2in (386mm)	17.9in (455mm)	42lb (19.05kg)	Small	Medium
Dynaudio	Bm5 Mkiii	7.3in (185mm)	12.5in (318mm)	12.5in (318mm)	16.9lb (7.67kg)	Small	Light
Dynaudio	Bm5A	6.7in (170mm)	9.3in (236mm)	12.2in (310mm)	15.4lb (6.99kg)	Small	Light
Dynaudio	Bm5A Mkii	7.3in (185mm)	12.5in (318mm)	12.5in (318mm)	19.2lb (8.71kg)	Small	Light
Dynaudio	Bm6	8in (203mm)	10in (254mm)	12.9in (328mm)	15.2lb (6.89kg)	Small	Light
Dynaudio	Bm6 Mkiii	7.9in (201mm)	14.9in (378mm)	13.1in (333mm)	24.36lb (11.05kg)	Small	Light
Dynaudio	Bm6A	8.5in (216mm)	12.6in (320mm)	13.3in (338mm)	24.2lb (10.98kg)	Small	Light
Dynaudio	Bm6A Mkii	8in (203mm)	12.9in (328mm)	13.2in (335mm)	23.1lb (10.48kg)	Small	Light
Dynaudio	Bm9S	11.6in (295mm)	12.5in (318mm)	11.4in (290mm)	22lb (9.98kg)	Small	Light
Dynaudio	Bm9S Mkii	11.4in (290mm)	11.8in (300mm)	11.4in (290mm)	19.4lb (8.8kg)	Small	Light
Dynaudio	DBM 50	9.1in (231mm)	13.2in (335mm)	13.7in (348mm)	15.9lb (7.21kg)	Small	Light
Dynaudio	LYD 48	14.5in (368mm)	12.9in (328mm)	12.9in (328mm)	23.2lb (10.52kg)	Large	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Dynaudio	LYD 5	6.7in (170mm)	8.3in (211mm)	10.2in (259mm)	12.5lb (5.67kg)	Small	Light
Dynaudio	LYD 7	7.3in (185mm)	11.6in (295mm)	12.6in (320mm)	17.6lb (7.98kg)	Small	Light
Dynaudio	LYD 8	9.2in (234mm)	12.9in (328mm)	14.5in (368mm)	22.5lb (10.21kg)	Small	Light
Dynaudio	XEO 2	6.8in (173mm)	6.1in (155mm)	10in (254mm)	8.8lb (3.99kg)	Small	Light
Edifier	S1000Db	8in (203mm)	13.5in (343mm)	11in (279mm)	18lb (8.16kg)	Small	Light
Emotiva	Airmotiv 4S	6.2in (157mm)	7.5in (191mm)	9.5in (241mm)	13.7lb (6.21kg)	Small	Light
Emotiva	Airmotiv 5S	7.1in (180mm)	8.4in (213mm)	10.9in (277mm)	17lb (7.71kg)	Small	Light
Emotiva	Airmotiv 6S	8.4in (213mm)	11.3in (287mm)	13.4in (340mm)	29.5lb (13.38kg)	Small	Medium
Emotiva	Stealth 6	10in (254mm)	11.5in (292mm)	13in (330mm)	26lb (11.79kg)	Small	Light
Emotiva	Stealth 8	12in (305mm)	15in (381mm)	16.5in (419mm)	41.5lb (18.82kg)	Large	Medium
Equator	Q8	19in (483mm)	19in (483mm)	19in (483mm)	34lb (15.42kg)	Large	Medium
Equator	Q10	15in (381mm)	15in (381mm)	15in (381mm)	54lb (24.49kg)	Large	Heavy
Equator	Q12	17in (432mm)	17in (432mm)	17in (432mm)	76lb (34.47kg)	Large	Heavy
Equator	Audio D5	7in (178mm)	8.5in (216mm)	9.75in (248mm)	9lb (4.08kg)	Small	Light
Equator	Audio D8	10in (254mm)	12in (305mm)	14in (356mm)	22lb (9.98kg)	Small	Light
ESI	Aktiv 05	6.9in (175mm)	7.9in (201mm)	9.8in (249mm)	9.9lb (4.49kg)	Small	Light
ESI	Unik 05+	7.5in (191mm)	8.3in (211mm)	10.4in (264mm)	9.7lb (4.4kg)	Small	Light
ESI	Unik 08+	9.92in (252mm)	12.56in (319mm)	13.86in (352mm)	17.86lb (8.1kg)	Small	Light
Eve Audio	SC204	5.7in (145mm)	7.6in (193mm)	9in (229mm)	8.4lb (3.81kg)	Small	Light
Eve Audio	SC205	6.9in (175mm)	9.1in (231mm)	10.8in (274mm)	11lb (4.99kg)	Small	Light
Eve Audio	SC207	8.4in (213mm)	11in (279mm)	12.9in (328mm)	17.6lb (7.98kg)	Small	Light
Eve Audio	SC208	10in (254mm)	12.9in (328mm)	15.3in (389mm)	24lb (10.89kg)	Small	Light
Eve Audio	SC3010	15in (381mm)	17.3in (439mm)	22.8in (579mm)	81.6lb (37.01kg)	Large	Heavy
Eve Audio	SC305	16.7in (424mm)	9.8in (249mm)	7.1in (180mm)	18.7lb (8.48kg)	Large	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Eve Audio	SC307	19.7in (500mm)	12.2in (310mm)	8.5in (216mm)	27.3lb (12.38kg)	Large	Medium
Eve Audio	SC407	23.6in (599mm)	12.6in (320mm)	10.2in (259mm)	39.7lb (18.01kg)	Large	Medium
Event	20/20Bas	10.2in (259mm)	11.8in (300mm)	14.8in (376mm)	37.4lb (16.96kg)	Small	Medium
Event	2030	14.8in (376mm)	12.2in (310mm)	10.2in (259mm)	32lb (14.51kg)	Large	Medium
Event	Asp8	12.5in (318mm)	11.9in (302mm)	16in (406mm)	32.5lb (14.74kg)	Large	Medium
Event	Opal	11.6in (295mm)	10.8in (274mm)	17.7in (450mm)	46.7lb (21.18kg)	Small	Heavy
Event	Event Opal	15.4in (391mm)	15in (381mm)	22.6in (574mm)	46.7lb (21.18kg)	Large	Heavy
Event	Studio Precision 6	10.34in (263mm)	10in (254mm)	13.58in (345mm)	25lb (11.34kg)	Small	Light
Event	Studio Precision 8	12.5in (318mm)	11.9in (302mm)	16in (406mm)	32.5lb (14.74kg)	Large	Medium
Event	TR6	8.25in (210mm)	10in (254mm)	12.2in (310mm)	26lb (11.79kg)	Small	Light
Event	TR8	10.25in (260mm)	11.75in (298mm)	14.75in (375mm)	24.7lb (11.2kg)	Small	Light
Fluid Audio	C5/C5W	6.9in (175mm)	7.6in (193mm)	10.1in (257mm)	8.8lb (3.99kg)	Small	Light
Fluid Audio	C5Bt/C5Btw	6.9in (175mm)	7.6in (193mm)	10.1in (257mm)	9.5lb (4.31kg)	Small	Light
Fluid Audio	F4/F4W	5.9in (150mm)	6.75in (171mm)	8.8in (224mm)	7.9lb (3.58kg)	Small	Light
Fluid Audio	F5/F5W	6.9in (175mm)	7.7in (196mm)	10.25in (260mm)	10.1lb (4.58kg)	Small	Light
Fluid Audio	F8S/F8Sw	10in (254mm)	10.6in (269mm)	13.4in (340mm)	17.4lb (7.89kg)	Small	Light
Fluid Audio	FPX7	6.1in (155mm)	10.5in (267mm)	12.1in (307mm)	16.8lb (7.62kg)	Small	Light
Fluid Audio	FX8/FX8W	10in (254mm)	10.6in (269mm)	13.4in (340mm)	20.7lb (9.39kg)	Small	Light
Focal	Alpha 50	8.7in (221mm)	10.2in (259mm)	12.3in (312mm)	16.1lb (7.3kg)	Small	Light
Focal	Alpha 65	9.9in (251mm)	12.2in (310mm)	13.7in (348mm)	20.7lb (9.39kg)	Small	Light
Focal	Alpha 80	11.3in (287mm)	13.7in (348mm)	15.6in (396mm)	28.2lb (12.79kg)	Small	Medium
Focal	CMS40	6.1in (155mm)	6.1in (155mm)	9.3in (236mm)	11lb (4.99kg)	Small	Light
Focal	CMS50	7.5in (191mm)	7.9in (201mm)	11.4in (290mm)	17lb (7.71kg)	Small	Light
Focal	CMS65	9.5in (241mm)	9.1in (231mm)	14.5in (368mm)	23lb (10.43kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Focal	CMS Sub	14.4in (366mm)	17.3in (439mm)	17.1in (434mm)	50.7lb (23kg)	Large	Heavy
Focal	Shape 40	6.3in (160mm)	7.9in (201mm)	10.1in (257mm)	16.1lb (7.3kg)	Small	Light
Focal	Shape 50	7.5in (191mm)	9.5in (241mm)	12.3in (312mm)	20.7lb (9.39kg)	Small	Light
Focal	Shape 65	8.6in (218mm)	11.2in (284mm)	14in (356mm)	28.2lb (12.79kg)	Small	Medium
Focal	Shape Twin	8.3in (211mm)	11in (279mm)	18.8in (478mm)	24.3lb (11.02kg)	Small	Light
Focal	SM9	19.6in (498mm)	15.6in (396mm)	12.8in (325mm)	77lb (34.93kg)	Large	Heavy
Focal	Solo6 Be	9.4in (239mm)	11.4in (290mm)	13in (330mm)	24.2lb (10.98kg)	Small	Light
Focal	Trio6 Be	10.9in (277mm)	14.1in (358mm)	20.5in (521mm)	44lb (19.96kg)	Small	Medium
Focal	Twin6 Be	19.7in (500mm)	13.4in (340mm)	9.8in (249mm)	30.8lb (13.97kg)	Large	Medium
Fostex	PM-1	8.5in (216mm)	11.25in (286mm)	15in (381mm)	22.9lb (10.39kg)	Small	Light
Fostex	PM04N	5.7in (145mm)	7.1in (180mm)	8.7in (221mm)	8.4lb (3.81kg)	Small	Light
Fostex	PM05N	7.1in (180mm)	10.2in (259mm)	11in (279mm)	14.3lb (6.49kg)	Small	Light
Fostex	PM641	9.8in (249mm)	11.4in (290mm)	14.8in (376mm)	25.2lb (11.43kg)	Small	Light
Fostex	PM841	10.6in (269mm)	11.4in (290mm)	17in (432mm)	29.5lb (13.38kg)	Small	Medium
Geithain	RL904	10in (254mm)	13.6in (345mm)	15.7in (399mm)	35.3lb (16.01kg)	Small	Medium
Geithain	RL905	10in (254mm)	9.6in (244mm)	15.7in (399mm)	26.4lb (11.97kg)	Small	Light
Geithain	RL906	7.1in (180mm)	7.9in (201mm)	10in (254mm)	12lb (5.44kg)	Small	Light
Geithain	RL906D	7.1in (180mm)	7.9in (201mm)	10in (254mm)	12.1lb (5.49kg)	Small	Light
Geithain	RL930	13.8in (351mm)	12.8in (325mm)	18.8in (478mm)	48.5lb (22kg)	Large	Heavy
Geithain	RL940	10in (254mm)	13.6in (345mm)	15.6in (396mm)	39lb (17.69kg)	Small	Medium
Geithain	RL940C	15.6in (396mm)	13.6in (345mm)	10in (254mm)	39lb (17.69kg)	Large	Medium
Geithain	RL941	10in (254mm)	13.6in (345mm)	15.6in (396mm)	40.3lb (18.28kg)	Small	Medium
Genelec	1029A	5.9in (150mm)	7.5in (191mm)	9.75in (248mm)	13.2lb (5.99kg)	Small	Light
Genelec	1030A	7.88in (200mm)	9.5in (241mm)	12.25in (311mm)	17lb (7.71kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Genelec	1031A	9.88in (251mm)	11.44in (291mm)	15.56in (395mm)	28lb (12.7kg)	Small	Medium
Genelec	1032A	12.6in (320mm)	11.7in (297mm)	19.5in (495mm)	48lb (21.77kg)	Small	Heavy
Genelec	1032C	12.63in (321mm)	11.44in (291mm)	19.5in (495mm)	37.5lb (17.01kg)	Small	Medium
Genelec	8020C	6in (152mm)	5.6in (142mm)	9in (229mm)	8.1lb (3.67kg)	Small	Light
Genelec	8030Bp	7.4in (188mm)	7in (178mm)	11.2in (284mm)	12.3lb (5.58kg)	Small	Light
Genelec	8030C	7.4in (188mm)	7in (178mm)	11.2in (284mm)	12.3lb (5.58kg)	Small	Light
Genelec	8040A	11.2in (284mm)	10.9in (277mm)	17in (432mm)	28lb (12.7kg)	Small	Medium
Genelec	8040B	9.33in (237mm)	8.78in (223mm)	13.8in (351mm)	19lb (8.62kg)	Small	Light
Genelec	8050A	11.2in (284mm)	10.9in (277mm)	17in (432mm)	32lb (14.51kg)	Small	Medium
Genelec	8050B	11.2in (284mm)	10.9in (277mm)	17in (432mm)	28lb (12.7kg)	Small	Medium
Genelec	8240A	9.3in (236mm)	8.8in (224mm)	13.8in (351mm)	20.8lb (9.43kg)	Small	Light
Genelec	8250A	11.2in (284mm)	10.9in (277mm)	17in (432mm)	32lb (14.51kg)	Small	Medium
Genelec	8260A	14in (356mm)	13.6in (345mm)	23.3in (592mm)	60lb (27.22kg)	Large	Heavy
Genelec	8330A SAM	7.5in (191mm)	7.06in (179mm)	11.88in (302mm)	12.1lb (5.49kg)	Small	Light
Genelec	8340A SAM	9.33in (237mm)	8.78in (223mm)	14.37in (365mm)	14.5lb (6.58kg)	Small	Light
Genelec	8350A SAM	11.26in (286mm)	10.95in (278mm)	17.8in (452mm)	28.2lb (12.79kg)	Small	Medium
Genelec	8351A SAM	11.26in (286mm)	11in (279mm)	17.8in (452mm)	41.9lb (19.01kg)	Small	Medium
Genelec	8340A Ip SAM	7.44in (189mm)	7.01in (178mm)	11.77in (299mm)	12.1lb (5.49kg)	Small	Light
Genelec	8331A SAM	7.44in (189mm)	8.35in (212mm)	12.01in (305mm)	14.8lb (6.71kg)	Small	Light
Genelec	8341A SAM	9.33in (237mm)	9.57in (243mm)	14.57in (370mm)	21.6lb (9.8kg)	Small	Light
Genelec	8351B SAM	11.3in (287mm)	10.95in (278mm)	17.79in (452mm)	31.5lb (14.29kg)	Small	Medium
Genelec	8361A SAM	14.06in (357mm)	13.66in (347mm)	23.35in (593mm)	70.3lb (31.89kg)	Large	Heavy
Genelec	M030	7.5in (191mm)	7.5in (191mm)	10.7in (272mm)	8.8lb (3.99kg)	Small	Light
Genelec	M040	9.2in (234mm)	9in (229mm)	13.3in (338mm)	15lb (6.8kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Genelec	S360	14.2in (361mm)	14.2in (361mm)	20.9in (531mm)	66.1lb (29.98kg)	Large	Heavy
Gibson	Les Paul 4	6.5in (165mm)	9.5in (241mm)	10.2in (259mm)	10.5lb (4.76kg)	Small	Light
Gibson	Les Paul 6	9in (229mm)	11.8in (300mm)	14in (356mm)	18.5lb (8.39kg)	Small	Light
Gibson	Les Paul 8	12in (305mm)	13.8in (351mm)	18.5in (470mm)	30.5lb (13.83kg)	Large	Medium
Harbeth	20.1 Pro	7.5in (191mm)	7.2in (183mm)	12in (305mm)	13.2lb (5.99kg)	Small	Light
Harbeth	30.1 Pro	10.9in (277mm)	10.8in (274mm)	18.1in (460mm)	25.4lb (11.52kg)	Small	Light
Hedd	Type 05	7.1in (180mm)	9in (229mm)	12.1in (307mm)	14.8lb (6.71kg)	Small	Light
Hedd	Type 07	8.66in (220mm)	11.81in (300mm)	14.57in (370mm)	22.05lb (10kg)	Small	Light
Hedd	Type 20	14.9in (378mm)	13.31in (338mm)	11.02in (280mm)	33lb (14.97kg)	Large	Medium
Hedd	Type 30	20.9in (531mm)	13.3in (338mm)	11in (279mm)	50.3lb (22.82kg)	Large	Heavy
IK Multimedia	iLoud MTM	9.4in (239mm)	12.5in (318mm)	8.4in (213mm)	7.98lb (3.62kg)	Small	Light
IK Multimedia	iLoud Micro Monitor	11.7in (297mm)	7.8in (198mm)	7.1in (180mm)	7.1lb (3.22kg)	Small	Light
IK Multimedia	iLoud	5.31in (135mm)	3.54in (90mm)	7.09in (180mm)	2lb (0.91kg)	Small	Light
JBL	305P	7.3in (185mm)	9.1in (231mm)	11.7in (297mm)	10.4lb (4.72kg)	Small	Light
JBL	305P MKII	7.3in (185mm)	9.1in (231mm)	11.7in (297mm)	10.36lb (4.7kg)	Small	Light
JBL	306P	8.8in (224mm)	11.1in (282mm)	14.2in (361mm)	13.42lb (6.09kg)	Small	Light
JBL	306P MKII	8.8in (224mm)	11.1in (282mm)	14.2in (361mm)	13.42lb (6.09kg)	Small	Light
JBL	308P	13in (330mm)	19in (483mm)	13in (330mm)	21.68lb (9.83kg)	Large	Light
JBL	308P MKII	10in (254mm)	12.1in (307mm)	16.5in (419mm)	17.87lb (8.11kg)	Small	Light
JBL	705P	5.88in (149mm)	8.13in (207mm)	10.5in (267mm)	9lb (4.08kg)	Small	Light
JBL	708P	16.5in (419mm)	22.5in (572mm)	14in (356mm)	25.2lb (11.43kg)	Large	Light
JBL	4311	14.5in (368mm)	11.75in (298mm)	23.5in (597mm)	45lb (20.41kg)	Small	Heavy
JBL	305P MKII	7.3in (185mm)	9.1in (231mm)	11.7in (297mm)	10.43lb (4.73kg)	Small	Light
JBL	4311B	14.5in (368mm)	11.75in (298mm)	23.5in (597mm)	45lb (20.41kg)	Small	Heavy

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
JBL	4312M II	7.26in (184mm)	7.09in (180mm)	11.81in (300mm)	8lb (3.63kg)	Small	Light
JBL	4406	9.4in (239mm)	8.5in (216mm)	15in (381mm)	17lb (7.71kg)	Small	Light
JBL	4408A	14.3in (363mm)	11.3in (287mm)	23.5in (597mm)	26lb (11.79kg)	Small	Light
JBL	4412	23.25in (591mm)	11.25in (286mm)	14.25in (362mm)	53lb (24.04kg)	Large	Heavy
JBL	705P	5.88in (149mm)	8.13in (207mm)	10.56in (268mm)	9lb (4.08kg)	Small	Light
JBL	708P	9.75in (248mm)	11.5in (292mm)	17.25in (438mm)	25.2lb (11.43kg)	Small	Light
JBL	Control 5	9.88in (251mm)	9in (229mm)	15.25in (387mm)	10lb (4.54kg)	Small	Light
JBL	Control Monitor 4312A	14.25in (362mm)	11.75in (298mm)	23.5in (597mm)	45lb (20.41kg)	Small	Heavy
JBL	LSR28P	16in (406mm)	12.8in (325mm)	13in (330mm)	50lb (22.68kg)	Large	Heavy
JBL	LSR2325P	7.4in (188mm)	10in (254mm)	11.9in (302mm)	16lb (7.26kg)	Small	Light
JBL	LSR2328P	10in (254mm)	13.2in (335mm)	15.6in (396mm)	28lb (12.7kg)	Small	Medium
JBL	LSR305	9.4in (239mm)	9.9in (251mm)	11.5in (292mm)	10.1lb (4.58kg)	Small	Light
JBL	LSR308	10in (254mm)	12.1in (307mm)	16.5in (419mm)	18.9lb (8.57kg)	Small	Light
JBL	LSR310S	15in (381mm)	15.6in (396mm)	17.6in (447mm)	34.3lb (15.56kg)	Large	Medium
JBL	LSR4326P	9.3in (236mm)	10.3in (262mm)	15.3in (389mm)	28lb (12.7kg)	Small	Medium
JBL	LSR4328P	10.5in (267mm)	10.6in (269mm)	17.3in (439mm)	29lb (13.15kg)	Small	Medium
JBL	LSR6325P-1	6.8in (173mm)	9.5in (241mm)	10.6in (269mm)	17lb (7.71kg)	Small	Light
JBL	LSR6328P	13in (330mm)	12.8in (325mm)	16in (406mm)	39lb (17.69kg)	Large	Medium
JBL	Studio 530	8.44in (214mm)	8.75in (222mm)	18.38in (467mm)	17lb (7.71kg)	Small	Light
Kali Audio	LP-6	8.75in (222mm)	10.25in (260mm)	14.13in (359mm)	15.54lb (7.05kg)	Small	Light
Kali Audio	LB-8	10in (254mm)	11.25in (286mm)	16.5in (419mm)	19.8lb (8.98kg)	Small	Light
Klein & Hummel	O 300	15.1in (384mm)	11.4in (290mm)	10in (254mm)	13.8lb (6.26kg)	Small	Light
KEF	LS50	7.9in (201mm)	10.9in (277mm)	11.9in (302mm)	15.8lb (7.17kg)	Small	Light
KEF	LS50W	7.9in (201mm)	12.1in (307mm)	11.8in (300mm)	15.8lb (7.17kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
KRK	Expose	16.6in (422mm)	14in (356mm)	19.3in (490mm)	75lb (34.02kg)	Large	Heavy
KRK	E8T	14in (356mm)	14in (356mm)	17in (432mm)	61lb (27.67kg)	Large	Heavy
KRK	R6	8.9in (226mm)	12.5in (318mm)	12.7in (323mm)	15.5lb (7.03kg)	Small	Light
KRK	Rokit 10-3	12.7in (323mm)	14.3in (363mm)	21.2in (538mm)	46lb (20.87kg)	Large	Heavy
KRK	Rokit 4	6.1in (155mm)	8.8in (224mm)	8.3in (211mm)	8.7lb (3.95kg)	Small	Light
KRK	Rokit 5	7.3in (185mm)	8.9in (226mm)	10.9in (277mm)	13.8lb (6.26kg)	Small	Light
KRK	Rokit 5 G3	7.4in (188mm)	11.2in (284mm)	9.7in (246mm)	13lb (5.9kg)	Small	Light
KRK	Rokit 6	8.9in (226mm)	10.5in (267mm)	12.7in (323mm)	19.6lb (8.89kg)	Small	Light
KRK	Rokit 6 G3	8.9in (226mm)	13.1in (333mm)	11.4in (290mm)	18.5lb (8.39kg)	Small	Light
KRK	Rokit 8	10.4in (264mm)	13in (330mm)	15in (381mm)	26lb (11.79kg)	Small	Light
KRK	Rokit 8	10.8in (274mm)	15.6in (396mm)	12.4in (315mm)	24.6lb (11.16kg)	Small	Light
KRK	Rokit Rp 10-3	12.7in (323mm)	14.3in (363mm)	21.2in (538mm)	46lb (20.87kg)	Large	Heavy
KRK	Rokit 5 G4	7.5in (191mm)	9.5in (241mm)	11.2in (284mm)	10.6lb (4.81kg)	Small	Light
KRK	Rokit 7 G4	8.8in (224mm)	11.2in (284mm)	13.3in (338mm)	16.7lb (7.57kg)	Small	Light
KRK	V4	6.54in (166mm)	8.58in (218mm)	10.08in (256mm)	12.78lb (5.8kg)	Small	Light
KRK	V6	9.09in (231mm)	11.34in (288mm)	13.89in (353mm)	20.72lb (9.4kg)	Small	Light
KRK	V8	11.18in (284mm)	13.66in (347mm)	17.13in (435mm)	31.75lb (14.4kg)	Small	Medium
KRK	VXT 4	7.3in (185mm)	7in (178mm)	10.1in (257mm)	14lb (6.35kg)	Small	Light
KRK	VXT 6	10.3in (262mm)	9.6in (244mm)	14.5in (368mm)	27lb (12.25kg)	Small	Medium
KRK	VXT 8	12.5in (318mm)	11.9in (302mm)	17.3in (439mm)	41lb (18.6kg)	Large	Medium
M-Audio	AV-32	5.1in (130mm)	6.1in (155mm)	7.5in (191mm)	5.6lb (2.54kg)	Small	Light
M-Audio	AV-42	5.7in (145mm)	7.4in (188mm)	8.4in (213mm)	7.6lb (3.45kg)	Small	Light
M-Audio	BX5 Carbon	6.5in (165mm)	8.75in (222mm)	9.9in (251mm)	11lb (4.99kg)	Small	Light
M-Audio	BX5 D2	7in (178mm)	7.7in (196mm)	10in (254mm)	11lb (4.99kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
M-Audio	BX5A	6.9in (175mm)	7.9in (201mm)	9.8in (249mm)	11lb (4.99kg)	Small	Light
M-Audio	BX6 Carbon	8.4in (213mm)	9.8in (249mm)	12.5in (318mm)	16lb (7.26kg)	Small	Light
M-Audio	BX8 Carbon	10in (254mm)	12in (305mm)	15in (381mm)	26.4lb (11.97kg)	Small	Light
M-Audio	BX8 D2	10in (254mm)	12in (305mm)	15in (381mm)	26.4lb (11.97kg)	Small	Light
M-Audio	BX8A	10in (254mm)	12in (305mm)	15in (381mm)	26.4lb (11.97kg)	Small	Light
M-Audio	CX5	7.5in (191mm)	9in (229mm)	12in (305mm)	19lb (8.62kg)	Small	Light
M-Audio	CX8	11in (279mm)	13in (330mm)	17in (432mm)	22lb (9.98kg)	Small	Light
M-Audio	DSM1	9in (229mm)	10.3in (262mm)	12.8in (325mm)	16.5lb (7.48kg)	Small	Light
M-Audio	DSM2	10.1in (257mm)	10.6in (269mm)	15.2in (386mm)	20lb (9.07kg)	Small	Light
M-Audio	EX66	8.3in (211mm)	9.5in (241mm)	19in (483mm)	24.7lb (11.2kg)	Small	Light
M-Audio	M3-6	9.2in (234mm)	9.1in (231mm)	15in (381mm)	23.1lb (10.48kg)	Small	Light
M-Audio	M3-8	10.6in (269mm)	11.2in (284mm)	17.1in (434mm)	28.2lb (12.79kg)	Small	Medium
M-Audio	Studio Pro3	5.5in (140mm)	5.9in (150mm)	7.9in (201mm)	8.8lb (3.99kg)	Small	Light
M-Audio	Studiophile AV30	5.3in (135mm)	6.3in (160mm)	7.9in (201mm)	11.7lb (5.31kg)	Small	Light
M-Audio	Studiophile AV40	6in (152mm)	7.3in (185mm)	8.8in (224mm)	14lb (6.35kg)	Small	Light
M&K Sound	MK LCR950	7in (178mm)	9in (229mm)	16.1in (409mm)	15.25lb (6.92kg)	Small	Light
M&K Sound	S300	13.4in (340mm)	13in (330mm)	15.5in (394mm)	40lb (18.14kg)	Large	Medium
Mackie	CR3	5.5in (140mm)	6.2in (157mm)	8.2in (208mm)	4.7lb (2.13kg)	Small	Light
Mackie	CR4Bt	9.4in (239mm)	11.6in (295mm)	17in (432mm)	13.2lb (5.99kg)	Small	Light
Mackie	HR624MK2	8.6in (218mm)	10.3in (262mm)	13.1in (333mm)	23.4lb (10.61kg)	Small	Light
Mackie	HR824	10in (254mm)	12.2in (310mm)	15.75in (400mm)	33.6lb (15.24kg)	Small	Medium
Mackie	HR824MK2	10.8in (274mm)	11.4in (290mm)	16.8in (427mm)	34.6lb (15.69kg)	Small	Medium
Mackie	MR5	7.8in (198mm)	10.5in (267mm)	11.5in (292mm)	14.3lb (6.49kg)	Small	Light
Mackie	MR524	7.1in (180mm)	8.7in (221mm)	11.1in (282mm)	10.2lb (4.63kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Mackie	MR5MK2	7.8in (198mm)	10.6in (269mm)	11.5in (292mm)	14.3lb (6.49kg)	Small	Light
Mackie	MR5MK3	7.8in (198mm)	10.9in (277mm)	11.3in (287mm)	12.1lb (5.49kg)	Small	Light
Mackie	MR624	8.3in (211mm)	11.2in (284mm)	12.9in (328mm)	16.5lb (7.48kg)	Small	Light
Mackie	MR6MK2	8.7in (221mm)	12in (305mm)	12.7in (323mm)	15.9lb (7.21kg)	Small	Light
Mackie	MR6MK3	8.7in (221mm)	12in (305mm)	12.7in (323mm)	15.9lb (7.21kg)	Small	Light
Mackie	MR8	10.9in (277mm)	13.6in (345mm)	16in (406mm)	27.6lb (12.52kg)	Small	Medium
Mackie	MR824	10.1in (257mm)	12.6in (320mm)	15.7in (399mm)	23lb (10.43kg)	Small	Light
Mackie	MR8MK2	10.9in (277mm)	13in (330mm)	15.7in (399mm)	27.6lb (12.52kg)	Small	Medium
Mackie	MR8MK3	10.9in (277mm)	13.2in (335mm)	15.8in (401mm)	23.8lb (10.8kg)	Small	Light
Mackie	Xr824	10.8in (274mm)	13.8in (351mm)	16.8in (427mm)	34.6lb (15.69kg)	Small	Medium
M&K Professional	1501P	4.09in (104mm)	2.21in (56mm)	4.69in (119mm)	17.4lb (7.89kg)	Small	Light
M&K Professional	2510P	12.4in (315mm)	0.39in (10mm)	12.4in (315mm)	14lb (6.35kg)	Small	Light
Monoprice	5-Inch Powered Studio Monitor S	6.9in (175mm)	7.8in (198mm)	10in (254mm)	9.7lb (4.4kg)	Small	Light
Monoprice	605800	10.1in (257mm)	11in (279mm)	15in (381mm)	26.4lb (11.97kg)	Small	Light
Neumann	KH 120 A G	16in (406mm)	11in (279mm)	16in (406mm)	18lb (8.16kg)	Large	Light
Neumann	KH 120 A	7.1in (180mm)	8.6in (218mm)	10.9in (277mm)	14.1lb (6.4kg)	Small	Light
Neumann	KH 120 D	7.1in (180mm)	8.6in (218mm)	10.9in (277mm)	14.3lb (6.49kg)	Small	Light
Neumann	KH 310 A	15.8in (401mm)	11.5in (292mm)	10in (254mm)	28.5lb (12.93kg)	Large	Medium
Neumann	KH 80	6in (152mm)	8.63in (219mm)	9.13in (232mm)	7.8lb (3.54kg)	Small	Light
Neumann	KH120	7.13in (181mm)	8.63in (219mm)	10.88in (276mm)	14.1lb (6.4kg)	Small	Light
Neumann	O300D	15.1in (384mm)	11.4in (290mm)	10in (254mm)	30lb (13.61kg)	Small	Medium
Ocean Way Audio	HR5	17.5in (445mm)	14.5in (368mm)	12in (305mm)	38lb (17.24kg)	Large	Medium
Ocean Way Audio	Pro2A	13.5in (343mm)	16.25in (413mm)	17.5in (445mm)	45lb (20.41kg)	Large	Heavy
Pioneer Dj	Built6	11.6in (295mm)	8.9in (226mm)	13.4in (340mm)	18.7lb (8.48kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Pioneer Dj	Bulit8	12.4in (315mm)	10.8in (274mm)	15.7in (399mm)	26lb (11.79kg)	Small	Light
Pioneer Dj	S-DJ50X	7.8in (198mm)	10.3in (262mm)	11.9in (302mm)	14.3lb (6.49kg)	Small	Light
Pioneer Dj	S-DJ80X	10.8in (274mm)	12.4in (315mm)	15.7in (399mm)	26lb (11.79kg)	Small	Light
PMC	AML1	7.87in (200mm)	12.44in (316mm)	15.75in (400mm)	35.3lb (16.01kg)	Small	Medium
PMC	AML2	7.87in (200mm)	12.48in (317mm)	15.75in (400mm)	35.3lb (16.01kg)	Small	Medium
PMC	DB1-A	6.1in (155mm)	11.1in (282mm)	11.5in (292mm)	11.3lb (5.13kg)	Small	Light
PMC	Result6	7.83in (199mm)	14.17in (360mm)	14.96in (380mm)	17.6lb (7.98kg)	Small	Light
PMC	TB2S-Aii	7.9in (201mm)	13.7in (348mm)	15.8in (401mm)	23.6lb (10.7kg)	Small	Light
PMC	IB2S	7.87in (200mm)	11.81in (300mm)	15.76in (400mm)	18.7lb (8.48kg)	Small	Light
PMC	Two.Two.5	6.1in (155mm)	11.6in (295mm)	11.6in (295mm)	11.9lb (5.4kg)	Small	Light
PMC	Two.Two.6	7.6in (193mm)	14.3in (363mm)	16in (406mm)	18.5lb (8.39kg)	Small	Light
PMC	Two.Two.8	9.8in (249mm)	16.3in (414mm)	19.7in (500mm)	26.8lb (12.16kg)	Large	Medium
Polk Audio	Monitor 40	7in (178mm)	12in (305mm)	15.7in (399mm)	16lb (7.26kg)	Small	Light
Presonus	Eris E4.5	6.4in (163mm)	7.1in (180mm)	9.5in (241mm)	13lb (5.9kg)	Small	Light
Presonus	Eris E44	14.3in (363mm)	7in (178mm)	7in (178mm)	11.9lb (5.4kg)	Small	Light
Presonus	Eris E5	7in (178mm)	7.6in (193mm)	10.2in (259mm)	10.2lb (4.63kg)	Small	Light
Presonus	Eris E66	18.1in (460mm)	8.5in (216mm)	9.8in (249mm)	23.4lb (10.61kg)	Large	Light
Presonus	Eris E8	9.8in (249mm)	11.7in (297mm)	15.1in (384mm)	22.2lb (10.07kg)	Small	Light
Presonus	R65	8in (203mm)	10.3in (262mm)	13in (330mm)	14.7lb (6.67kg)	Small	Light
Presonus	Sceptre S6	9in (229mm)	9.6in (244mm)	12in (305mm)	18lb (8.16kg)	Small	Light
Presonus	Sceptre S8	11in (279mm)	10.5in (267mm)	15in (381mm)	23.3lb (10.57kg)	Small	Light
Proac	SM100	8in (203mm)	10in (254mm)	16in (406mm)	26lb (11.79kg)	Small	Light
Proac	Studio 100	8in (203mm)	10in (254mm)	16in (406mm)	24lb (10.89kg)	Small	Light
Proac	Studio Sm100	8in (203mm)	10in (254mm)	16in (406mm)	26lb (11.79kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Psi Audio	A14-M Studio	6.42in (163mm)	6.69in (170mm)	9.57in (243mm)	11.24lb (5.1kg)	Small	Light
Psi Audio	A17-M	7.87in (200mm)	9.06in (230mm)	12.6in (320mm)	16.53lb (7.5kg)	Small	Light
Psi Audio	A21-M	9.84in (250mm)	11.81in (300mm)	15.75in (400mm)	28.22lb (12.8kg)	Small	Medium
Psi Audio	A214-M	6.54in (166mm)	7.87in (200mm)	17.56in (446mm)	22.49lb (10.2kg)	Small	Light
Psi Audio	A25-M	12.6in (320mm)	14.96in (380mm)	23.23in (590mm)	59.97lb (27.2kg)	Large	Heavy
Q Acoustics	BT3	5.8in (147mm)	8.9in (226mm)	9.5in (241mm)	8.4lb (3.81kg)	Small	Light
Quested	H108	9.4in (239mm)	9.6in (244mm)	15.9in (404mm)	26lb (11.79kg)	Small	Light
Quested	S7R	9.6in (244mm)	12.1in (307mm)	13.7in (348mm)	25.8lb (11.7kg)	Small	Light
Quested	S8R	11.8in (300mm)	14.6in (371mm)	16.9in (429mm)	42.3lb (19.19kg)	Small	Medium
Roland	DS-90A	9in (229mm)	15in (381mm)	14.6in (371mm)	29lb (13.15kg)	Small	Medium
Roland	MA-7A	5.75in (146mm)	7.33in (186mm)	8.5in (216mm)	7.5lb (3.4kg)	Small	Light
Samson	Mediaone 3A	5.1in (130mm)	6.5in (165mm)	6.8in (173mm)	5lb (2.27kg)	Small	Light
Samson	Mediaone 4A	6.6in (168mm)	7.6in (193mm)	9.1in (231mm)	9.5lb (4.31kg)	Small	Light
Samson	Mediaone 5A	8in (203mm)	9in (229mm)	11in (279mm)	12.5lb (5.67kg)	Small	Light
Samson	Resolv A5	8in (203mm)	8.8in (224mm)	12in (305mm)	15.3lb (6.94kg)	Small	Light
Samson	Resolv A6	9.3in (236mm)	9.9in (251mm)	12.8in (325mm)	18lb (8.16kg)	Small	Light
Samson	Resolv A8	12in (305mm)	11.3in (287mm)	16in (406mm)	25lb (11.34kg)	Small	Light
Samson	Resolv Se5	11.14in (283mm)	10.62in (270mm)	16.41in (417mm)	15.4lb (6.99kg)	Small	Light
Samson	Resolv Se6	12.4in (315mm)	11.85in (301mm)	17.71in (450mm)	20.94lb (9.5kg)	Large	Light
Samson	Resolv Se78	14.92in (379mm)	14.17in (360mm)	21.14in (537mm)	27.5lb (12.47kg)	Large	Medium
Samson	Studio Gt	6.6in (168mm)	7.6in (193mm)	9.1in (231mm)	9.5lb (4.31kg)	Small	Light
Sonodyne	C2501	17.7in (450mm)	9.6in (244mm)	7.5in (191mm)	19.62lb (8.9kg)	Large	Light
Sonodyne	SM 100Ak	9.1in (231mm)	11.8in (300mm)	13.2in (335mm)	23.1lb (10.48kg)	Small	Light
Sonodyne	SM 200Ak	12.4in (315mm)	12.7in (323mm)	16.9in (429mm)	39.6lb (17.96kg)	Large	Medium

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Sonodyne	SM 300	20in (508mm)	11.6in (295mm)	11.8in (300mm)	55lb (24.95kg)	Large	Heavy
Sonodyne	SM 50Ak	7.1in (180mm)	8.7in (221mm)	10.3in (262mm)	14.3lb (6.49kg)	Small	Light
Sonodyne	SRP 400	6.3in (160mm)	6.1in (155mm)	9.1in (231mm)	9.7lb (4.4kg)	Small	Light
Sonodyne	SRP 500	8.3in (211mm)	7.1in (180mm)	11in (279mm)	15lb (6.8kg)	Small	Light
Sonodyne	SRP 600	9.8in (249mm)	9.4in (239mm)	13.4in (340mm)	26.2lb (11.88kg)	Small	Light
Sonodyne	SRP 800	11.5in (292mm)	11in (279mm)	17.1in (434mm)	37.5lb (17.01kg)	Small	Medium
Sonus Faber	Concertino Domus	7.5in (191mm)	10.75in (273mm)	13in (330mm)	25lb (11.34kg)	Small	Light
Tannoy	Reveal 402	5.8in (147mm)	8.4in (213mm)	9.5in (241mm)	11.2lb (5.08kg)	Small	Light
Tannoy	Reveal 501A	7.2in (183mm)	11.7in (297mm)	11.8in (300mm)	12lb (5.44kg)	Small	Light
Tannoy	Reveal 502	7.2in (183mm)	9.4in (239mm)	11.8in (300mm)	15.8lb (7.17kg)	Small	Light
Tannoy	Reveal 601A	8.3in (211mm)	10.7in (272mm)	13.4in (340mm)	17.5lb (7.94kg)	Small	Light
Tannoy	Reveal 6D	8.3in (211mm)	15in (381mm)	13.4in (340mm)	17lb (7.71kg)	Small	Light
Tannoy	Reveal 802	10in (254mm)	11.8in (300mm)	15.4in (391mm)	28.2lb (12.79kg)	Small	Medium
Totem	Model 1	6.5in (165mm)	9in (229mm)	12.5in (318mm)	9lb (4.08kg)	Small	Light
Trenner & Friedl	Art	7.09in (180mm)	11.81in (300mm)	10.63in (270mm)	16.31lb (7.4kg)	Small	Light
Unity Audio	The Rock MkII	8.6in (218mm)	11.4in (290mm)	13.1in (333mm)	25.4lb (11.52kg)	Small	Light
Wharfedale	Diamond 220	6.8in (173mm)	9in (229mm)	12.4in (315mm)	11.7lb (5.31kg)	Small	Light
Yamaha	NS10	15in (381mm)	7.8in (198mm)	8.5in (216mm)	14lb (6.35kg)	Small	Light
Yamaha	HS10W	11.8in (300mm)	15.2in (386mm)	13.8in (351mm)	27.6lb (12.52kg)	Small	Medium
Yamaha	HS5	6.7in (170mm)	8.7in (221mm)	11.2in (284mm)	11.7lb (5.31kg)	Small	Light
Yamaha	HS50M	6.5in (165mm)	8.7in (221mm)	10.6in (269mm)	12.8lb (5.81kg)	Small	Light
Yamaha	HS7	8.3in (211mm)	11.2in (284mm)	13.1in (333mm)	18.1lb (8.21kg)	Small	Light
Yamaha	HS8	9.8in (249mm)	13.1in (333mm)	15.4in (391mm)	22.5lb (10.21kg)	Small	Light
Yamaha	HS80M	9.8in (249mm)	13.1in (333mm)	15.4in (391mm)	24.9lb (11.29kg)	Small	Light

SPACE LAB

LIFT CONFIGURATION TABLE

SPEAKER		DIMENSIONS				LIFT CONFIGURATION	
MANUFACTURER	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	PLATFORM	ISOLATOR
Yamaha	MSP3	5.7in (145mm)	6.6in (168mm)	9.3in (236mm)	9.7lb (4.4kg)	Small	Light
Yamaha	MSP5	7.1in (180mm)	8.2in (208mm)	11in (279mm)	17.4lb (7.89kg)	Small	Light
Yamaha	MSP7	8.6in (218mm)	9.3in (236mm)	13in (330mm)	27.5lb (12.47kg)	Small	Medium
Yamaha	NS-10M	15in (381mm)	7.8in (198mm)	8.5in (216mm)	14lb (6.35kg)	Small	Light
Yamaha	NX-N500	6.75in (171mm)	8.75in (222mm)	11.25in (286mm)	13lb (5.9kg)	Small	Light
Yorkville	YSM1P-II	9.6in (244mm)	11.2in (284mm)	16.4in (417mm)	25lb (11.34kg)	Small	Light
Yorkville	YSM2P-II	7.6in (193mm)	10.5in (267mm)	11.5in (292mm)	12lb (5.44kg)	Small	Light
Yorkville	YSM5	7.5in (191mm)	9.5in (241mm)	11.5in (292mm)	15lb (6.8kg)	Small	Light
Yorkville	YSM6	9.5in (241mm)	10in (254mm)	15in (381mm)	21lb (9.53kg)	Small	Light
Yorkville	YSM8	10.5in (267mm)	10.8in (274mm)	16.5in (419mm)	28lb (12.7kg)	Small	Medium