

SAFETY DATA SHEET

1. Identification

| Product identifier | Liquid Zud | |
|---|--|------------------------------|
| Other means of identification Product Code | 5300 | |
| Recommended use | Multi-Purpose Cleaner | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/ | Distributor information | |
| Manufacturer | | |
| Company name Address | Malco Products, Inc. 361 Fairview Ave Barberton, OH 44203 United States | |
| Telephone | Phone Fax | 800-253-2526 330-777-8317 |
| Website E-mail Contact person Emergency phone number | www.malcopro.com msdsinfo@malcopro.com Technical Department Phone | 1-800-424-9300 |
| 2. Hazard(s) identification | | |
| Physical hazards | Not classified. | |

| Physical nazards | Not classified. | |
|-----------------------|-----------------------------------|-------------|
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 2A |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| | | |

Label elements



| Signal word | Warning |
|-------------------------|--|
| Hazard statement | Causes skin irritation. Causes serious eye irritation. |
| Precautionary statement | |
| Prevention | Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/face protection. Wear protective gloves. |
| Response | If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. |

Storage Store away from incompatible materials

| Storage | Store away from incompatible materials. |
|--|---|
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | 15.4% of the mixture consists of component(s) of unknown acute oral toxicity. 26.83% of the mixture consists of component(s) of unknown acute dermal toxicity. 16.93% of the mixture consists of component(s) of unknown acute inhalation toxicity. 26.83% of the mixture consists of component(s) of unknown acute inhalation toxicity. 26.83% of the mixture consists of component(s) of unknown acute inhalation toxicity. |

3. Composition/information on ingredients

Mixtures

| Materi | al name: Liquid | Zud | | SDS US |
|--------|-----------------|---------------------------|------------------------|--------|
| 5300 | Version #: 05 | Revision date: 02-05-2020 | Issue date: 03-30-2015 | 1/7 |

| Chemical name | Common name and synonyms | CAS number | % |
|---------------------------|--------------------------|------------|-----------|
| "Propane-1,2-diol" | | 57-55-6 | 5 - < 10 |
| Silicon Dioxide | | 14808-60-7 | 5 - < 10 |
| Other components below re | portable levels | | 80 - < 90 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
|--|---|
| Skin contact | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. |
| Most important symptoms/effects, acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |
| 5. Fire-fighting measures | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Fire fighting

equipment/instructions

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. |
|---|---|
| Methods and materials for containment and cleaning up | This product is miscible in water. Should not be released into the environment. |
| | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
| | |

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

| | Never return spills to original containers for re-use. | |
|--|---|----------|
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid dischard drains, water courses or onto the ground. | rge into |
| 7. Handling and storage | | |
| Precautions for safe handling | Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appr personal protective equipment. Wash hands thoroughly after handling. Observe good indus hygiene practices. | |
| Conditions for safe storage, including any incompatibilities | Store in original tightly closed container. | |
| Material name: Liquid Zud | | SDS US |
| 5300 Version #: 05 Revision date | : 02-05-2020 Issue date: 03-30-2015 | 2/7 |

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|--|---|------------------------|----------------------|
| Silicon Dioxide (CAS 14808-60-7) US. OSHA Table Z-3 (29 CFF | PEL | 0.05 mg/m3 | Respirable dust. |
| Components | Туре | Value | Form |
| Silicon Dioxide (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable. |
| | | 2.4 mppcf | Respirable. |
| US. ACGIH Threshold Limit Components | Values Type | Value | Form |
| Silicon Dioxide (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide to Components | o Chemical Hazards Type | Value | Form |
| Silicon Dioxide (CAS 14808-60-7) | TWA | 0.05 mg/m3 | Respirable dust. |
| US. Workplace Environment | tal Exposure Level (WEEL) Guides | | |
| Components | Туре | Value | Form |
| "Propane-1,2-diol" (CAS 57-55-6) | TWA | 10 mg/m3 | Aerosol. |
| iological limit values | No biological exposure limits noted for the ing | redient(s). | |
| ppropriate engineering ontrols | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended. | | |
| • | such as personal protective equipment | | |
| Eye/face protection | Chemical respirator with organic vapor cartrid | ge and full facepiece. | |
| Skin protection Hand protection | Wear appropriate chemical resistant gloves. | | |
| Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. | | |
| Respiratory protection | Chemical respirator with organic vapor cartridge and full facepiece. | | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | | |
| eneral hygiene onsiderations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. | | |

9. Physical and chemical properties

| Appearance | Cream. |
|----------------|---------|
| Physical state | Liquid. |

| Form | Liquid. | |
|---|-----------------------------------|--------|
| Color | White | |
| Odor | Floral/Citrus | |
| Odor threshold | Not Applicable | |
| рН | 1 | |
| Melting point/freezing point | Not Applicable | |
| Initial boiling point and boiling range | Not Applicable | |
| Flash point | Not Applicable | |
| Material name: Liquid Zud | | SDS US |
| 5300 Version #: 05 Revision date: | 02-05-2020 Issue date: 03-30-2015 | 3 / 7 |

| Evaporation rate | Not Applicable | |
|--|---------------------|--|
| Flammability (solid, gas) | Not applicable. | |
| Upper/lower flammability or exp | losive limits | |
| Flammability limit - lower (%) | Not Applicable | |
| Flammability limit - upper (%) | Not Applicable | |
| Explosive limit - lower (%) | Not Applicable | |
| Explosive limit - upper (%) | Not Applicable | |
| Vapor pressure | Not Applicable | |
| Vapor density | Not Applicable | |
| Relative density | Not Applicable | |
| Solubility(ies) | | |
| Solubility (water) | Not Applicable | |
| Solubility (other) | Not Applicable | |
| Partition coefficient (n-octanol/water) | Not Applicable | |
| Auto-ignition temperature | Not Applicable | |
| Decomposition temperature | Not Applicable | |
| Viscosity | 2300 cP | |
| Viscosity temperature | 68 °F (20 °C) | |
| Other information | | |
| Density | 8.90 lbs/gal | |
| Explosive properties | Not explosive. | |
| Kinematic viscosity | 2154.4037 cSt | |
| Kinematic viscosity temperature | 68 °F (20 °C) | |
| Oxidizing properties | Not oxidizing. | |
| Partition coefficient (oil/water) | Not Applicable | |
| VOC | 0 % w/w By Weight e | |
| | | |

0 % w/w By Weight estimated

10. Stability and reactivity

| Reactivity | Reacts violently with strong alkaline substances. This product may react with reducing agents. |
|------------------------------------|--|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. Do not mix with other chemicals. |
| Incompatible materials | Bases. Powerful oxidizers. Reducing agents. Chlorine. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | May cause damage to organs through prolonged or repeated exposure by inhalation. | | |
|--|--|--------|--|
| Skin contact | Causes skin irritation. | | |
| Eye contact | Causes serious eye irritation. | | |
| Ingestion | Expected to be a low ingestion hazard. | | |
| Symptoms related to the physical, chemical and toxicological characteristics | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. | | |
| Information on toxicological ef | fects | | |
| Acute toxicity | Not known. | | |
| Material name: Liquid Zud | | SDS US | |
| 5300 Version #: 05 Revision date | e: 02-05-2020 Issue date: 03-30-2015 | 4 / 7 | |

| | | timete a the se | | |
|---|--|--|---|--|
| Skin corrosion/irritation | Causes skin irritation. | | | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | | | |
| Respiratory or skin sensitizatio | n | | | |
| Respiratory sensitization | tization Not a respiratory sensitizer. | | | |
| Skin sensitization | This product is not expected to cause skin sensitization. | | | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | | |
| Carcinogenicity | Risk of canc | er cannot be excluded with prolonged expos | ure. | |
| IARC Monographs. Overall | Evaluation of | Carcinogenicity | | |
| Silicon Dioxide (CAS 14 OSHA Specifically Regulat | , | 1 Carcinogenic to humar (29 CFR 1910.1001-1052) | IS. | |
| Not regulated. US. National Toxicology Pr Not listed. | ogram (NTP) F | Report on Carcinogens | | |
| Reproductive toxicity | This product | is not expected to cause reproductive or de | velopmental effects. | |
| Specific target organ toxicity - single exposure | Not classifie | d. | | |
| Specific target organ toxicity - repeated exposure | | | | |
| Aspiration hazard | Not an aspiration hazard. | | | |
| Chronic effects | hic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. | | | |
| 12. Ecological information | | | | |
| Ecotoxicity | | he low pH of this product, it would be expec aquatic organisms and aquatic systems. | ted to produce significant ecotoxicity upon | |
| Components | | Species | Test Results | |
| "Propane-1,2-diol" (CAS 57-{ Aquatic | 55-6) | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | > 10000 mg/l, 48 hours | |
| FishLC50Fathead minnow (Pimephales promelas)710 mg/l, 96 hours | | 710 mg/l, 96 hours | | |
| * Estimates for product may be based on additional component data not shown. | | | | |
| Persistence and degradability No data is available on the degradability of this product. | | | | |
| Bioaccumulative potential | | | | |
| Partition coefficient n-octanol / water (log Kow) "Propane-1,2-diol" -0.92 | | | | |
| Mobility in soil | | | | |
| Other adverse effects | | | | |
| 13. Disposal considerations | | | | |

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations.

| Local disposal regulations | Dispose in accordance with all applicable regulations. | | |
|--|--|--|--|
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. | | |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). | | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. | | |

| Materi | al name: Liquid | Zud | | SDS US |
|--------|-----------------|---------------------------|------------------------|--------|
| 5300 | Version #: 05 | Revision date: 02-05-2020 | Issue date: 03-30-2015 | 5 / 7 |

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

| Classified hazard | Skin corrosion or irritation |
|-------------------|--|
| categories | Serious eye damage or eye irritation |
| | Specific target organ toxicity (single or repeated exposure) |

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

California Proposition 65

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Silicon Dioxide (CAS 14808-60-7)

International Inventories

| Country(s) or region | |
|----------------------|--|
| Canada | |

Inventory name Domestic Substances List (DSL) On inventory (yes/no)*

| Canaua | | 165 |
|-----------------------------|---|-----|
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| | | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 03-30-2015 | |
|---|------------|-------|
| Revision date | 02-05-2020 | |
| Version # | 05 | |
| Material name: Liquid Zud | | |
| 5300 Version #: 05 Revision date: 02-05-2020 Issue date: 03-30-2015 | | 6 / 7 |

| Disclaimer | Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. |
|----------------------|---|
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |

| Materi | al name: Liquid | Zud | | SDS US |
|--------|-----------------|---------------------------|------------------------|--------|
| 5300 | Version #: 05 | Revision date: 02-05-2020 | Issue date: 03-30-2015 | 7/7 |