

CLASS 1

## Building Product Information Sheet

Product name:

SUPERTUB SERIES 3, SLIM, DOOR MODEL, WITH S/S GOOSENECK TAP

Product description and its intended use:

Laundry tub with tap, overflow and waste pipe.

- Cabinet: 0.6mm galvanized sheet metal, satin white or frosted black powder coated, W350 by D565 by H900-920 mm.
- Bowl: 0.8mm polished 304 grade stainless steel, 24L capacity (measured to top of the bowl, 17L net capacity (measured to the overflow).
- Waste pipe: DN40, outlet 40mm.
- Reversible door opening, can be either left or right hand opening.
- Supporting leveling feet. Side Apertures for holes provided on both side.
- Tap: WELS rating 5 star, 5.5 Liter per minutes.

Product identifier (if applicable):

STSLIMTAP3

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture:  Aotearoa New Zealand  Overseas

Legal and trading name of the manufacturer(s):

Monaco Corporation Limited

Address for service:

Level STREET NAME 231 Bush Road SUBURB Rosedale

CITY, COUNTRY Auckland, New Zealand POSTCODE

Website:

www.monacocorp.co.nz

Email address:

sales@monacocorp.co.nz

Phone no. (if applicable):

+64 9 415 6000

NZBN (if applicable):

9429000014595

Legal and trading name of the importer (if applicable):

Monaco Corporation Limited

Address for service:

STREET NAME 231 Bush Road

SUBURB Rosedale

CITY, COUNTRY Auckland, New Zealand

POSTCODE 0632

Website:

www.monacocorp.co.nz

Email address:

sales@monacocorp.co.nz

Phone no. (if applicable):

+64 9 415 6000

NZBN (if applicable):

9429000014595

Relevant Building Code clauses:

- G2 Laundering: Performance clause G2.3.1.
- G12 Water supplies clause G12.3.1.
- G13 Foul Water: Performance clause G13.3.1.

Statement on how the building product is expected to contribute to compliance:

- G2.3.1: Laundry cabinet with tub and overflow for laundering facilities.
- G12.3.1: Water tap for washing, WELS registration number T36504.
- G13.3.1: Included waste outlet DN40, complied to AS 2887-1993.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

- Laundry tub for domestic use, not intended for commercial use .
- Tap intended to high water pressure (500 kPa maximum), Water temperature 80 °C max., M10\*1 - G1/2 flexible hose.

Design requirements that would support the appropriate use of the building product:

- N/A

Installation requirements (also provide link to the product installation guide):

- Installation by a registered plumber.
- Refer to installation instructions available from [https://cdn.shopify.com/s/files/1/0509/7979/9197/files/STSLIMITAP3\\_STSLIMITAP3B\\_Installation\\_Operating\\_Instructions\\_Issue\\_2.pdf?v=1662693603](https://cdn.shopify.com/s/files/1/0509/7979/9197/files/STSLIMITAP3_STSLIMITAP3B_Installation_Operating_Instructions_Issue_2.pdf?v=1662693603)

Maintenance requirements (also provide link to the product maintenance guide):

- Powder coated surfaces must not be cleaned with abrasive or chemical cleaners.  
Refer to user manual for cleaning and maintenance, [https://cdn.shopify.com/s/files/1/0509/7979/9197/files/STSLIMITAP3\\_STSLIMITAP3B\\_Installation\\_Operating\\_Instructions\\_Issue\\_2.pdf?v=1662693603](https://cdn.shopify.com/s/files/1/0509/7979/9197/files/STSLIMITAP3_STSLIMITAP3B_Installation_Operating_Instructions_Issue_2.pdf?v=1662693603)

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes  No

If yes, description of the warning or ban under section 26:

N/A

Date: Aug 31, 2023