

# maxisafe®



there's safe and there's Maxisafe.

Product Guide 2019

# we've got you



## THERE'S SAFE AND THERE'S MAXISAFE

Techware is a modern and dynamically progressive business with over 35 years of experience in manufacturing personal safety products. With our global sourcing power and local market knowledge, our proactive approach to research, development and technology enables us to produce innovative, world leading safety products of the highest quality. The Maxisafe range is recognised for its unique innovation and extremely high quality, distributed through a network of Preferred Distributors globally. Maxisafe products are certified or comply with relevant world safety codes whether you are in Australia, Europe or America. Keeping abreast with all the changes in today's marketplace can be a real challenge. Techware is experienced at making these changes. Changes that will strengthen the inner core of your business, add goodwill, increase your sales and facilitate smooth and sustainable growth. We are dedicated to empowering our distributors with the tools, products and knowledge they require to succeed in business.

## OUR VISION

**Our vision is to ensure that “our brands have got you covered”! Maxisafe products are packed with innovative features – protecting the workers of today.**

## OUR GUARANTEE

Our No.1 priority at Techware is customer service. This includes our guarantee that all Maxisafe products are manufactured and presented in the highest quality possible.

Our 100% Money Back Guarantee ensures that you have our support from the initial order and stocking of our products through to the final sale!

Can't sell something?.....

Send it back for a full refund!

**techware**  
our brands have got you covered.



- Free to join
- Earn points EVERY TIME you purchase any Maxisafe product
- Redeem points anytime
- It's simple – visit [www.maxisaferewards.com.au](http://www.maxisaferewards.com.au)

# covered

**PRODUCT OVERVIEW**

EN388 Mechanica; Risk Standard	4
AS/NZS Glove Standards	6
Synthetic Coated Gloves	8
Cut & Heat Resistant Gloves	16
Needle Resistant Gloves	24
Mechanics Gloves	26
Leather & Cotton Gloves	32
Welding Gloves	38
Chemical Gloves	42
Disposable Gloves	52
Glove Accessories	57
Safety Glasses	58
Safety Goggles	68
Faceshields and Lenses	70
Lens Cleaning Products & Accessories	76
Earmuffs	78
Earplugs	82
Disposable Respiratory Protection	86
Premium Respiratory Protection	94
Respiratory Filter Selection Chart	114
Safety Headwear	120
Safety Vests and Polo Shirts	128
PVC Raincoats	130
Disposable Coveralls & Aprons	132
Welding Apparel	136
Knee Protection	140
Gumboots	142
Sun Protection	148
Site Safety	150
First Aid	152
Emergency Showers & Eyewash	154
Height Safety Harnesses	156
POS Merchandisers & Displays	158


Gloves	1
Eye Protection	2
Faceshields	3
Hearing Protection	4
Respiratory Protection	5
Head Protection	6
Safety Vests	7
Coveralls	8
Welding Apparel & Blankets	9
Knee Pads and back support	10
Gumboots	11
Sunscreen	12
Site Safety	13
Height Safety	14
POS	15



# EN388 Mechanical

The European EN388 Mechanical Risk Standard has recently undergone some changes to make testing procedures more precise. For some time, the Coup Test for measuring cut resistance has been criticised for its limitations that relate to blade blunting so a second, internally recognised cut test (ISO13997) has been introduced to address these shortcomings when the Corp Test does not apply. A test has also been introduced to EN388 to address impact resistance of a glove.

## EN 388



**X X X X XX**

### ABRASION


Number of cycles a glove can withstand to abrade through the material.

CYCLES	LEVEL
≥8000	4
≥2000	3
≥500	2
≥100	1
≥100	0

### CUT-COUP

Number of cycles to cut through a glove material at a constant speed and pressure when compared to a cotton reference.

CUT INDEX	LEVEL
≥20	5
≥10	4
≥5	3
≥2.5	2
≥1.2	1
≥1.2	0



ABRASION: A pre-defined sand paper grit will be used as abradant to conduct the test providing more consistent results. CUT - CORP Blade is tested for any blunting after 60 cycles.



# Risk Standard



## TEAR

Force a glove's material can withstand before it is torn apart.

NEWTON	LEVEL
≥75	4
≥50	3
≥25	2
≥10	1
≥10	0

## PUNCTURE

Force a glove's material can withstand before it is perforated using a standard needle size.

NEWTON	LEVEL
≥150	4
≥100	3
≥60	2
≥20	1
≥20	0

## CUT ISO13997

Amount of pressure required to make an incision over a 20mm travel distance using a razor sharp blade.

NEWTON	LEVEL
≥30	F
≥22	E
≥15	D
≥10	C
≥5	B
≥2	A

## IMPACT EN13594:2015

Resistance to a 2.5kg weight impacting with an energy of 5J (Joules) onto the glove. The material may not fracture or split and is measured in accordance with EN13594:2015 as either Pass or Fail

KN	LEVEL
≥9	P

# AS/NZS Glove

## GENERAL REQUIREMENTS

---

### AS/NZS 2161.2:1998

---

### EN420

---

The EN420 standard defines the general requirements for ergonomics, glove construction, high visibility, innocuousness, cleaning, comfort and efficiency, marking and information, applicable to all protective gloves.

- Glove design and construction is suitable for its intended use.
- Any seams present in construction do not result in a significant decrease in product performance.
- The gloves will not harm the health or hygiene of the user.
- Glove sizing conforms to set specifications with respect to hand circumference.
- Minimum glove lengths are specified for each size.
- Gloves must be generally marked with trade mark or other identification of manufacturer/representative, product code name or code and size.
- Instructions for use.
- Packaging carries additional information as to where the product can be obtained and pictograms denoting performance levels against Standards as appropriate.



# Standards

## PROTECTION AGAINST HEAT & FIRE HAZARDS


AS/NZS 2161.5:1998

### EN407

The EN407 standard specifies the general requirements and the thermal performance of gloves to protect from heat and fire. It applies to gloves which protect hands from fire, contact heat, radiating heat, small spray of molten metal or large spray of melting metal.

- Level X: The test is not applicable, or the glove is not tested
- Level 0: Nil performance or result
- Level 1: Minimum result
- Level 2: Good result
- Level 3: Very Good result
- Level 4 & over: Excellent result

## EN 407



**X X X X X X**

- 0 to 4: Resistance to Large Molten Metal Spray
- 0 to 4: Resistance to Small Molten Metal Spray
- 0 to 4: Resistance to Radiating Heat
- 0 to 4: Resistance to Convective Heat
- 0 to 5: Resistance to Contact Heat
- 0 to 4: Resistance to Flammability

## PROTECTION AGAINST COLD


AS/NZS 2161.10.3:2005

### EN511

The EN511 standard defines the requirements and test methods for gloves which protect against convective or conductive cold down to -50°. This cold can be linked to climatic conditions or industrial activity.

- Level X: The test is not applicable, or the glove is not tested
- Level 0: Nil performance or result
- Level 1: Minimum result
- Level 2: Good result
- Level 3: Very Good result
- Level 4 & over: Excellent result

## EN 511



**X X X**

- 0 to 1: Impermeability to Water
- 0 to 4: Resistance to Contact Cold
- 0 to 4: Resistance to Convective Cold

## PROTECTION AGAINST CHEMICAL RISK

AS/NZS 2161.10.3:2005

### EN374-3

The EN374-3 standard involves determination of the resistance of the materials making up the gloves. Resistance to permeation is assessed by measuring the time for a chemical to breakthrough glove material. Samples are cut and placed in a permeation cell which enables the chemical to be placed in contact with the outer surface of the glove. Air or water is passed through the cell to collect any chemical that has broken through the inside surface of the glove. It is recommended to only use the test results, which have basically relative values, to compare the materials on the basis of the major categories of passage of time.

- Level X: The test is not applicable, or the glove is not tested
- Level 0: Nil performance or result
- Level 1: Minimum result
- Level 2: Good result
- Level 3: Very Good result
- Level 4 & over: Excellent result

## EN 374-3



**X X**

- 0 to 4: Permeation
- 0 to 4: Penetration





Our synthetic and coated glove range has got you covered if you need to get a handle on things. From agricultural to automotive, electrical to warehouse, construction to gardening, cold to hot, we've got a glove that gives you the comfort and protection you need and expect.



superior grip  
multi-layered  
oil and water sa



## Anti<sup>+</sup>bac™

Innovative anti bacterial technology offering fresh feeling anti-odour barrier, UV protection preventing skin ageing.

Full tech sheet available.

13 gauge nylon seamless shell

## GRIPMASTER®

NBR Gripmaster structure

**OIL RESISTANT**  
Second layer (extreme oil grip performance)



Basic layer (oil proof)



### Black Knight Gripmaster Glove

#### GNN192

CODE SIZE HEM COLOUR PAIRS PAIRS

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNN192-07	Small	White	12	120
GNN192-08	Medium	Green	12	120
GNN192-09	Large	Brown	12	120
GNN192-10	XLarge	Yellow	12	120
GNN192-11	2XLarge	Grey	12	120
GNN192-12	3XLarge	Light blue	12	120

EN 388:2018



Anti<sup>+</sup>bac™  
GRIPMASTER®

#### FEATURES & BENEFITS

- Maxisafe's Black Gripmaster® coating technology ensures the Black Knight has excellent grip in wet, oily environments
- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring excellent grip
- Anti-Bac antimicrobial treatment provides protection against harmful bacteria and an anti-odour barrier
- 13 gauge lycra/nylon shell provides stretch for a close fit and breathability
- No strikethrough to the inside of the glove to cause irritation or heat build up
- Machine washable increasing glove life without reducing effectiveness of Anti-Bac treatment
- Thin coating ensures superior flexibility and dexterity

#### RECOMMENDED AND INDUSTRY USES

- Materials handling work
- General purpose work glove
- Hand and Power Tool Operations
- Maintenance Operations
- Baggage handling
- Construction industry
- Automotive industry
- Logistics and warehousing
- Mining
- Agriculture
- Pulp and Paper



### Black Knight Gripmaster Hi-Vis Glove

#### GNH292

CODE SIZE HEM COLOUR PAIRS PAIRS

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNH292-07	Small	White	12	120
GNH292-08	Medium	Green	12	120
GNH292-09	Large	Brown	12	120
GNH292-10	XLarge	Yellow	12	120
GNH292-11	2XLarge	Grey	12	120

EN 388



GRIPMASTER®

4 2 2 1

#### FEATURES & BENEFITS

- Maxisafe's Black Gripmaster® coating technology ensures the Black Knight has excellent grip in wet, oily environments
- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring excellent grip
- 'Anti-Bac' antimicrobial treatment provides protection against harmful bacteria and an anti-odour barrier
- 13 gauge lycra/nylon shell provides stretch for a close fit and breathability
- No 'strikethrough' to the inside of the glove to cause irritation or heat build up
- Machine washable increasing glove life without reducing effectiveness of 'Anti-Bac' treatment
- Thin coating ensures superior flexibility, dexterity and feel
- Hi-Vis Yellow for greater visibility in the workplace

#### RECOMMENDED AND INDUSTRY USES

- Materials handling work
- Construction industry
- Automotive industry
- Logistics and warehousing
- General purpose work glove
- Construction industry
- Mining
- Agriculture
- Pulp and Paper



**Black Knight**  
SLIB 7FCOF



**Black Knight  
Sub-Zero Glove**

**GNL224**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNL224-08	Medium	Green	12	120
GNL224-09	Large	Blue	12	120
GNL224-10	XLarge	Brown	12	120
GNL224-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Acrylic wool liner for cold weather work



- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring excellent grip
- No 'strikerthrough' to the inside of the glove to cause irritation or heat build up
- Machine washable increasing glove life
- Thin coating ensures superior flexibility, dexterity and feel

RECOMMENDED AND INDUSTRY USES

- Cold Storage
- Agriculture and Outdoor Work
- Refuse Disposal
- Recycling
- Warehouse and Construction Work
- Construction Industry
- Horticultural Industry

**SUPAFLEX** GLOVES



**Superflex Glove**

**GFN267**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GFN267-06	XSmall	Blue	12	120
GFN267-07	Small	Purple	12	120
GFN267-08	Medium	Green	12	120
GFN267-09	Large	Brown	12	120
GFN267-10	XLarge	Yellow	12	120
GFN267-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Unique Micro Foam Palm Coating Technology
- 13 Gauge Seamless Nylon/Lycra liner
- Ultra-thin coating for superior flexibility and dexterity
- Highest level abrasion resistance ensures increased wear life
- Lycra provides stretch and a closely fitting glove
- Breathable coating reduces heat keeping the hands cool and dry
- No coating strike through inside the glove to cause skin irritations
- Dark colour increases glove life by staying clean longer

RECOMMENDED AND INDUSTRY USES

- Handling small metal parts
- Handling plastic components
- Precision assembly work
- General handling
- Engineering
- Assembly and technical work
- Automotive industry
- Building and construction
- Logistics and warehousing
- Mining

**SUPAFLEX** GLOVES



**Superflex  
3/4 Coated Glove**

**GFN288**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GFN288-07	Small	Purple	12	120
GFN288-08	Medium	Green	12	120
GFN288-09	Large	Brown	12	120
GFN288-10	XLarge	Yellow	12	120



FEATURES & BENEFITS

- Unique Micro 3/4 Foam Palm Coating Technology
- 13 Gauge Seamless Nylon/Lycra liner
- Ultra-thin coating for superior flexibility and dexterity
- Highest level abrasion resistance ensures increased wear life
- Lycra provides stretch and a closely fitting glove
- Breathable coating reduces heat keeping the hands cool and dry
- No coating strike through inside the glove to cause skin irritations
- Dark colour increases glove life by staying clean longer

RECOMMENDED AND INDUSTRY USES

- Handling small metal parts
- Handling plastic components
- Precision assembly work
- General handling
- Engineering
- Assembly and technical work
- Automotive industry
- Building and construction
- Logistics and warehousing
- Mining





**Red Knight Latex Gripmaster Glove**

**GNL156**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNL156-07	Small	White	12	120
GNL156-08	Medium	Green	12	120
GNL156-09	Large	Blue	12	120
GNL156-10	XLarge	Brown	12	120
GNL156-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Gripmaster Latex Palm Coating Technology grip for grip and flexibility
- 13 Gauge Seamless Nylon/Lycra provides good dexterity and breathability
- Excellent abrasion and puncture resistance
- Lycra provides stretch and a closely fitting glove

RECOMMENDED AND INDUSTRY USES

- Agricultural applications
- Refuse Disposal and Recycling
- Construction Industry
- General Purpose work glove
- Engineering
- Assembly and technical work
- Automotive industry
- Building and construction
- Logistics and warehousing
- Mining



**White Knight Foam-Nitrile Glove**

**GNF124**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNF124-06	XSmall	Red	12	120
GNF124-07	Small	White	12	120
GNF124-08	Medium	Green	12	120
GNF124-09	Large	Blue	12	120
GNF124-10	XLarge	Brown	12	120
GNF124-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- White 13 gauge nylon seamless shell for outstanding comfort
- Foam nitrile provides a breathable and lightweight coating on the palm
- Soft, flexible coating has excellent abrasion and puncture resistance
- Excellent dexterity and grip for handling wet, oily or dry items

RECOMMENDED USES

- Automotive Industry
- Materials Handling and Assembly work
- Logistics and Warehousing
- Technicians and Electricians
- Production lines and small parts handling
- Construction industry
- Mining
- Agriculture
- Pulp and Paper



**G-Force Ultrafit Glove**

**GNM193**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNM193-07	Small	White	12	120
GNM193-08	Medium	Green	12	120
GNM193-09	Large	Blue	12	120
GNM193-10	XLarge	Brown	12	120
GNM193-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- 18-gauge ultra-thin, flexible nylon liner
- PU ECOMASTER® coated palm enhances tactility and dexterity
- NBR reinforced thumb crotch increases protection and glove longevity
- Ideal for applications requiring a high level of touch and precision
- Optimum abrasion resistance (EN388 level 4)

RECOMMENDED USES

- Handling and assembly
- Small parts handling
- Precise tasks & machine handling
- Repair & maintenance
- Robotics, space-air & aircraft industry
- Packaging & logistics



**Grey Knight**



**Liteflex PU Coated Glove**

**GNP136**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNP136-06	XSmall	Red	12	120
GNP136-07	Small	White	12	120
GNP136-08	Medium	Green	12	120
GNP136-09	Large	Blue	12	120
GNP136-10	XLarge	Brown	12	120
GNP136-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Grey polyurethane coated palm provides excellent durability
- Grey nylon shell is lightweight and breathable
- Excellent feel and dexterity
- Dark colour hides dirt and grime

RECOMMENDED AND INDUSTRY USES

- Technicians and Electricians
- Logistics and Warehousing
- Automotive and small parts work
- General Purpose work glove
- Production lines and small parts handling
- Construction industry
- Automotive industry
- Manufacturing
- Electronics industry

**greenGRIPPA**



**Green GRIPPA Glove**

**GGL106**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GGL106-07	Small	Yellow	12	120
GGL106-08	Medium	Green	12	120
GGL106-09	Large	Blue	12	120
GGL106-10	XLarge	Brown	12	120
GGL106-11	2XLarge	Red	12	120



FEATURES & BENEFITS

- Yellow 100% seamless polyester cotton Liner
- Green latex crinkle finish coating provides superior wet and dry grip
- Ergonomic design provides excellent flexibility
- Extremely durable offering excellent abrasion, tear and puncture resistance

RECOMMENDED USES

- Agriculture and Gardening
- Construction and Timber Industry
- Glass and Sheet Metal handling
- Refuse Disposal and Recycling
- Horticultural Industry

**blueGRIPPA**



**Blue GRIPPA Glove**

**GBL107**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GBL107-07	Small	Yellow	12	120
GBL107-08	Medium	Green	12	120
GBL107-09	Large	Blue	12	120
GBL107-10	XLarge	Brown	12	120
GBL107-11	2XLarge	Red	12	120



FEATURES & BENEFITS

- Grey 100% seamless polyester cotton liner
- Blue latex crinkle finish coating provides superior wet and dry grip
- Ergonomic design provides excellent flexibility
- Extremely durable offering excellent abrasion, tear and puncture resistance

RECOMMENDED USES

- Construction and Timber Industry
- Glass and Sheet Metal handling
- Refuse Disposal and Recycling
- Agriculture and Gardening
- Horticultural Industry

glassGRIPPA



Premium Glass GRIPPA Glove

**GYL108**

CODE SIZE PAIRS PAIRS

<b>GYL108</b>	Large	-	12	120
---------------	-------	---	----	-----

EN 388



2 1 2 1



FEATURES & BENEFITS

- 100% cotton jersey liner for comfort and breathability
- Yellow double dipped natural latex coating for durability
- Ripple finish for superior grip

RECOMMENDED USES

- Glass and bottle handling
- Brick and timber industries
- Refuse and waste management
- Agriculture and Gardening

maxisafe®



Glass Gripper Glove

**GYL108e**

CODE SIZE PAIRS PAIRS

<b>GYL108e</b>	Large	-	12	120
----------------	-------	---	----	-----

FEATURES & BENEFITS

- 100% cotton liner for comfort and breathability
- Yellow natural latex coating for durability
- Ripple Finish for superior grip

RECOMMENDED USES

- Glass and bottle handling
- Brick and timber industries
- Refuse and waste management
- Agriculture and Gardening

maxisafe®



Heavy Duty Latex Glove

**GRL105**

CODE SIZE PAIRS PAIRS

<b>GRL105-09</b>	Large	-	12	120
<b>GRL105-10</b>	XLarge	-	12	120

EN 388



3 1 4 3



FEATURES & BENEFITS

- White seamless knitted polyester cotton shell
- Red Tough Latex Laminated Palm
- Excellent abrasion and puncture resistance

RECOMMENDED USES

- Brick and Glass Handling
- Construction Industry
- Waste and Recycling management
- Agriculture and Fishing Industry





**HARPOON**



**Harpoon Latex Glove**

**GLL229**



CODE	SIZE	PAIRS	PAIRS
GLL229-08	Medium	6	60
GLL229-09	Large	6	60
GLL229-10	XLarge	6	60

EN 388



4131

FEATURES & BENEFITS

- Liquid proof gloves made from latex over a cotton knit.
- Curved fingers and contoured palm
- Non-slip finish in the hand area.
- Guaranteed silicone-free.
- High resistance to cuts and snags
- Outstanding heat resistance
- Sweat absorbent, non-woven inner liner

RECOMMENDED USES

- Deep sea fishing
- Forestry
- Metal industry
- Oyster farming
- Masonry

**Sandfire**



**Sandfire Nitrile Glove**

**GNY125**



CODE	SIZE	PAIRS	PAIRS
GNY125-08	Medium	12	120
GNY125-09	Large	12	120
GNY125-10	XLarge	12	120

EN 388:2018



3111X

FEATURES & BENEFITS

- Yellow lightweight nitrile coating offers good grip in wet and dry
- Abrasion, cut and puncture resistant
- Knit wrist excludes debris, open back improves ventilation
- Highly flexible and dexterous
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Mining & Construction Industry
- Steel Fabrication and Handling
- Refuse Disposal and Recycling

**Blue Knight**



**Blue Knight Fully Coated Nitrile Glove**

**GNB126**



CODE	SIZE	PAIRS	PAIRS
GNB126-08	Medium	12	120
GNB126-09	Large	12	120
GNB126-10	XLarge	12	120

EN 388



4221



FEATURES & BENEFITS

- Nitrile coating offers good grip in wet and dry
- Abrasion, cut and puncture resistant
- Knit wrist excludes debris
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries



**Blue Knight Coated Nitrile Glove**

**GNB130**

CODE	SIZE	PAIRS	PAIRS
GNB130-08	Medium	12	120
GNB130-09	Large	12	120
GNB130-10	XLarge	12	120



FEATURES & BENEFITS

- Nitrile coating offers good grip in wet and dry
- Abrasion, cut and puncture resistant
- Knit wrist excludes debris, open back ventilation
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries



**Blue Knight Safety Cuff Fully Coated Nitrile Glove**

**GNB131**

CODE	SIZE	PAIRS	PAIRS
GNB131-09	Large	12	120
GNB131-10	XLarge	12	120



FEATURES & BENEFITS

- Blue heavy duty nitrile coating
- Jersey liner / safety cuff offers extra protection
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries



**Blue Knight Safety Cuff Nitrile Glove**

**GNB198**

CODE	SIZE	PAIRS	PAIRS
GNB198-10	XLarge	12	120



FEATURES & BENEFITS

- Blue heavy duty nitrile coating
- Jersey liner / safety cuff offers extra protection
- Open back improves ventilation
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries



**Glove Roll**

- Ideal selling tool for your sales team on the road
- Sell more product by allowing your customers to touch and feel
- Display all the latest gloves





# bodyguards

for your hands

Our cut resistant glove range is designed to cater for the sharp end of the industrial market. Whether you're handling glass or steel, a fully operational engine or processing meat, Maxisafe's cut resistant range provides the protection you need with the comfort and breathability you want.




**G-Force Ultra C5 Glove**

GCF178	SIZE	HEM COLOUR	PAIRS	PAIRS
GCF178-07	Small	White	12	120
GCF178-08	Medium	Green	12	120
GCF178-09	Large	Brown	12	120
GCF178-10	XLarge	Yellow	12	120
GCF178-11	2XLarge	Grey	12	120

**G-Force Ultra C3 Glove**

GCT177	SIZE	HEM COLOUR	PAIRS	PAIRS
GCT177-07	Small	White	12	120
GCT177-08	Medium	Green	12	120
GCT177-09	Large	Brown	12	120
GCT177-10	XLarge	Yellow	12	120
GCT177-11	2XLarge	Grey	12	120



Thumb crotch protection



EN 388:2018



4 5 4 4 C



OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100  
16.HKR.87561 HOHENSTEIN HTTI  
Tested for harmful substances.  
www.oeko-tex.com/standard100

FEATURES & BENEFITS

- Ultra-thin 18 gauge, light-weight EN388 cut 5 liner
- Microfoam Nitrile coated palm enhances tactility and dexterity
- NBR reinforced thumb crotch increases protection and glove longevity
- Ideal for applications requiring a high level of touch and precision
- Optimum abrasion resistance (EN388 level 4)

RECOMMENDED USES

- Glass & steel industry
- Handling and assembly
- Small parts handling
- Precise tasks & machine handling
- Repair & maintenance
- Robotics, space-air & aircraft industry
- Packaging & logistics

EN 388:2018



4 X 4 3 B



OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100  
16.HKR.87561 HOHENSTEIN HTTI  
Tested for harmful substances.  
www.oeko-tex.com/standard100

FEATURES & BENEFITS

- Ultra-thin 18 gauge, light-weight EN388:2003 cut 3 liner
- Microfoam nitrile coating provides excellent dry, wet & oil grip performance
- Breathable coating enhances tactility and dexterity
- NBR reinforced thumb crotch increases protection and glove longevity
- Seamless fit is ideal for applications requiring a high level of touch and precision
- Ergonomically designed for superior fit and feel.
- Excellent abrasion resistance allows for long term use.

RECOMMENDED USES

- Glass & steel industry
- Handling and assembly
- Small parts handling
- Precise tasks & machine handling
- Repair & maintenance
- Robotics, space-air & aircraft industry
- Packaging & logistics



**G-Force Cut Resistant Glove**

**GKH197**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKH197-06	XSmall	Blue	10	100
GKH197-07	Small	White	10	100
GKH197-08	Medium	Green	10	100
GKH197-09	Large	Brown	10	100
GKH197-10	XLarge	Yellow	10	100
GKH197-11	2XLarge	Grey	10	100



**FEATURES & BENEFITS**

- Black 13 Gauge Polyethylene Super Cut Resistant Yarn
- EN ISO cut level C
- New micro-foam NBR coating offers superb flexibility, durability and grip
- The micro-foam NBR coating is liquid resistant, durable and washable
- Cool Star® Yarn offers excellent breathability and sweat absorption

**RECOMMENDED USES**

- Glass Bottle Handling
- Sheet Metal operations
- Automotive and Steel industries
- Plastics and Moulding industries
- Mining
- Construction



**G-Force CUT5Pro Cut Resistant Glove**

**GKH196**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKH196-07	Small	White	10	100
GKH196-08	Medium	Green	10	100
GKH196-09	Large	Brown	10	100
GKH196-10	XLarge	Yellow	10	100
GKH196-11	2XLarge	Grey	10	100



**FEATURES & BENEFITS**

- Black 13 Gauge Polyethylene Super Cut Resistant Yarn
- EN ISO cut level F
- New micro-foam NBR coating offers superb flexibility, durability and grip
- Cool Star® Yarn offers excellent breathability and sweat absorption

**RECOMMENDED USES**

- Pulp and Paper Industries
- Glass and Bottle Industries
- Sheet Metal Fabrication
- Automotive and Steel Industries
- Mining
- Construction



**G-Force HiVis Cut 5 Glove**

**GTH238**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GTH238-07	Small	Red	12	120
GTH238-08	Medium	Yellow	12	120
GTH238-09	Large	Brown	12	120
GTH238-10	XLarge	Black	12	120
GTH238-11	2XLarge	Green	12	120



**FEATURES & BENEFITS**

- Hi-vis yellow for improved visibility
- EN388 Level 5 cut resistance
- Contact heat resistant to 100°C
- Enhanced grip especially in slippery conditions
- Retains cut resistance with up to 12 wash cycles
- Full 360° breathability and excellent sweat absorption
- Coating provides good resistance to chemicals and acids

**RECOMMENDED USES**

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastics Industries
- Construction Industry
- Mining





**G-Force Silver Cut 5 Glove**

**GDP138**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GDP138-07	Small	Red	12	120
GDP138-08	Medium	Yellow	12	120
GDP138-09	Large	Brown	12	120
GDP138-10	XLarge	Black	12	120
GDP138-11	2XLarge	Green	12	120



FEATURES & BENEFITS

- Grey 13 Gauge Taeki5® Super Cut Resistant Yarn
- CE EN388:2016 Cut Level Rating E
- Grey PU Coated Palm provides excellent grip and dexterity in dry or slightly wet conditions
- High contact heat protection up to 250°C
- Taeki5® Yarn offers excellent breathability and sweat absorption

RECOMMENDED USES

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastics Industries
- Construction Industry
- Sheet Metal Industry



**Black Knight Dri-Grip 3 Glove**

**GDG291**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GDG291-07	Small	Red	12	120
GDG291-08	Medium	Yellow	12	120
GDG291-09	Large	Brown	12	120
GDG291-10	XLarge	Black	12	120
GDG291-11	2XLarge	Green	12	120



FEATURES & BENEFITS

- Grey Coolstar Yarn for excellent breathability and comfort
- EN ISO cut level B
- Gripmaster Coating Technology ensures the Black Knight gloves have excellent grip in wet, dry or oily environments
- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring superior grip
- No strikethrough to the inside of the glove to prevent irritation and heat build up
- Machine washable increasing glove life without reducing quality

RECOMMENDED USES

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastic Industries
- Oil Drilling and Mining
- Refineries
- Construction Industry
- Emergency Services: Police, Search & Rescue Military and Security



**G-Force Extra Cut 5 Long Cuff Glove**

**GKN189**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GGKN189-07	Small	White	12	120
GKN189-09	Large	Brown	12	120
GKN189-10	XLarge	Grey	12	120



FEATURES & BENEFITS

- 42cm 13 Gauge, breathable EN388 cut 5 liner
- Microfoam Nitrile coated palm offers excellent grip in wet and dry conditions
- Extra long cuff for wrist and forearm protection
- Machine washable increasing glove life

RECOMMENDED USES

- Glass handling
- Automotive & steel industry
- Paper & plastic industries
- Oil Drilling and Mining
- Refineries
- Construction industry
- Emergency Services: Police, Search & Rescue
- Military and Security

**G-FORCE**  
CUT 5 TPR



**G-Force**  
Cut 5 TPR Glove



**GBX280**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GBX280-7	Small	White	12	120
GBX280-8	Medium	Green	12	120
GBX280-9	Large	Brown	12	120
GBX280-10	XLarge	Yellow	12	120
GBX280-11	2XLarge	Grey	12	120

EN 388



4 5 4 4



FEATURES & BENEFITS

- Manufactured using a highly engineered cut resistant yarn offering the highest level of cut resistance
- Unique TPR impact and abrasion protection on the back of the glove to protect the hand against impact and abrasion
- Foam Nitrile coating on the palm offers excellent grip and dexterity for outstanding performance
- Nitrile coating is water, oil and abrasion resistant
- High level of breathability to reduce sweating
- Unique and exclusive to Maxisafe

RECOMMENDED USES

- Mining
- Oil Drilling
- Refineries
- Construction Industry
- Steel/Metal Handling
- Glass Handling
- Emergency Services: Police, Search & Rescue
- Military
- Security

**G-FORCE**  
HEAT GUARD



**G-Force**  
HeatGuard Glove

**GTH266**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GTH266-08	Medium	Yellow	12	120
GTH266-09	Large	Brown	12	120
GTH266-10	XLarge	Black	12	120

EN 388



3 5 4 X

EN 407



X 2 X X X X



FEATURES & BENEFITS

- Unique Taeki5® liner construction for heat resistance
- CE/EN388 Cut Resistant Level 5
- High Contact Heat Protection- Up to 250°C
- Outstanding flexibility and dexterity
- Ultimate Abrasion resistance

RECOMMENDED USES

- Steel and Automotive Industries
- Recycling and Refuse Industries
- Glass Handling
- Paper and Plastics Industries
- Precise operations
- Food handling
- Clean room environment

**G-FORCE**  
LEATHER PALM CUTS



**G-Force**  
Taeki5 Leather Palm Glove

**GTL231**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GTL231-09	Large	Brown	12	120
GTL231-10	XLarge	Black	12	120

EN 388



4 5 4 2

EN 407



X 2 X X X X



FEATURES & BENEFITS

- Unique Taeki5® liner construction for heat resistance
- CE/EN388 Cut Resistant Level 5
- High Contact Heat Protection- Up to 250°C
- Outstanding flexibility and dexterity
- Ultimate Abrasion and Puncture resistance
- Extended Cuff for excellent wrist protection

RECOMMENDED USES

- Welding & Steelwork
- Handling Hot Products
- Handling Hot castings
- Sheet Metal Industry



**G-Force Grippa Cut 5 Glove**

**GKL251**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKL251-08	Medium	Yellow	12	120
GKL251-09	Large	Brown	12	120
GKL251-10	XLarge	Black	12	120
GKL251-11	2XLarge	Green	12	120



FEATURES & BENEFITS

- Taeki5™ is revolutionary cut resistant, lint free, engineered yarn
- Latex coated palm offers excellent wet, dry and greasy grip
- Highest level 5 cut resistance EN388
- Level 4 abrasion resistance EN388
- High contact resistance up to 250°C
- High comfort & fitting - stretchable & breathable
- Washable for increased life span, better value
- Economical - the best performance and price ratio on the market
- Environmentally friendly materials

RECOMMENDED USES

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastic Industries
- Oil Drilling and Mining
- Refineries
- Construction Industry
- Timber and Forestry



**G-Force Mesh Protective Sleeve**

**GMS237**

CODE	SIZE	HEM COLOUR	PAIR	PAIRS
GMS237		Black	1	60

FEATURES & BENEFITS

- High density nylon material provides excellent arm protection
- Velcro enclosures ensures easy donning
- Woven material is cool to wear

RECOMMENDED USES

- Glass Handling
- Steel Handling
- Construction Industry
- Automotive Industry



**Microfresh Blue Microfresh Glove**

**GKB167**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKB167-07	Small	White	6	120
GKB167-08	Medium	Green	6	120
GKB167-09	Large	Brown	6	120
GKB167-10	XLarge	Yellow	6	120
GKB167-11	2XLarge	Grey	6	120
GKB167-12	3XLarge	Light blue	6	120



FEATURES & BENEFITS

- Blue 13 Gauge Kenima® Liner is more flexible and superior abrasion resistance to other manmade fibres
- Extended Cuff for wrist protection
- Excellent Cut Resistance to Level 5 according to CE/EN388
- Food Contact Approved according to Directive 2002/72/EC
- Machine Washable for re-use

RECOMMENDED USES

- Abattoirs, Butchers and Meat Processing
- Vegetable Processing
- Fishing industry
- Blade sharpening and cleaning



## Microfresh



### Microfresh White Microfresh Glove

#### GKW168

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKW168-07	Small	Red	6	120
GKW168-08	Medium	Green	6	120
GKW168-09	Large	Grey	6	120
GKW168-10	XLarge	Brown	6	120
GKW168-11	2XLarge	Yellow	6	120
GKW168-12	3XLarge	Light blue	6	120

EN 388



#### FEATURES & BENEFITS

- White 13 Gauge Kenima® Liner is more flexible and superior abrasion resistance than other manmade fibres
- Extended Cuff for wrist protection
- Excellent Cut Resistance to Level 5 according to CE/EN388
- Food Contact Approved according to Directive 2002/72/EC
- Machine Washable for re-use

#### RECOMMENDED USES

- Abattoirs, Butchers and Meat Processing
- Vegetable Processing
- Fishing industry
- Blade sharpening and cleaning

## Microfresh



### Microfresh Yellow Cut 5 Glove

#### GKY254

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKY254-07	Small	White	12	120
GKY254-08	Medium	Green	12	120
GKY254-09	Large	Brown	12	120
GKY254-10	XLarge	Yellow	12	120
GKY254-11	2XLarge	Grey	12	120
GKY254-12	3XLarge	Light blue	12	120

EN 388:2018



#### FEATURES & BENEFITS

- 13 Gauge hi-vis yellow liner
- Excellent Cut Resistance TDM Level D according to EN388:2016
- Extended Cuff for wrist protection
- Food Contact Approved
- Sanitized® anti-bacterial treated
- Machine Washable for re-use
- Retains cut level even after 12 washes at 40°C

#### RECOMMENDED USES

- Abattoirs, Butchers and Meat Processing
- Vegetable Processing
- Fishing industry
- Blade sharpening and cleaning

## GFORCE CUT5




### G-Force 51cm Cut 5 Sleeve

#### GIS179

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GIS179-09	Large	Brown	6	60
GIS179-10	XLarge	Yellow	6	60

EN 388



### G-Force 28cm Cut 5 Sleeve

#### GIS169

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GIS169-07	Small	Red	6	60
GIS169-08	Medium	Green	6	60
GIS169-09	Large	Brown	6	60
GIS169-10	XLarge	Yellow	6	60

EN 388



#### FEATURES & BENEFITS

- Grey 13 Gauge Inotex® Seamless Sleeve
- Excellent Cut Resistance to Level 5 according to CE/EN388
- Machine Washable for re-use

#### RECOMMENDED USES

- Glass and Plastics Industry
- Automotive Industry
- Abattoirs, Butchers and Meat Processing



**G-Force Rigger Guard 5 Glove**



**GRC299**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRC299-08	Medium	Green	12	120
GRC299-09	Large	Brown	12	120
GRC299-10	3XLarge	Blue	12	120
GRC299-11	2XLarge	Black	12	120
GRC299-12	XLarge	Yellow	12	120



FEATURES & BENEFITS

- Genuine A-grade cowgrain leather
- Certified to Highest Level EN388 Cut 5
- Wing thumb for stitch free palm
- Double stitched for strength
- Elastic wrist
- Colour coded hem for size identification
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED USES

- General purpose utility work glove
- Truck and transport industry
- Farm and agriculture applications
- Mining and construction industries
- Building industry
- Civil construction
- Rigging industry
- Timber and forestry
- Oil rigs and oil fields



**Cut Level 3 Chemical Glove**

**GNC282**

CODE	SIZE	PAIRS	PAIRS
GNC282-08	Medium	6	120
GNC282-09	Large	6	120
GNC282-10	XLarge	6	120
GNC282-11	XXLarge	6	120



FEATURES & BENEFITS

- CE/EN388 Cut Resistant Level 3
- 300mm Ultra-thin 18 gauge HDPE Cut 3 liner
- Nitrile water-based and PU foam coating for controlled gripping power and maximum dexterity in wet and dry conditions
- Non-slip grip is only applied where it is actually needed in the palm area to ensure flexibility isn't compromised
- Splash resistant to chemicals and excellent resistance to hydrocarbons and caustics.
- Approval EN388 Mechanical Risks

RECOMMENDED USES

- Chemical Handling
- Transport Industry
- Mining and Gas Industries
- Refining and Petrochemical
- Fishing and Aquaculture



**Maxisafe Heat Resistant Gauntlet**

**GPH219**

CODE	SIZE	PAIRS	PAIRS
GPH219	Large	1	60



FEATURES & BENEFITS

- Ultra High Contact Heat Protection - Up to 250°C
- Designed for intermittent handling of hot objects up to 180°C and contact heat up to 250°C
- Provides high resistance to cuts, snags and abrasion
- Enhances grip on dry and oily surfaces
- Comfortable & flexible: sweat absorbent, non-woven felt inner

RECOMMENDED AND INDUSTRY USES

- Handling hot glass
- Removing trays from ovens
- Handling hot castings
- Demoulding rubber tyres, vulcanizing, calendaring etc
- Removing sterilized products from autoclaves and steam ovens
- Steel and Aluminium Smelters
- Food Processing Services
- Glass/Bottle Manufacturing
- Plastics Industries
- Metal Fabrication



**Maxisafe G-Force Mechanic 5**

**GMC225**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GMC225-08	Small		6	120
GMC225-09	Medium		6	120
GMC225-10	Large		6	120
GMC225-11	XLarge		6	120
GMC225-12	2XLarge		6	120

EN 388 : 2016



4 5 4 F

FEATURES & BENEFITS

- Cut Level 5 Palm
- 3mm EVA lined reinforced thumb crotch and palm
- Clarino finger tips, finger bands and palm
- Neoprene cuff with velcro fastener
- Hi Vis Spandex back
- Terry Towel thumb
- Available in sizes S, M, L, XL

RECOMMENDED USES

- Automotive
- Metal handling
- Rescue operations
- Mining
- Sheet metal industries
- Glass industries



**Maxisafe G-Force Heatlock**

**GMT297**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GMT297-08	Small		12	120
GMT297-09	Medium		12	120
GMT297-10	Large		12	120
GMT297-11	XLarge		12	120

FEATURES & BENEFITS

- 0.8mm Armorskin, durable, lightweight and comfortable
- Synthetic leather
- Abrasion resistant PVC grip
- Nylon Lycra foam back
- Neoprene knuckle bar
- 5cm Neoprene cuff
- Velcro fastener
- U100 Heatlok thermal lining
- 2™ Ski-Dri waterproof breathable lining
- Hi Vis yellow
- Rated UPF50+ excellent protection
- Available in sizes S, M, L, XL

RECOMMENDED USES

- Freezer work
- Cool rooms
- Winter work
- Ski-field operations
- Ice works
- Cold storage



**G-Force Tuff Handler Pro Cut 5 Glove**

**GMT151**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GMT151-08	Small		12	60
GMT151-09	Medium		12	60
GMT151-10	Large		12	60
GMT151-11	XLarge		12	60
GMT151-12	2XLarge		12	60
GMT151-13	3XLarge		12	60

EN 388



3 5 4 2

FEATURES & BENEFITS

- EN388 level 5 cut resistance
- Exceptional fit and comfort levels
- Amazing dexterity
- Premium Goatskin leather reinforced palm and fingers
- Re-inforced padded palm and fingers
- Sandy PVC thumb crotch reinforcement
- Micro terry-cotton brow and sweat band on thumb

RECOMMENDED USES

- Oil and Gas Industries
- Mining
- Construction / Drilling
- Demolition / Recycling
- Steel Fabrication
- Landscaping



**Not just another glove!** The all-new Tuff Handler from Maxisafe features patented **High-Performance Impact Technology** never seen before!

This unique technology provides both enhanced protection and a versatile, flexible material for impact protection. During normal wear the material allows for unhindered movement and dexterity. When a shock is applied the impact zones of the glove instantly creates a super tough protective barrier to absorb and disperse the impact. It then immediately reverts to its former flexible state.

**The greater the force of the impact, the more the molecules lock together and the greater the protection!**



Soft and flexible material



Absorbs & dissipates impact



Returns to flexible state



maxisafe®





# new breed of puncture



### Rhinoguard needle resistant gloves

RHINO GUARD™ is highly engineered textile composite primarily designed to provide the highest levels of protection against a wide range of puncture hazards. The material is constructed from an innovative combination of advanced fibres, modified fabric structure and a unique coating technology to deliver high levels of protection against both large and small puncture threats (including needles and syringes). Uniquely for a puncture resistant material, RHINO GUARD™ also provides protection against cuts, heat and flame, abrasion and liquids. All of this is achieved in a lightweight, thin and flexible material which can be employed in a range of demanding environments. The RHINO GUARD™ EXTRICATION GLOVE is designed for the most intense environments requiring a glove that provides a combination of mechanical protection. The puncture protection areas with RHINO GUARD™ inside include the palm and fingers



Thermo Plastic Rubber

Rhinoguard Extrication Glove



GRH284	SIZE	DESCRIPTION	PAIRS	PAIRS
GRH284-08	Medium	Needle Resist.	1	10
GRH284-09	Large	Needle Resist.	1	10
GRH284-10	XLarge	Needle Resist.	1	10
GRH284-11	XXLarge	Needle Resist.	1	10



FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas
- Needle protection on palm only

RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue, Military
- Metal forming and handling
- Glass processing and handling
- Security and Recycling



Rhinoguard Full Protection Glove

GRH285	SIZE	DESCRIPTION	PAIRS	PAIRS
GRH285-08	Medium	Needle Resist.	1	10
GRH285-09	Large	Needle Resist.	1	10
GRH285-10	XLarge	Needle Resist.	1	10
GRH285-11	XXLarge	Needle Resist.	1	10



FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas
- Needle protection on palm and back of hand

RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue, Military
- Metal forming and handling
- Glass processing and handling
- Security and Recycling



Rhinoguard 23cm sleeve

GRS289	SIZE	PAIRS	PAIRS
GRS289	23cm	Each	10



FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas

RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue
- Military
- Metal forming and handling
- Glass processing and handling
- Security
- Recycling

# resistance

## RHINO GUARD™ Extreme puncture protection

### Key Features of RHINO GUARD™ fabric technology

- Achieves the highest rating for puncture resistance (>150 Newtons) according to the requirements of EN388 (Level 4) and ANSI-105:2005 (Level 5) using the standard 4.5mm diameter puncture probe.
- ASTM F1342-05: 86 Newtons of puncture resistance using the standard 2.03mm diameter puncture probe.
- ASTM F1342-05 (modified): 4.1 Newtons of puncture resistance using a 25gm needle (sharpened medical grade).
- All puncture data given is derived from Independent testing on a single layer of RHINO GUARD™ material.
- RHINO GUARD™ is coated with a highly abrasion resistant material that maximises product durability in applications requiring robust performance.
- DEXTERITY: In contrast with other puncture resistant solutions, RHINO GUARD™ is lightweight, thin and flexible to maximize dexterity and user comfort.



Rhinoguard 48cm sleeve

### GRS290

CODE	SIZE	EACH	EACH
GRS290	48cm	Each	10



#### FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas

#### RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue
- Military
- Metal forming and handling
- Glass processing and handling
- Security
- Recycling



RHINO GUARD APRON

### CRG627

CODE	SIZE	ACTUAL APRON SIZE	MAX CHEST/HIP MEASUREMENT	FITS MAX HEIGHT	PACK	CARTON
CRG627-07	Small	50x80	90cm	170cm	Each	10
CRG627-08	Medium	55x85	100cm	175cm	Each	10
CRG627-09	Large	60x90	110cm	180cm	Each	10
CRG627-10	X-Large	65x95	120cm	185cm	Each	10
CRG627-11	XX-Large	70x100	130cm	190cm	Each	10



#### FEATURES & BENEFITS

- ANSI Level 4 Cut Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- CPPT 1554 grams cut resistance
- Liquid protection
- Available in sizes: S, M, L, XL & XXL

#### RECOMMENDED USES

- Metal forming and handling
- Glass processing and handling
- Security
- Local authorities





# mechanics

The G-Force Range of work safety gloves are specially designed to be the right fit for all workers, tradespeople and technicians, with the protection, grip and comfort to complete the toughest task on hand.

Each model has been designed by Techware's technology team along with experienced workers in the workplace to enhance safety while you work.

The G-Force Range is manufactured from high-tech synthetic materials that have been proven to outlast traditional natural leather gloves. Advanced knitting technology and material formulations improve breathability in hand stress zones maximising comfort. Built tough for the tradesman – choose a model that suits your job!



protection  
grip and comfort  
dexterity



# range

**BRANDED FOR YOU OR YOUR CUSTOMERS COMPANY**

Personalise any of the G-Force range of gloves by asking us to print your own company's logo or a customers logo on each glove!

**OFFER IT TO YOUR CUSTOMERS.**



**G-Force Rigger**

**GRS235**

CODE	SIZE	PAIR	PAIRS
GRS235-08	Small	6	120
GRS235-09	Medium	6	120
GRS235-10	Large	6	120
GRS235-11	XLarge	6	120
GRS235-12	XXLarge	6	120



FEATURES & BENEFITS

- Durable one piece synthetic leather palm
- Elastane back for comfort and breathability
- Outperforms traditional leather riggers
- Elastic wrist for snug fit
- 100% machine washable increases glove life
- No knuckle bar improves fit and feel
- Reinforced finger tips and knuckles

RECOMMENDED AND INDUSTRY USES

- Steel and Metal Handling
- Cables and Chain handling
- Rope Handling
- Hand and Power Tool Operations
- Maintenance Operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



**G-Force HiVis Rigger**

**GRS255**

CODE	SIZE	PAIRS	PAIRS
GRS255-08	Small	6	120
GRS255-09	Medium	6	120
GRS255-10	Large	6	120
GRS255-11	XLarge	6	120



FEATURES & BENEFITS

- Hi-Vis Synthetic Leather - for added safety!
- Elastane back for comfort and breathability
- Outperforms traditional leather riggers
- Elastic wrist for snug fit
- 100% machine washable increases glove life
- No knuckle bar improves fit and feel
- High vis back for better visibility in the workplace
- Reinforced finger tips and knuckles

RECOMMENDED AND INDUSTRY USES

- Steel and Metal Handling
- Cables and Chain handling
- Rope Handling
- Hand and Power Tool Operations
- Maintenance Operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry

Minimum order quantities apply



**G-FORCE**  
HiVis MECHANICS



**G-Force HiVis Mechanics**

**GMY277**

CODE	SIZE	PAIRS	PAIRS
GMY277-9	Medium	6	120
GMY277-10	Large	6	120
GMY277-11	XLarge	6	120
GMY277-12	2XLarge	6	120

EN 388



3 2 4 1



FEATURES & BENEFITS

- Hi-Vis Synthetic Leather Work Glove – for added safety!
  - Synthetic Leather Work Glove
  - Padded Reinforced Palms
  - Velcro Wrist fastener
  - Full Fingers
  - Ventilated fouchettes
  - Barcoded with retail hanging cards
- RECOMMENDED AND INDUSTRY USES
- Construction Industry
  - Steel handling
  - Cables and coupling handling
  - Rope handling
  - Power tool and maintenance operations
  - Building Industry
  - Civil Construction
  - Automotive Industry
  - Rigging Industry
  - Timber and Forestry

**G-FORCE**  
MAXGRIP MECHANICS



**G-Force MaxGrip Mechanics**

**GMS273**

CODE	SIZE	PAIRS	PAIRS
GMS273-10	Large	6	120
GMS273-11	XLarge	6	120
GMS273-12	2XLarge	6	120

EN 388



4 2 2 1



FEATURES & BENEFITS

- Silicone Grip on fingers and palm for added grip
- Breathable stretch lycra back for comfort and breathability
- Velcro wrist fastener
- Durable synthetic anti-slip finger tips
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Cables and coupling handling
- Rope handling
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry

**G-FORCE**  
MECHANICS



**G-Force Mechanics**

**GMA113**

CODE	SIZE	PAIRS	PAIRS
GMA113-08	Small	6	120
GMA113-09	Medium	6	120
GMA113-10	Large	6	120
GMA113-11	XLarge	6	120

EN 388



3 2 4 1



FEATURES & BENEFITS

- One piece synthetic leather construction with non-slip grip
- Padded Reinforced Palms with terry cloth sweat patch
- Velcro Wrist fastener and pull tab for pulling off
- Ventilated fouchettes
- Neoprene Knuckle Bar for comfort
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Cables and coupling handling
- Rope handling
- Power tool and maintenance operations
- Automotive Industry



**G-Force Grip Fingerless**

GMF117		PAIRS PAIRS	
CODE	SIZE	PAIRS	PAIRS
GMF117-08	Small	6	120
GMF117-09	Medium	6	120
GMF117-10	Large	6	120
GMF117-11	XLarge	6	120
GMF117-12	2XLarge	6	120



FEATURES & BENEFITS

- One piece synthetic leather construction with non-slip grip
- Padded Reinforced Palms with terry cloth sweat patch
- Velcro Wrist fastener and pull tab for pulling off
- Fingerless for extra feel and ventilation
- Ventilated fourchettes
- Neoprene Knuckle Bar for comfort

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Electricians and Technicians
- Carpenters and Mechanics
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



**G-Force Tradesman**

GMF118		PAIRS PAIRS	
CODE	SIZE	PAIRS	PAIRS
GMF118-08	Small	6	120
GMF118-09	Medium	6	120
GMF118-10	Large	6	120
GMF118-11	XLarge	6	120
GMF118-12	2XLarge	6	120



FEATURES & BENEFITS

- One piece synthetic leather construction with non-slip grip
- Padded Reinforced Palms with terry cloth sweat patch
- Velcro Wrist fastener and pull tab for pulling off
- Cut-off Fingers for extra feel and ventilation
- Ventilated fourchettes
- Neoprene Knuckle Bar for comfort

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Electricians and Technicians
- Carpenters and Mechanics
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



**G-Force Leather Mechanics**

GML158		PAIRS PAIRS	
CODE	SIZE	PAIRS	PAIRS
GML158-08	Small	6	120
GML158-09	Medium	6	120
GML158-10	Large	6	120
GML158-11	XLarge	6	120
GML158-12	2XLarge	6	120



FEATURES & BENEFITS

- Premium grain leather palm for great dexterity
- Elastine back for comfort and breathability
- Neoprene knuckle bar for greater flexibility
- Velcro wrist strap provides extra protection and snug fit
- Ventilated fourchettes increase airflow
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Cables and coupling handling
- Rope handling
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry





**G**FORCE  
Impact





**G**FORCE  
Fingerless Impact



**G-Force Anti-Vibration Mechanics with Leather Palm**

**GMG293** Glove

CODE	SIZE		 PAIRS	 PAIRS
GMG293-09	Medium	G-Force Glove	6	120
GMG293-10	Large	G-Force Glove	6	120
GMG293-11	X-Large	G-Force Glove	6	120

FEATURES & BENEFITS

- A grade leather
- Gel padded wrist support
- Gel padded palm and fingers
- Flexible neoprene breathable back
- Reinforced thumb crutch
- Velcro wrist fastener
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Hand, power and pneumatic tools
- Mining
- Road construction and maintenance
- Horticulture applications

**G-Force Fingerless Anti-Vibration Mechanics with Leather Palm**

**GMG294** Fingerless Glove

CODE	SIZE		 PAIRS	 PAIRS
GMG294-09	Medium	G-Force Fingerless Glove	6	120
GMG294-10	Large	G-Force Fingerless Glove	6	120
GMG294-11	X-Large	G-Force Fingerless Glove	6	120

FEATURES & BENEFITS

- A grade leather
- Gel padded wrist support
- Gel padded palm and fingers
- Flexible neoprene breathable back
- Reinforced thumb crutch
- Velcro wrist fastener
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Hand, power and pneumatic tools
- Mining
- Road construction and maintenance
- Horticulture applications



Thermo Plastic Rubber



Thermo Plastic Rubber

**G-Force Impact Gel**



**GMH157**

CODE	SIZE	PAIRS	PAIRS
GMH157-09	Medium	6	120
GMH157-10	Large	6	120
GMH157-11	XLarge	6	120
GMH157-12	2XLarge	6	120

EN 388



4 3 4 3



FEATURES & BENEFITS

- Unique TPR impact and abrasion protection on fingers and back
- Durable synthetic anti-slip finger tips for dry, wet and oily conditions
- Anti-vibration silicone-gel padded palm
- Re-inforced synthetic leather palm
- Breathable Stretch Spandex back
- 100% machine washable
- Easy-on pull tag
- Velcro strap for snug fit

RECOMMENDED AND INDUSTRY USES

- Heavy Machinery Operations and work
- Civil Construction applications
- Handling of mining equipment
- Rigging & Drilling machinery and operation
- Timber and Forestry
- Oil Rigs and Oil Fields
- Building Industry

**G-Force Xtreme Heavy Duty**



**GMX283**

CODE	SIZE	PAIRS	PAIRS
GMX283-08	Small	6	120
GMX283-09	Medium	6	120
GMX283-10	Large	6	120
GMX283-11	XLarge	-	6 120
GMX283-12	2XLarge	-	6 120

EN 388



4 3 4 3



FEATURES & BENEFITS

- Oil and water resistant palm
- Silicone palm dots for improved grip
- Extended cuff for wrist protection
- Full TPR impact and abrasion protection on fingers and back
- Breathable Stretch Spandex back for comfort
- ID tag for User Identification
- 100% machine washable
- Easy-on pull tag

RECOMMENDED AND INDUSTRY USES

- Heavy Machinery Operations and work
- Civil Construction applications
- Handling of mining equipment
- Rigging & Drilling machinery and operation
- Timber and Forestry
- Oil Rigs and Oil Fields
- Building Industry



# leather gloves & general purpose gloves

Double stitched, safety reflective, knuckle bars, safety cuffs, seam welted, reinforced palms, fur lined, elastic backed, premium grade, garden variety - whether you're dealing with extreme heat or cold, gardening or welding, ultra specific purpose or everyday multi-tasking work, Maxisafe's leather and general purpose range will suit the job at hand.



## YOUR CUSTOMERS LOGO OR YOUR COMPANY LOGO

Personalise any Maxisafe gloves by asking us to print your own company's logo or a customers logo on each glove! **Offer it to your customers.**

personalised



maxisafe.



**Maxisafe ULTRA Premium Riggers Glove**

**GRC143**



CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRC143-08	Small	Natural	12	120
GRC143-09	Medium	Natural	12	120
GRC143-10	Large	Natural	12	120
GRC143-11	XLarge	Natural	12	120

EN 388



FEATURES & BENEFITS

- 'A' Grade Beige Premium Cowgrain Leather
- Wing thumb for stitch free palm
- Double nylon stitched for strength
- Elastic Back
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

maxisafe.



**Maxisafe Premium Beige Rigger Glove**

**GRP141**



CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRP141-08	Small	Green	12	120
GRP141-09	Medium	Brown	12	120
GRP141-10	Large	Blue	12	120
GRP141-11	XLarge	Black	12	120
GRP141-12	2XLarge	Yellow	12	120

EN 388



3123

FEATURES & BENEFITS

- Beige Premium Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

maxisafe.



**Maxisafe Keyring Glove**

**GKR272**



CODE	SIZE	PAIRS	PAIRS
GKR272-L	N/A	Left hand	N/A 500
GKR272-R	N/A	Right hand	N/A 500

FEATURES & BENEFITS

- WE CAN PRINT YOUR COMPANY LOGO ON THESE!
- Genuine Cow Grain Leather
- Great Promotional Product
- Available in left and right hand gloves



maxisafe®



**Maxisafe Natural Full Grain Rigger Glove**

**GRB140**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRB140-08	Small	Green	12	120
GRB140-09	Medium	Brown	12	120
GRB140-10	Large	Blue	12	120
GRB140-11	XLarge	Black	12	120
GRB140-12	2XLarge	Yellow	12	120



FEATURES & BENEFITS

- Genuine High Quality Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

maxisafe®



**Maxisafe Natural Split Back Rigger Glove**

**GPS191**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GPS191-08	Small	Green	12	120
GPS191-09	Medium	Brown	12	120
GPS191-10	Large	Blue	12	120
GPS191-11	XLarge	Black	12	120



FEATURES & BENEFITS

- Genuine Split Back Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

maxisafe®



**Maxisafe Evolution Riggers Glove**

**GRC142**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRC142-08	Small	Green	12	120
GRC142-09	Medium	Brown	12	120
GRC142-10	Large	Blue	12	120
GRC142-11	XLarge	Black	12	120
GRC142-12	2XLarge	Yellow	12	120



FEATURES & BENEFITS

- New Evolution Cow Grain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

**ANTARCTIC  
EXTREME**



**'Antarctic Extreme' 3M Thinsulate Lined rigger glove**

**GRL144**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRL144-08	Small	Green	12	60
GRL144-09	Medium	Brown	12	60
GRL144-10	Large	Blue	12	60
GRL144-11	XLarge	Black	12	60



FEATURES & BENEFITS

- Beige 'A' Grade Premium Cow Leather
- 3M 100gm Thinsulate® Lined for warmth
- Elastic Back
- Wing thumb with double stitching

RECOMMENDED USES

- Cold Storage
- Agriculture and Outdoor work
- Refuse disposal and Recycling
- Warehouse and Construction work

**POLAR  
BEAR**



**'Polar Bear' Fleece Lined Rigger Glove**

**GRL155**

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRL155-08	Small	Green	12	60
GRL155-09	Medium	Brown	12	60
GRL155-10	Large	Blue	12	60
GRL155-11	XLarge	Black	12	60



FEATURES & BENEFITS

- Beige 'A' Grade Premium Cow Leather
- Genuine Fleece Lined for warmth
- Elastic Back
- Wing thumb with double stitching

RECOMMENDED USES

- Cold Storage
- Agriculture and Outdoor work
- Refuse disposal and Recycling
- Warehouse and Construction work

**FORRESTER**



**'Forrester' HiVis Chainsaw Gloves**

**GRC278**

CODE	SIZE	PAIRS	PAIRS
GRC278-09	Medium	12	120
GRC278-10	Large	12	120
GRC278-11	XLarge	12	120



FEATURES & BENEFITS

- Water Resistant green cowhide for durability
- The right hand is certified for mechanical risks and the left hand is certified for mechanical risks and chain saws.
- The left hand is padded with Engtex Criss-Cross position 12-layer, anti-cut fabric covered on both sides by a layer of Kevlar.
- HiVis for excellent visibility
- Wing thumb for stitch free palm

FEATURES & BENEFITS

- Double Stitched for strength
- Knitted Wrist for added protection and comfort
- EN 420:03 – Protective gloves. General requirements.
- EN 388:03 – Protective gloves against mechanical risks.
- UNE-EN 381-7:00 – Protective gloves against Chain Saws.

RECOMMENDED USES

- Chainsaw and Logging Work
- Farm and Agricultural applications





**maxisafe.**



**Maxisafe Reflective Safety Rigger with Safety Cuff**

**GRR176**

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GRR176-08	Small	12	120
GRR176-09	Medium	12	120
GRR176-10	Large	12	120
GRR176-11	XLarge	12	120

EN 388



2 1 2 1



FEATURES & BENEFITS

- Orange Reflective Back with 25mm Hi-Vis Knuckle Bar
- 'A' Grade Premium Cow Leather
- Wing thumb with Double Stitching
- Elastic Back, One size fits all

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Civil and Road Construction
- Mining and Construction Industries

**maxisafe.**



**'Workman' Yellow cotton back glove**

**GLE147**

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GLE147	XLarge	12	120

FEATURES & BENEFITS

- Heavy Duty cow split one-piece palm
- Yellow Cotton back Safety Cuff & Knuckle Bar

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Mining and Construction Industries
- Steel fabrication and handling

**maxisafe.**



**Maxisafe Heavy Duty Polishers glove**

**GLR146**

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GLR146	XLarge	12	120

FEATURES & BENEFITS

- Heavy Duty cow split leather
- Reinforced plam thumb and forefinger
- Safety cuff and knuckle bar

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Automotive & Building Industries
- Steel fabrication and handling

**maxisafe.**



**Maxisafe Candy Stripe Glove**

**GLC145**

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GLC145	XLarge	12	120

FEATURES & BENEFITS

- Cow Split leather patch palm and knuckle bar
- Candy Striped cotton back with safety cuff

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Steel fabrication and handling

**maxisafe.**



**Plumbers Studded Leather Glove**

**GSL233 and GSR232**

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GSL233	XLarge	Left hand	1 25
GSR232	XLarge	Right hand	1 25

FEATURES & BENEFITS

- Genuine Cow Grain Leather
- Stainless Steel Studs
- Extra Heavy Duty Construction

RECOMMENDED USES

- Specifically designed for plumbers use with Drain Clearing Machines



**Knitted poly/cotton liner**

**GKP103**



CODE	SIZE	PAIRS	PAIRS
GKP103B/L	Mens	12	240
GKP103B/S	Ladies	12	240

FEATURES & BENEFITS

- Knitted Seamless Cotton/Polyester Blend
- 550gram Bleached Cotton Liner
- Ambidextrous and reversible

RECOMMENDED USES

- Light, general purpose work
- Component handling
- Fruit picking and food handling
- Prevents fingerprints from marking surfaces



**Knitted poly/cotton - Polka Dot palm**

**GKP104**



CODE	SIZE	PAIRS	PAIRS
GKP104B/L	Mens	12	240
GKP104B/S	Ladies	12	240

FEATURES & BENEFITS

- Knitted Seamless Cotton/Polyester Blend
- Black PVC dots on palm & fingers for extra grip
- 700gram Bleached Cotton Liner

RECOMMENDED USES

- Light, general purpose work
- Component handling with extra grip
- Fruit picking and food handling
- Prevents fingerprints from marking surfaces



**Cotton Drill Glove**

**GCD101**



CODE	SIZE	HEM	PAIRS	PAIRS
GCD101/S	Small	Red	12	300
GCD101/L	Large	Blue	12	300

FEATURES & BENEFITS

- 100% tough cotton drill glove
- Knitted elastic cuff
- Economical general purpose glove
- Available in mens and ladies sizes

RECOMMENDED USES

- Handling and assembly
- Fruit picking and handling
- Packaging & logistics
- General purpose work



**Cotton Interlock - hemmed cuff**

**GCI100**



CODE	SIZE	PAIRS	PAIRS
GCI100/L	Mens	12	600
GCI100/S	Ladies	12	600

FEATURES & BENEFITS

- Poly/Cotton Interlock Liner
- Hemmed Wrist
- Bleached for cleanliness

RECOMMENDED USES

- Light manufacturing and engineering work
- Plastics and assembly work
- Can be used as a liner for extra protection



**Cotton Interlock - knitted wrist**

**GCK110**



CODE	SIZE	PAIRS	PAIRS
GCK110/L	Mens	12	600
GCK110/S	Ladies	12	600

FEATURES & BENEFITS

- Poly/Cotton Interlock Liner
- Knitted Wrist for extra protection and comfort
- Bleached for cleanliness

RECOMMENDED USES

- Light manufacturing and engineering work
- Plastics and assembly work
- Can be used as a liner for extra protection



**Nylon lint free glove**

**GNL135**



CODE	SIZE	PAIRS	PAIRS
GNL135/L	Mens	12	600
GNL135/S	Ladies	12	600

FEATURES & BENEFITS

- 100% Nylon Lint Free Liner
- Hemmed Wrist
- Bleached for cleanliness

RECOMMENDED USES

- Light, general purpose work
- Component handling with extra grip
- Painting plants, prevents lint on painted surfaces
- Prevents fingerprints from marking surfaces





# welders

premium grade  
heat resistant Kevlar®  
flame resistant

**'Blue Flame' Premium  
Reinforced Welders Glove**



If you work in high heat situations, weld, fabricate steel or work in a foundry, we've got your glove. From a premium, Kevlar sewn welders gauntlet to the dexterity of our thumb reinforced goat leather glove, whatever your metal, Maxisafe gloves are made for 'men of steel'.





**Blue Flame**



**'Blue Flame' Premium Welders Glove**

**GWB163**

CODE	SIZE	PAIRS	PAIRS
GWB163	40cm	12	48



FEATURES & BENEFITS

- Superior, Heavy Duty Premium Grade Split Leather
- Sewn with Heat Resistant Kevlar® thread
- Fully Reinforced Palm and Thumb with Knuckle Bar
- Full Flame Resistant Jersey Lining
- Wear Seams Welting for extra strength
- Length 406mm long

RECOMMENDED USES

- Foundry Work
- Welding and Steel Fabrication work
- High heat applications

**Blue Flame**



**'Blue Flame' Reinforced Palm Welders Gloves**

**GWY175**

CODE	SIZE	PAIRS	PAIRS
GWY175	40cm	12	48




FEATURES & BENEFITS

- Superior, heavy duty, premium grade split leather
- Sewn with heat-resistant Kevlar® thread
- Fully reinforced and cross-stitched palm
- Full jersey lining
- Wear seams welting for extra strength
- Length 406mm

RECOMMENDED USES

- Foundry Work
- Welding and Steel Fabrication
- Smelting & High Heat applications



Print your's or your customers logo on any Maxisafe Welding Glove.

- Heat resistant liner
- extra strong welded seams
- flame resistant Kevlar® stitching
- premium quality leather



### Green Fusion



'Green Fusion' Kevlar Stitched Welders glove

**GWG161**

CODE SIZE PAIRS PAIRS

<b>GWG161</b>	<b>40cm</b>	12	48
---------------	-------------	----	----



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Wear Seams Welting for extra strength
- Sewn with Heat Resistant Kevlar® thread
- Reinforced Palm
- Full Flame Resistant Jersey Lining
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications

### Western Red



'Western Red' Kevlar Stitched Welders glove

**GWR162**

CODE SIZE PAIRS PAIRS

<b>GWR162</b>	<b>40cm</b>	12	48
---------------	-------------	----	----



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Sewn with Heat Resistant Kevlar® thread
- Reinforced Palm and Thumb
- Full Flame Resistant Jersey Lining
- Wear Seams Welting for extra strength
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications

### Leftwing



'Leftwing' Kevlar Stitched Welders glove

**GWL164**

CODE SIZE PAIRS PAIRS

<b>GWL164</b>	<b>40cm</b>	12	48
---------------	-------------	----	----



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Left-hand only
- Wear Seams Welting for extra strength
- Reinforced Palm
- Full Flame Resistant Jersey Lining
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications

**Black & Gold**



**'Black & Gold' Welders glove**

**GWB160**

CODE	SIZE	PAIRS	PAIRS
GWB160	40cm	12	48



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Wear Seams Welled for extra strength
- Full Flame Resistant Jersey Lining
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications

**FIRE FORCE**



**FireForce Extended Cuff Rigger**

**GRE243**

CODE	SIZE	PAIRS	PAIRS
GRE243-08	Small	12	60
GRE243-09	Medium	12	60
GRE243-10	Large	12	60
GRE243-11	XLarge	12	60
GRE243-12	2XLarge	12	60



FEATURES & BENEFITS

- Genuine Cow Grain Leather – Premium Quality
- Kevlar Sewn for extra heat resistance & strength
- Wing thumb for stitch free palm
- Elastic Back
- Extended Cuff for added protection
- Made to EN420 standard for accurate sizing

RECOMMENDED USES

- General Welding glove
- Firefighting applications
- Steel fabrication work
- Mining and Construction Industries

**FIRE MATE**



**Maxisafe TIG Welding glove**

**GWT165**

CODE	SIZE	PAIRS	PAIRS
GWT165-10	Large	12	60
GWT165-11	XLarge	12	60




FEATURES & BENEFITS

- Premium Fullgrain Goat Leather for dexterity
- Straight thumb
- Reinforced thumb crotch
- 150mm stiff sidesplit cuff

RECOMMENDED USES

- MIG welding
- TIG welding
- Sheet metal fabrication





petro-chemical

caustic

oil

solvents

acid



# Chemical resistant gloves

Double dipped, sandy gripped, if you're dealing with solvents, acids, waste, oil, any sort of slippery or caustic situation - we have the glove to keep you not only in control but protected to the max.

From petro-chemicals to aerospace, fishing and mining to industrial cleaning. With Maxisafe you're in good hands.

maxisafe®



**Red PVC Glove**  
27cm

**GPR121**

CODE	SIZE	PAIRS	PAIRS
GPR121	One size fits all	12	120



FEATURES & BENEFITS

- 27cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- One size fits all

maxisafe®





maxisafe.



**Red PVC Glove**  
35cm

**GPR194**

CODE SIZE PAIRS PAIRS

<b>GPR194</b>	One size fits all	12	60
---------------	-------------------	----	----

EN 388



4131

EN 374



FEATURES & BENEFITS

- 35cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- One size fits all

maxisafe.



**Red PVC Glove**  
45cm

**GPR122**

CODE SIZE PAIRS PAIRS

<b>GPR122</b>	One size fits all	12	60
---------------	-------------------	----	----

EN 388



4131

EN 374



FEATURES & BENEFITS

- 45cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- One size fits all

maxisafe.



**Red PVC Glove**  
60cm Shoulder Length

**GPR230**

CODE SIZE PAIRS PAIRS

<b>GPR230</b>	One size fits all	12	60
---------------	-------------------	----	----

EN 388



4131

EN 374



FEATURES & BENEFITS

- 60cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- Covers most of the arm for added protection



maxisafe.

maxisafe.

maxisafe.



**Red PVC Glove,  
Knitted Wrist**

**GPR123**

CODE SIZE PAIRS PAIRS

GPR123	One size fits all	12	120
--------	-------------------	----	-----



FEATURES & BENEFITS

- 26cm Single Dipped PVC for hand protection
- Knit Wrist excludes debris
- Cotton Interlock liner
- Resistant to oil, grease and chemicals

**Green Double Dipped  
PVC Glove 27cm**

**GPD134/27**

CODE SIZE PAIRS PAIRS

GPD134/27	One size fits all	12	120
-----------	-------------------	----	-----



FEATURES & BENEFITS

- Sandy finish in palm for excellent grip in oily and greasy conditions
- Jersey lined for comfort
- Excellent abrasion, oil and wear resistance
- One size fits all

RECOMMENDED USES

- Refining and petrochemical industries
- Fishing, mining and construction environments
- Refuse and waste management

**Green Double Dipped  
PVC Glove 45cm**

**GPD134/45**

CODE SIZE PAIRS PAIRS

GPD134/45	One size fits all	12	60
-----------	-------------------	----	----



FEATURES & BENEFITS

- Sandy finish in palm for excellent grip in oily and greasy conditions
- Jersey lined for comfort
- Excellent abrasion, oil and wear resistance
- One size fits all

RECOMMENDED USES

- Refining and petrochemical industries
- Fishing, mining and construction environments
- Refuse and waste management



**G**FORCE  
Neotherm



**Black Neoprene lined gauntlet**

**GNL154**

CODE	SIZE	PAIRS	PAIRS
GNL154-08	Medium	6	48
GNL154-09	Large	6	48
GNL154-10	XLarge	6	48
GNL154-11	2XLarge	6	48



2231



A K L



X 2 X X X X



FEATURES & BENEFITS

- Flexible, liquid proof Neoprene glove
- Seamless, knitted terry cotton liner
- Embossed diamond grip enhances grip in wet conditions
- Excellent insulation against heat and cold
- Resistant to acids, caustics, solvents and oils
- Bonded liner technology keeps hand drier and enhances donning
- No direct skin contact with Neoprene rubber

RECOMMENDED USES

- Chemical Industry
- Janitorial & Cleaning
- Plant Maintenance
- Laboratory
- Galvanising
- Degreasing & Kitchen
- Petrochemical & Refining

**G**FORCE  
ChemBarrier



**Chemical Glove**

**GNN203**

CODE	SIZE	PAIRS	PAIRS
GNC203-08	Medium	6	120
GNC203-09	Large	6	120
GNC203-10	XLarge	6	120
GNC203-11	XXLarge	6	120



4121



A J K L



FEATURES & BENEFITS

- Nitrile water-based PU foam coating for controlled gripping power and maximum dexterity in wet and dry conditions
- Approval EN374 Chemical Risk
- Non-slip grip is only applied where it is actually needed in the palm area to ensure flexibility isn't compromised
- Splash resistant to chemicals and excellent resistance to hydrocarbons and caustics.
- Approval EN388 Mechanical Risks

RECOMMENDED USES

- Chemical Handling
- Transport Industry
- Mining and Gas Industries
- Refining and Petrochemical
- Fishing and Aquaculture





**Cut Level 3 Chemical Glove**

**GNC282**

CODE	SIZE	PAIRS	PAIRS
GNC282-08	Medium	6	120
GNC282-09	Large	6	120
GNC282-10	XLarge	6	120
GNC282-11	XXLarge	6	120

EN 374-3

EN 388



J K L

4 3 4 3

FEATURES & BENEFITS

- CE/EN388 Cut Resistant Level 3
- 300mm Ultra-thin 18 gauge HDPE Cut 3 liner
- Nitrile water-based and PU foam coating for controlled gripping power and maximum dexterity in wet and dry conditions
- Non-slip grip is only applied where it is actually needed in the palm area to ensure flexibility isn't compromised
- Splash resistant to chemicals and excellent resistance to hydrocarbons and caustics.
- Approval EN388 Mechanical Risks

RECOMMENDED USES

- Chemical Handling
- Transport Industry
- Mining and Gas Industries
- Refining and Petrochemical
- Fishing and Aquaculture



**Debudding Glove Black PVC**

**GPB126**

CODE	SIZE	PAIRS	PAIRS
GPB126	One size fits all	12	60

EN 388

EN 374



4 1 2 1

FEATURES & BENEFITS

- Jersey liner with black PVC chunks impregnated
- Heavy duty gloves ensures good durability
- Jersey liner for sweat absorption and comfort

RECOMMENDED USES

- Vineyards
- Orchards
- Nurseries





maxisafe®



**Nitrile Chemical Glove  
33cm**

**GNF127**

CODE	SIZE	PAIRS	PAIRS
GNF127-07	Small	12	144
GNF127-08	Medium	12	144
GNF127-09	Large	12	144
GNF127-10	XLarge	12	144
GNF127-11	2XLarge	12	144



FEATURES & BENEFITS

- 100% Nitrile for maximum chemical and abrasion resistance
- 33cm long with textured palm for grip
- Also offers good resistance to oils, greases, hydrocarbon derivatives and aromatic or chlorinated solvents
- Individually packaged for hygiene
- Flocked lining for extra comfort and protection

RECOMMENDED USES

- Food Processing, Petrochemical, Aerospace and Automotive industries
- Industrial Cleaning applications
- Metal fabrication and surface coating
- Solvent and acid applications

maxisafe®



**Nitrile Chemical Glove  
45cm**

**GNU128**

CODE	SIZE	PAIRS	PAIRS
GNU128-08	Medium	12	144
GNU128-09	Large	12	144
GNU128-10	XLarge	12	144



FEATURES & BENEFITS

- 100% Nitrile for maximum chemical and abrasion resistance
- 45cm long with textured palm for grip
- Also offers good resistance to oils, greases, hydrocarbon derivatives and aromatic or chlorinated solvents
- Individually packaged for hygiene

RECOMMENDED USES

- Food Processing, Petrochemical, Aerospace and Automotive industries
- Industrial Cleaning applications
- Metal fabrication and surface coating
- Solvent and acid applications

maxisafe®



**Black Neoprene  
Chemical Glove**

**GNB172**

CODE	SIZE	PAIRS	PAIRS
GNB172-09	Large	12	144
GNB172-10	XLarge	12	144
GNB172-11	2XLarge	12	144



FEATURES & BENEFITS

- Heavy Duty Black Neoprene Gauntlet
- Flocklined for comfort
- Textured palms and fingers for improved grip in wet environments
- High resistance to most solvents, acids, oils and alkalis

RECOMMENDED USES

- General purpose chemical handling
- Handling of mild solvents, acids, caustics and oils.
- Premium Cotton flock lining for comfort
- Offers good chemical resistance to greases, alcohols, petroleum, ketones, aliphatic solvents and numerous industrial gases and vapours

## BUTOFLEX651



### Butoflex 651

#### GBF248

CODE	SIZE	PAIRS	PAIRS
GBF248-08	Medium	1	6
GBF248-09	Large	1	6
GBF248-10	XLarge	1	6



ABC I KL

1122

#### FEATURES & BENEFITS

- The ultimate in chemical resistance!
- Good grip thanks to exclusive relief embossing
- Butyl is a special-purpose polymer, reserved for applications requiring very high, chemical protection
- Butyl is a supple and elastic material to retain excellent dexterity
- Butyl offers excellent resistance to ketones, acids, esters and amine derivatives.
- Butyl is an excellent barrier to industrial gases and vapours as well as chemical war agents

#### RECOMMENDED AND INDUSTRY USES

- Chemical Industry
- Petroleum and Fuel Industry
- Military
- Cosmetic and Pharmaceutical Industry
- Formulating paints, varnishes, resins and inks
- Handling chemicals
- Metal treatment and degreasing

## CHEMZOIL



### Chemzoil/Neoprene Glove

#### GCO256

CODE	SIZE	PAIRS	PAIRS
GCO256-08	Medium	1	6
GCO256-09	Large	1	6
GCO256-10	XLarge	1	6



3221

ABCJKL

X1XXXX

#### FEATURES & BENEFITS

- 100% neoprene multi-layer construction
- Superior chemical resistance against acids and alkalis, such as concentrated hydrofluoric acid, oils and greases
- Pebbled embossing for better grip on wet and slippery objects
- Thermal insulation from the cotton-knit lining for handling hot liquids
- Anatomical shape offers excellent fit and exceptional comfort
- The pre-curved fingers provide unrivalled freedom of movement for this high-risk chemical protection glove

#### RECOMMENDED AND INDUSTRY USES

- Surface treatment of metals (acids)
- Handling acids such as Hydrofluoric Acid
- Etching /degreasing
- Handling battery acid
- Battery manufacturing
- Chemical transport/handling Industry
- Chemical manufacturing plants
- Refinery and Petroleum plants
- Surface treatment

## FLUONIT



### Fluonit/Fluoroelastomer Glove

#### GFN265

CODE	SIZE	PAIRS	PAIRS
GFN265-08	Medium	1	6
GFN265-09	Large	1	6
GFN265-10	XLarge	1	6



4102

ABCDEFGHIJKL

#### FEATURES & BENEFITS

- Fluoroelastomer is a high performance polymer recommended for prolonged contact with aromatic solvents, sulphur-based chemicals and amines.
- Excellent flexibility and thickness due to the multi-layered technology
- Nitrile inner layer: excellent mechanical resistance and a longer service life
- Green inner layer: wear-indicator for greater user safety

#### RECOMMENDED AND INDUSTRY USES

- Surface treatment of metals (acids)
- Handling acids such as Hydrofluoric Acid
- Etching /degreasing
- Handling battery acid
- Resin and adhesive manufacturing
- Petrochemical refining
- Chemical transport/handling Industry
- Chemical manufacturing plants
- Surface treatment



## NEOTEX



### Neotex Plus Neoprene Chemical Glove

#### GNT244

CODE	SIZE	PAIRS	PAIRS
GNT244-08	Medium	1	6
GNT244-09	Large	1	6
GNT244-10	XLarge	1	6

EN 374-3



A C J K L

EN 388



2 2 3 1

EN 407



X 1 X X X X



#### FEATURES & BENEFITS

- Neoprene with Natural Latex interior
- Suitable for long-term wear
- Freedom of movement due to the supple quality of the neoprene
- Cotton flocklined adds comfort for long term use
- Forearm protection – 38cm long

#### RECOMMENDED AND INDUSTRY USES

- Handling and transport of acids and alkaline
- Chemical treatment of steels
- Painting and paint stripping
- Preparation of industrial chemicals
- Battery manufacturing
- Industrial cleaning and maintenance
- Laboratory applications
- Transport Industry
- Petroleum and Fuel industries

## TEMPCOOK



### Temp-Cook Thermal Glove

#### GTC239

CODE	SIZE	PAIRS	PAIRS
GTC239-08	Medium	1	6
GTC239-09	Large	1	6
GTC239-10	XLarge	1	6

EN 388



4 4 4 3

EN 374-3



A J K L

EN 407



X 2 X X X X

EN 511



1 2 1



#### FEATURES & BENEFITS

- Food Contact approved according to FDA 21 CFR 177.2600
- Hygienic high-temperature protection for the food industry
- 100% liquid-proof for catering industry
- Thermal protection up to 250°C
- Interior and exterior of gloves are washable for improved hygiene
- Nitrile coating is resistant to oils, greases and principle detergents
- 45 cm long cuff to protect forearms when handling hot objects
- Excellent resistance to abrasion, cuts and punctures

#### RECOMMENDED AND INDUSTRY USES

- Removing hot dishes from ovens (wet or dry)
- Removing objects from autoclaves or steak ovens
- Handling hot dishes in commercial kitchens
- Commercial & Industrial kitchens
- Bakeries
- Fast food kitchens
- Abattoirs and meat processing plants

## TEMPTEC



### Temp-Tec Thermal Glove

#### GTT227

CODE	SIZE	PAIRS	PAIRS
GTT227-08	Medium	1	6
GTT227-09	Large	1	6
GTT227-10	XLarge	1	6

EN 388



2 2 1 2

EN 374-3



A C J K L

EN 407



X 2 X X X X

EN 511



1 1 1



#### FEATURES & BENEFITS

- A double-layer glove, with thermal insulation and chemical resistance
- Two-tone wear indicator to permit glove change-out before abrasion penetrates the shell.
- Textured coating for excellent grip in wet or slippery conditions
- Freedom of movement; very comfortable high-quality cotton lining.
- Multi-use chemical resistance (acids, aliphatic solvents) increased by heavy duty coating.
- The Temp-Tec gloves withstand brief contact with hot metals up to 480 degrees F and contact to -100 degrees F in hand area.
- Cold test was performed holding 9 lbs. of dry ice for 2 minutes.
- Handles slippery objects with reinforced grip.

#### RECOMMENDED AND INDUSTRY USES

- Food processing, ovens, hot hoses etc
- Hot steam lance cleaning operations
- Plastic extrusion operations
- Rubber Industry
- Road Surfacing
- Cold Storage Industry



FLUOTEX

100% innovation

**Fluotex Fluoroelastomer  
Chemical Glove**

**GFT263**

CODE	SIZE	PAIRS	PAIRS
GFT263-09	Large	1	6
GFT263-10	XLarge	1	6

 EN 388 4241	 EN 374-3 ACDEFGJKL	 EN ISO 374-5	 EN 407 X1XXXXX
---	--	---	--



FEATURES & BENEFITS

- Comfort and flexibility for extended wear
- Excellent comfort for long tasks, due to the cotton-knit liner
- Textile support gives high mechanical resistance and long service life
- Good flexibility ensures freedom of movement

RECOMMENDED AND INDUSTRY USES

- Site pollution control
- Printing
- Petrochemical refining
- Emergency interventions on chemical accidents
- Metal degreasing and etching
- Resin and adhesive manufacturing
- Manufacturing paints and varnishes
- Handling and transporting chemicals





# super tough chemical resistant low sweat



AT LAST...  
A SUPER TOUGH  
DISPOSABLE GLOVE  
FOR THE TRADESMAN!!!





## Black Shield



### 'Black Shield' Extra Heavy Duty Nitrile

#### GNB218

CODE	SIZE		BOX	BOX
GNB218-S	Small	■ Black	1	10
GNB218-M	Medium	■ Black	1	10
GNB218-L	Large	■ Black	1	10
GNB218-XL	XLarge	■ Black	1	10
GNB218-XXL	2XLarge	■ Black	1	10



#### FEATURES & BENEFITS

- Certified for protection against Fentanyl
- Amazing dexterity and feeling
- New Low Sweat Technology for extended use
- High Puncture Resistance
- Chemical Resistance to incidental splashes
- Made from 100% Nitrile
- Powder Free, Latex Free, Odour Free
- Textured Fingers for extra grip
- Available in Blue or Black
- Super-Comfortable for extended periods of wear
- Box of 100 Gloves (90 Gloves in XXL box)
- Carton of 10 Boxes and available in all sizes

#### RECOMMENDED USES

- Automotive Painting industry
- Hydraulic Repairs and Maintenance
- Diesel Mechanics
- Automotive Engine & Transmission work
- Oil & Lubricant handling & Fuel Dispensing
- Domestic and Commercial Cleaning and Hygiene
- Food Process work
- Steel and Metal Machining
- Materials Handling
- General domestic and commercial painting
- Hairdressing Industry
- Tattooing Industry
- Hospitality and Food Industry's
- Dairy Industry



Chemical Resistance to incidental splash exposure

New Low Sweat Technology for extended use

Made from 100% Nitrile

Powder Free and Latex Free

Odour Free

Available in Blue or Black

Textured fingers for extra grip

Super-Comfortable for extended periods of wear

Australian & New Zealand standards

- TGA (Australia)
- AQL 1.5
- FDA
- CE
- CMDCAS

Carton of 10 Boxes







## Orange Shield



### Extra Heavy Duty Nitrile Gloves

#### GNO208

CODE	SIZE		BOX	BOX
GNO208/M	Medium	Orange	1	10
GNO208/L	Large	Orange	1	10
GNO208/XL	XLarge	Orange	1	10
GNO208/XXL	XXLarge	Orange	1	10



#### FEATURES & BENEFITS

- Amazing dexterity
- Low sweat technology for extended use
- High puncture resistance
- Chemical resistance to incidental splash exposure
- Made from 100% nitrile
- Powder free, latex free
- Odour free
- Diamond Grip Palm for extra grip

#### RECOMMENDED USES

- Automotive
- Hydraulic repairs and maintenance
- Diesel mechanics
- Oil and lubricant handling
- Domestic and commercial cleaning
- Food process work
- Steel and metal machining
- Hairdressing
- Tattooing industry
- Hospitality and food industry



## Blue Shield



### 'Blue Shield' Heavy Duty Nitrile

#### GNB268

CODE	SIZE		BOX	BOX
GNB268-S	Small	Blue	1	10
GNB268-M	Medium	Blue	1	10
GNB268-L	Large	Blue	1	10
GNB268-XL	XLarge	Blue	1	10
GNB268-XXL	2XLarge	Blue	1	10

AQL 1.5

#### FEATURES & BENEFITS

- 100% Nitrile
- Powder free and Latex free for easy on and off
- Bio-degradable and environmentally friendly
- 3 times more puncture resistant than latex or vinyl

#### RECOMMENDED USES

- Emergency services, schools and dental
- Food processing applications
- Painting and printing industries
- Automotive industries
- Laboratory work



Eco Shield



**Eco-Shield Blue Nitrile Disposable Glove**

**GNE220**

CODE	SIZE		PAIRS	PAIRS
GNE220-S	Small	Blue	1	10
GNE220-M	Medium	Blue	1	10
GNE220-L	Large	Blue	1	10
GNE220-XL	XLarge	Blue	1	10
GNE220-XXL	2XLarge	Blue	1	10

**AQL 1.5**

FEATURES & BENEFITS

- Thinner glove for excellent dexterity
- Low sweat technology for extended use
- Higher puncture resistance than latex or vinyl
- Chemical resistance to incidental splash exposure
- Made from 100% nitrile
- Powder and latex free
- Odour free
- Diamond grip fingers for extra grip

RECOMMENDED USES

- Hairdressing
- Tattooing industry
- Hospitality and food industry
- Automotive
- Hydraulic repairs and maintenance
- Diesel mechanics, oil and lubricant handling
- Domestic and commercial cleaning
- Food process work
- Steel and metal machining



**Latex Disposable Gloves, Unpowdered, Box 100**

**GLU201**

CODE	SIZE	PAIRS	PAIRS
GLU201-XS	XSmall	1	10
GLU201-S	Small	1	10
GLU201/M	Medium	1	10
GLU201/L	Large	1	10
GLU201/XL	XLarge	1	10



FEATURES & BENEFITS

- Comfortable fitting and economical price
- Ambidextrous, contoured fit
- Powder free to avoid contamination issues
- Offers the strength and longevity of natural latex

RECOMMENDED USES

- Packaging and Food Processing industries
- Emergency Services, Schools and Dental
- Maintenance and Assembly work



**Latex Disposable Gloves Powdered**

**GLP200**

CODE	SIZE	PAIRS	PAIRS
GLP200/XS	XSmall	1	10
GLP200/S	Small	1	10
GLP200/M	Medium	1	10
GLP200/L	Large	1	10
GLP200/XL	XLarge	1	10



FEATURES & BENEFITS

- Comfortable fitting and economical price
- Ambidextrous, contoured fit
- Lightly powdered for easy donning
- Offers the strength and longevity of natural latex

RECOMMENDED USES

- Packaging and Food Processing industries
- Emergency Services, Schools and Dental
- Maintenance and Assembly work



**Neoprene/Latex Glove**

**GLN137**

CODE	SIZE	PAIRS	PAIRS
GLN137-08	Medium	12	120
GLN137-09	Large	12	120
GLN137-10	XLarge	12	120
GLN137-11	2XLarge	12	120



3 1 2 1

FEATURES & BENEFITS

- 33cm dipped blue neoprene palm over latex rubber for increased chemical resistance
- Good resistance to bleaches, detergents, alkalis and vegetable oils
- Excellent puncture and tear resistance
- Textured palms and fingers for improved grip in wet environments
- Flocklined for comfort

RECOMMENDED USES

- Food Processing
- Domestic kitchen
- Garden and nursery



**Blue Silverlined Glove**

**GLS120**

CODE	SIZE	PAIRS	PAIRS
GLS120/S	Small	12	144
GLS120/M	Medium	12	144
GLS120/L	Large	12	144
GLS120/XL	XLarge	12	144
GLS120/XXL	2XLarge	12	144



1 0 1 1

A K L

FEATURES & BENEFITS

- 30cm glove with anti-slip pattern for increased grip
- Flock free silver lining for easy donning
- Chlorinated for light chemical resistance
- Tapered for snug fit

RECOMMENDED USES

- Domestic kitchen & garden use
- Food processing plants
- Light assembly & maintenance
- Laboratories & janitorial





**Disposable Glove Dispenser Holder**

**GDI174**

CODE	SIZE	EACH	EACH
GDI174/L	N/A	1	N/A

FEATURES & BENEFITS

- Clear PVC Holder mounts to the wall
- Improves hygiene by storing gloves away from contamination sources
- Gloves can be quickly dispensed with one hand



**Maxiclip Glove Clip**  
**ORANGE YELLOW**

**GGG115**

CODE	SIZE	COLOUR	PAIRS	PAIRS
GGG115-0	N/A	Orange	1	125
GGG115-Y	N/A	Yellow	1	125

FEATURES & BENEFITS

- The Maxiclip Glove Clip is ideal for gripping your gloves, earmuffs, helmets, towels etc!
- Made from specialised material that holds its memory and does not fatigue from use.
- Designed to separate and break if the item being held is caught in machinery.
- Simple but Effective!
- Available in colours Orange and Fluro Yellow.

RECOMMENDED USES

- Any application where gloves are used
- Automotive industry
- Building and construction
- Logistics and warehousing
- Mining



**PERSONALISE**

Personalize the Maxiclip Glove Clip by printing your own company's logo or a customer's company logo on the clip! Branding will enhance and grow your company's image in the marketplace.



99.9% UV

2

Protection from the sun and random flying objects, goggles, glasses and visors, a wide variety of styles, colours and levels of protection and – coolness.

The Maxisafe Safety Glasses range has been developed to provide protection for the human eye with a variety of lens options to suit a range of applications. Every lens is made from anti-scratch polycarbonate, and absorbs 99.9% of Ultra Violet radiation with Anti-Fog also available.



Medium Impact Lens



Anti Fog, Anti Scratch Lenses  
99.9% UV Protection



personalised

Personalize any of the Maxisafe glasses by printing your own company's logo or a customer's company logo on every safety spec! Use the power of branding to enhance and grow your company's image in the marketplace.



# protection

## anti scratch lenses

## anti fog lenses

Smoke, Blue Mirror and Polarised lenses available

Popular lightweight styles for ultimate comfort



Comfort is the key and the comprehensive Maxisafe range meets the safety needs and requirements of most workplaces today with a large range of glasses, goggles and visors available in clear, smoke, mirror, amber and polarized models all meeting the certification requirements of the Australian Standards in AS/NZS1337:1992. A general guide to which eyewear could be worn:

Maxisafe display unit are available



Suggested Situations	Glasses	Goggles	Faceshield
Cleaning with Chemicals			
Construction Work – Masonry/Brick/Concrete			
Construction Work – Wood/Plastic/Plaster			
Dusty environments			
Education			
Engineering Work – Turning/Power Tools			
Furnace work and Casting			
Hazardous Chemical – Splash risk			
Laboratory work – Non Hazardous Chemicals			
Metal Work – Grinding			
Medical Applications			
Refuse Waste and Disposal			
Spray Painting			
Wood Working - Hand tools			

■ = Suitable





The side arms are designed for comfort with ventilation cavities and soft touch

# EVOLVE

The EVOLVE Safety Glasses combines the function of Safety Glasses and Goggles in the one premium eye protection product. EVOLVE adapts to just about any job you can throw at them with the very simple clip-off and clip-on function that changes from a safety spec to a comfortable secure goggle. There is nothing else on the market that offers similar value at this quality level.

EVOLVE offers protection from the sun, UV and flying objects with a technically advanced lens design in clear, smoke and indoor/outdoor options.

Every EVOLVE lens is made from anti-scratch coated polycarbonate absorbing 99.9% of Ultra Violet radiation with Anti-Fog standard across the range.



EVOLVE's headband seal contours to the face keeping out dust and particles

EVOLVE's clip-off clip-on high grade hinge and strap system work smoothly and effortlessly first time everytime

EVOLVE is ideal for everyday wear in the industrial workplace

Quick and easy clip-on clip-off

# EVOLVE

## FEATURES & BENEFITS

- Completely metal-free design
- Available with internal EVA foam gasket
- Modern, fashionable design promotes safety wear in the work environment
- Duo-spherical lens with high quality anti-fog coating on both the inside and outside
- Rimless spectacles offer wide field of vision
- Unique clip-off frames with interchangeable headband strap
- Headband strap option protects from particle ingress and splashes
- Colour coded arms ensure easy lens identification
- Certified to AS/NZS 1337.1:2010 for medium impact protection

Scratch resistant on the outside and anti-fog coating on the inside across the range.

### EVOLVE Safety Glasses

CODE	LENS		PAIRS	PAIRS
EV0370	Clear	Anti-Fog	12	300
EV0371	Smoke	Anti-Fog	12	300
EV0372	Silver Mirror	Anti-Fog	12	300



EV0370



EV0371



EV0372

### EVOLVE Safety Glasses with gasket and strap

CODE	LENS		PAIRS	PAIRS
EV0370-GH	Clear	Anti-Fog	12	300
EV0371-GH	Smoke	Anti-Fog	12	300
EV0372-GH	Silver Mirror	Anti-Fog	12	300



EV0370-GH



EV0371-GH



EV0372-GH

### EVOLVE options

CODE	LENS	QTY	QTY
EV0370-G	Foam Gasket	1	30
EV0370-H	Headband Strap	1	30



EV0370-G foam gasket



EV0370-H headband strap







## Excel



AS/NZS 1337  
Licence No.  
BMP 557823

EDE315

### Excel Clear Safety Glasses

#### EDE315

CODE	LENS	PAIRS	PAIRS
EDE315	Clear	Anti-Fog	12 300

#### FEATURES & BENEFITS

- Certified to AS/NZS 1337.1 2010
- Medium Impact Protection
- 99.9% UV Protection for outdoor use
- Premium Anti-Scratch Lenses
- Stylish Comfortable Design

## TEXAS



AS/NZS 1337  
Licence No.  
BMP 557823

EBR330 or EBR330e



EBR331 or EBR331e



EBR332



EBR333



EBR387

### 'Texas' Safety Glasses

CODE	LENS	PAIRS	PAIRS
EBR330	Clear	Anti-Fog	12 300
EBR330e	Clear	Anti-Fog	12 300
EBR331	Smoke	Anti-Fog	12 300
EBR331e	Smoke	Anti-Fog	12 300
EBR332	Amber	Anti-Fog	12 300
EBR333	Blue Mirror	Anti-Fog	12 300
EBR387	Shade #5	Anti-Fog	12 300

#### FEATURES & BENEFITS

- Sleek and ultra light weight wraparound lens
- Suits a variety of face shapes
- Hard Coat lens for Anti-Scratch
- Anti Fog Coating Technology
- 99.9% UV Protection
- Available in clear, smoke, cool-amber and blue mirror colour's

## KANSAS



AS/NZS 1337  
Licence No.  
BMP 557823



EKA304



EKA305



EKA303



EKA306

### 'Kansas' Safety Glasses

CODE	LENS	PAIRS	PAIRS
EKA304	Clear	Anti-Fog	12 300
EKA305	Smoke	Anti-Fog	12 300
EKA303	Amber	Anti-Fog	12 300
EKA306	Blue Mirror	Anti-Fog	12 300

#### FEATURES & BENEFITS

- Lightweight and frameless design with curved temple arm to fit most face profiles
- The 9-base lense design provides distortion-free coverage, 180-degree field of vision
- Medium Impact resistant
- High quality anti-fog lens ideal for use in humid conditions
- Hard Coat lens for anti-scratch
- Soft rubber tip arms for added comfort
- Molded Silicone nose piece for comfort
- Filters out 99.9% of UV radiation outdoors



**NAVIGATOR**



AS/NZS 1337  
Licence No.  
BMP 557823



ENA341

**Navigator Smoke Safety Glasses**

CODE	LENS	PAIRS	
		Anti-Fog	PAIRS
ENA341	Smoke	12	300
ENA357	Polarised	6	60

FEATURES & BENEFITS

- Certified to AS/NZS 1337.1 2010
- Medium Impact Protection
- 99.9% UV Protection for outdoor use
- Premium Anti-Scratch Lenses
- Stylish Comfortable Design

**DENVER**  
Polarised



Certified Product  
AS/NZS 1716  
LK-2742



EDE308

**'Denver' Polarised Smoke Safety Glasses - Black Frame**

CODE	LENS	PAIRS	
		Polarised	PAIRS
EDE308	Smoke	12	300

FEATURES & BENEFITS

- Premium Polarized Lenses for glare reduction!
- Medium Impact, Anti-Scratch & Anti-Fog lense.
- Lightweight and durable polycarbonate frame
- Medium Impact protection
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece and Soft Rubber arm tips for added comfort .
- Available in Clear Lens

**DENVER**



Certified Product  
AS/NZS 1716  
LK-2742



EDE307

**'Denver' Smoke Lens Safety Glasses**

CODE	LENS	PAIRS	
		Black	PAIRS
EDE307	Smoke	12	300
EDE309	Smoke	Blue	300
EDE310	Blue	Blue	300
EDE311	Smoke	Pearl Silver	300
EDE314	Smoke	Red	300
EDE316	Smoke	Pearl White	300

FEATURES & BENEFITS

- Medium Impact, Anti-Scratch & Anti-Fog lense.
- Lightweight and durable polycarbonate frame
- Medium Impact protection
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece and Soft Rubber arm tips for added comfort .
- Available in smoke and blue mirror lens colours



EDE310



EDE311



EDE314



EDE309



EDE316



## Santa Fe



AS/NZS 1337  
Licence No.  
BMP 557823

### 'SantaFe' Bronze Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EBR334	Bronze	Anti-Fog	12 300
EBR335	Clear	Anti-Fog	12 300
EBR336	Smoke	Anti-Fog	12 300

#### FEATURES & BENEFITS

- Medium Impact, Anti-Scratch & Anti-Fog lense.
- Lightweight and durable polycarbonate frame
- Medium Impact protection
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece and Soft Rubber arm tips for added comfort.
- Available in Clear, Smoke, and Bronze Mirror indoor/outdoor lenses

## VisiSPEC



AS/NZS 1337  
Licence No.  
BMP 557823

### Visispec Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EVS300	Clear	Anti-Fog	12 300
EVS301	Smoke	Anti-Fog	12 300
EVS352	Amber	Anti-Fog	12 300

#### FEATURES & BENEFITS

- Certified to medium impact resistance
- Designed to sit over prescription glasses
- Ideal for site visitors
- Integrated side shields with vents
- 99.9% UV Protection
- Available in clear & smoke lens colour's
- Anti-scratch, hard coated lens

## COLORADO



AS/NZS 1337  
Licence No.  
BMP 557823

### 'Colorado' Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
ECO340	Clear	Anti-Fog	12 300
ECO341	Amber	Anti-Fog	12 300
ECO344	Smoke	Anti-Fog	12 300
ECO346	Blue Mirror	Anti-Fog	12 300

#### FEATURES & BENEFITS

- Classic and popular lightweight design
- Length adjustable side arms
- Hard Coat lens for anti-scratch
- Anti Fog coating
- 99.9% UV Protection
- Available in clear, smoke, amber and ice-blue mirror lens colours

**NEVADA**



AS/NZS 1337  
Licence No.  
BMP 557823

**'Nevada' Safety Glasses**

CODE	LENS		PAIRS	
			PAIRS	PAIRS
ENU482	Clear	Anti-Fog	12	300
ENU483	Smoke	Anti-Fog	12	300
ENU485	Silver Mirror	Anti-Fog	12	300
ENU418	Bronze	Anti-Fog	12	300

FEATURES & BENEFITS

- Medium impact protection
- AS/NZS 1337.1:2010 BMP 557823
- 99.9% UV protection
- Outstanding optical quality
- Impact resistant lens
- Anti-fog coating for humid conditions
- Light wrap around design
- Anti-scratch, hard coated lens

**DALLAS**



AS/NZS 1337  
Licence No.  
BMP 557823

**'Dallas' Clear Safety Glasses**

CODE	LENS		PAIRS	
			PAIRS	PAIRS
EDA337	Clear	Anti-Fog	12	300
EDA338	Smoke	Anti-Fog	12	300
EDA368	Blue	Anti-Fog	12	300
EDA369	Tinted Mirror	Anti-Fog	12	300

FEATURES & BENEFITS

- Lightweight and frameless design with curved temple arm to fit most face profiles
- The 9-base lense design provides distortion-free coverage, 180-degree field of vision
- Medium Impact resistant
- High quality anti-fog lens ideal for use in humid conditions
- Hard Coat lens for anti-scratch
- Soft rubber tip arms for added comfort
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece for comfort

maxisafe.



AS/NZS 1337  
Licence No.  
BMP 557823

**'Maxisafe' Clear & Smoke Bifocal Safety Specs**

CODE	LENS	BIFOCAL	PAIRS	
			PAIRS	PAIRS
EPS466-1.0	Clear	1.0 bifocal	12	300
EPS466-1.5	Clear	1.5 bifocal	12	300
EPS466-2.0	Clear	2.0 bifocal	12	300
EPS466-2.5	Clear	2.5 bifocal	12	300
EPS466-3.0	Clear	3.0 bifocal	12	300
EPS476-1.5	Smoke	1.5 bifocal	12	300
EPS476-2.0	Smoke	2.0 bifocal	12	300
EPS476-2.5	Smoke	2.5 bifocal	12	300
EPS476-3.0	Smoke	3.0 bifocal	12	300

FEATURES & BENEFITS

- The integrated magnifying panels provide visual assistance and protection.
- Ultra lightweight construction & comfort.
- Medium Impact, anti-scratch lens.
- 99.9% UV protection
- Overcomes fogging, restricted vision and unsightly looks such as overspecs on top of prescription glasses.







**PORTLAND**



EPO312

EPO313

**'Portland' Safety Glasses**

CODE	LENS	Anti-Fog	PAIRS	
			12	300
EPO312	Clear	Anti-Fog	12	300
EPO313	Smoke	Anti-Fog	12	300

FEATURES & BENEFITS

- Lightweight and frameless design with curved temple arm to fit most face profiles
- The 9-base lense design provides distortion-free coverage, 180-degree field of vision
- Medium Impact resistant
- High quality anti-fog lens ideal for use in humid conditions
- Hard Coat lens for anti-scratch
- Soft rubber tip arms for added comfort
- Filters out 99.9% of UV radiation outdoors
- Anti-scratch, hard coated lens

**maxisafe**



EES488

**Maxisafe Shade 5 Safety Glasses**

**EES488**

CODE	LENS	BIFOCAL	PAIRS	
			12	300
EES488	Shade 5	Anti-Fog	12	300

FEATURES & BENEFITS

- Shade 5 lenses ideal for Oxy cutting and welding, welding and brazing etc
- Hard Coat Anti Scratch and Anti Fog Coating
- Soft silicone nose bridge for comfort
- Medium Impact resistant
- 99.9% UV protection

**ATLANTA**



EAS320

EAS321

**'Atlanta' Safety Glasses**

CODE	LENS	Anti-Fog	PAIRS	
			12	300
EAS320	Clear	Anti-Fog	12	300
EAS321	Smoke	Anti-Fog	12	300

FEATURES & BENEFITS

- Length adjustable side arms
- Angle adjustable side arms
- 99.9% UV Protection
- Available in clear and smoke lens colours
- Anti-scratch, hard coated lens

TACOMA



ETA363

ETA364



AS/NZS 1337  
Licence No.  
BMP 557823

Tacoma Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
ETA363	Clear	Anti-Fog	12 300
ETA364	Smoke	Anti-Fog	12 300

FEATURES & BENEFITS

- Medium impact, anti-fog lens.
- Semi-frameless design with length adjustable arms
- Wrap around lens provides peripheral protection
- Filters out 99.9% of UV radiation outdoors
- Soft silicone nose pads for added comfort.
- Available in Clear and Smoke lenses
- Anti-scratch, hard coated lens

5X8



EUV327

EUV326



AS/NZS 1337  
Licence No.  
BMP 598916

5X8 Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EUV326	Clear	Anti-Fog	10 250
EUV327	Smoke	Anti-Fog	10 250

FEATURES & BENEFITS

- AS/NZS 1337.1.2010 Certified
- Sporty wrap-around design with Patented Softpad Technology
- Adjustable inclination for arms – ratchet technology
- Ultra-light design
- Soft Silicone nose pads
- Hard coated lens for Anti Scratch.
- High quality Anti Fog coating for longer lasting protection.
- Medium Impact resistance
- Length adjustable side arms
- 99.9% UV protection

549



EUV322

EUV318



AS/NZS 1337  
Licence No.  
BMP 598916

549 Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EUV322	Smoke G15	Black	12 300
EUV318	Brown Mirror	Black	12 300

FEATURES & BENEFITS

- Sporty wrap-around design spectacle.
- Ergonomic temples, no adjustments necessary.
- High impact polycarbonate for max. protection in accordance with AS/NZS 1337.1.2010.
- Anatomically shaped nose bridge to adapt to all face shapes.
- 99.9% UV protection



## 5X4



EUV325



AS/NZS 1337  
Licence No.  
BMP 598916



### 5x4 Smoke G15 Lense Safety Glasses

CODE	LENS	BIFOCAL	PAIRS	PAIRS
EUV325	Smoke G15	Anti-Fog	10	250

#### FEATURES & BENEFITS

- Extreme style and comfort. Look good at work.
- Ultra Lightweight design – 27 Grams
- Ergonomically designed wrap around One-Piece lens and frame
- Hypo allergenic nose pad for total comfort without slippage
- Hard coated lens for Anti Scratch.
- High quality Anti Fog coating for long lasting protection.
- Medium Impact resistance
- 99.9% UV protection

## 5X6



EUV348

EUV347



AS/NZS 1337  
Licence No.  
BMP 598916



### 5X6 Safety Glasses

CODE	LENS	PAIRS	PAIRS
EUV347	Clear	Anti-Fog	10 250
EUV348	Smoke	Anti-Fog	10 250

#### FEATURES & BENEFITS

- Sporty wrap-around design with Patented Softpad Technology
- Ultra-light design – only 26 Grams
- Soft Silicone nose pads
- Hard coated lens for Anti Scratch.
- High quality Anti Fog coating for long lasting protection.
- Medium Impact resistance
- Length adjustable side arms
- 99.9% UV protection



EUV349



AS/NZS 1337  
Licence No.  
BMP 598916



### Premium Goggles

CODE	LENS	PAIRS	PAIRS
EUV349	Clear	Anti-Fog	1 10

#### FEATURES & BENEFITS

- Panoramic lens can be perfectly worn over prescription glasses
- Exclusive Vanguard UDC coating
- Special release to quickly replace the lens
- Facial support compatible with half masks
- Indirect ventilation system assures certified protection against drops and splashes
- Category III° PPE
- Impact resistance at 432 km/h, even at extreme temperatures





AS/NZS 1337  
Licence No.  
BMP 557823

**'Maxisafe' Fire Fighter Goggles**

**EFG415**

CODE	LENS	PAIRS	PAIRS
EFG415	Clear	12	120

FEATURES & BENEFITS

- High performance goggle
- Reduced outline for a wider peripheral field of view
- Seven frame anchorage points to the lens
- The double lens (polycarbonate outside/acetate inside) offers amazing anti-fog performance
- Self-regulated nose pad
- Fully compatible with all fire fighting helmets
- Neoprene extra-wide elastic headband
- Certified to AS/NZ 1337

ESG426

maxisafe.



AS/NZS 1337  
Licence No.  
BMP 557823

**Maxi-Goggles' - Anti-fog & Foam Bound Lens**

CODE	LENS	PAIRS	PAIRS
ESG456	Clear	Anti-Fog	10 120
ESG431	Smoke	Anti-Fog	12 120
ESG485	Shade 5	Anti-Fog	12 120

Replacement Lens

ESG468	Clear	Anti-Fog	1 50
ESG467	Smoke	Anti-Fog	1 50

FEATURES & BENEFITS

- Fully ventilated style
- Certified to medium impact resistance according to AS/NZS 1337.1:2010
- Anti-fog, anti-scratch lens
- Foam bound with wide strap for comfort
- Good chemical splash resistance
- Replacement clear and smoke and Shade 5 lenses available
- Foam is heat and spark resistant!

ESG456

ESG431

ESG485

maxisafe.



AS/NZS 1337  
Licence No.  
BMP 557823

**'Maxisafe' Safety Goggles**

**ESG455**

CODE	LENS	PAIRS	PAIRS
ESG455	Clear	Anti-Fog	12 120

FEATURES & BENEFITS

- Economical style
- Certified to medium impact resistance according to AS/NZS 1337.1:2010
- Ventilated design to reduce fogging
- Adjustable length strap
- Ideal for students

ESG455



# Protection

Ratchet adjustable

Quick lock visor clips for easy replacement

Medium impact protection



Replacement visor available

Protection from fluid splash, dust and particles



3





EBF457A - Clear



EBF441 - smoke



EBF487 - Shade 5



EBC459 - Clear



EBG442 - smoke



EBG443 - Shade 3



EBG444 - Shade 5



ERC430 - Clear



ERS499 - Shade 5

**Maxisafe Brow Guard & Face Shields**

CODE	LENS	DESCRIPTION	QTY	QTY
EBF457a	Clear	Brow Guard	Each	10
EBG441	Smoke	Brow Guard	Each	10
EBF490	Shade 3	Brow Guard	Each	10
EBF487	Shade 5	Brow Guard	Each	10

FEATURES & BENEFITS

- Ratchet adjustable head gear
- Replaceable polycarbonate visor and chinguard
- Quick lock clips for quick and easy visor replacement
- Protection from fluid splash, particles & dust
- Complies with AS/NZ 1337.1.2010

**Maxisafe Polycarbonate replacement lens**

CODE	LENS	DESCRIPTION	QTY	QTY
EBC459	Clear	Visor only	Each	50
EBG442	Smoke	Visor only	Each	50
EBG443	Shade 3	Visor only	Each	50
EBG444	Shade 5	Visor only	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 1337
- Anti-Fog visor to suit EBF457 headpiece
- Chin guard not included
- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Slots allow provision for a chinguard
- Available in Shade 3, Shade 5, Smoke & Clear

**Replacement Clear & Shade 5 Polycarbonate lens with aluminium edge**

CODE	LENS	DESCRIPTION	QTY	QTY
ERC430	Clear	Visor only	Each	50
ERS499	Shade 5	Visor only	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 1337
- ERS499 Shade 5 Protection for Welding, Brazing, Oxygen cutting etc
- Anti-Fog visor to suit EBF457 headpiece
- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Aluminium edge for extra protection





3

Ratchet adjustable

Quick lock visor clips for easy replacement

Extra high impact protection

Protection from fluid splash, dust and particles



**Maxisafe EXTRA High Impact Brow guard**

**EBF454**

CODE	LENS	DESCRIPTION	QTY	QTY
EBF454	Clear	Brow guard	Each	10

FEATURES & BENEFITS

- Certified to extra high impact resistance according to AS/NZS 1337.1:2010
- Ratchet adjustable head gear
- Replaceable polycarbonate visor and chinguard
- Extra high impact, smoke shade 3 and shade 5 visors also available
- Quick lock clips for quick and easy visor replacement
- Protection from fluid splash, particles and dust



**Replacement Clear EXTRA High Impact Visor**

**EHV434**

CODE	LENS	DESCRIPTION	QTY	QTY
EHV434	Clear	Visor only	Each	10

FEATURES & BENEFITS

- Complies with AS/NZS 1337
- Replacement polycarbonate visor for EBF454
- Quick lock clips for quick and easy visor replacement
- Protection from fluid splash, particles & dust

Exclusive UDC lens coating



AS/NZS 1337  
Licence No.  
BMP 598916

**Premium 6 x 3 Goggle & Visor Combo**

**EUV350C**



CODE	LENS	DESCRIPTION	QTY	QTY
EUV350C	Clear	Goggle/Visor Combo	1	10
EUV350	Smoke	Faceshield	1	10



FEATURES & BENEFITS

- Certified to medium impact resistance according to AS/NZS 1337.1:2010
- Exclusive UDC coating (Univet Double Coating)
- Wide peripheral vision and face coverage
- Anti-fog lens 99.9%
- UV protection for outdoor wear
- Adjustable indirect ventilation system protects against drops and splashes
- Goggles and face shield can detach
- Impact resistance at 432 km/h, even at extreme temperatures

RECOMMENDED USES

- Confined Space
- Food Processes
- Painting
- Chemical Handling
- Sanding and Grinding

432km/h impact rating







3



Lightweight  
775g

ADFs or  
passive  
filter  
compatible

Advanced  
pivot flip-up  
mechanism



**Combination Flip-up  
Welding Hood**

**RCA29**

CODE	LENS	DESCRIPTION	QTY	QTY
RCA29	Auto Darken	Flip-up Hood	Each	10

FEATURES & BENEFITS

- Combines an auto-darkening welding hood and a clear protective visor
- Welding and grinding protection
- Lightweight and well balanced for comfort
- Advanced pivot flip-up mechanism optimises the centre of gravity
- Compatible with ADFs or passive filters 110x90mm
- Large protective visor 170x95mm for undisturbed view
- "B" rated impact resistance
- Weight: 775g
- Protective class: TH2/2A

RECOMMENDED USES

- Welding
- Grinding
- Building Industry
- Heavy Industry
- Refineries



Also Available as full PAPR unit.  
Refer to page 112



**Welding helmet**

**EWH445**

CODE	LENS	QTY	QTY
EWH445	Shade #11	Industrial	Each 15

FEATURES & BENEFITS

- 'Flip-up' lens for welding and grinding
- Polypropylene construction provides strength and heat resistance
- Adjustable headband for head diameter, angle and height
- Industrial quality
- Shade #11 Lens
- Certified to AS/NZ 1337



EWL406

EWL407-5

EWL407-11

**Replacement Lens**

CODE	LENS	QTY	QTY
EWL406	Clear	Industrial	Each 100
EWL407-5	Shade #5	Industrial	Each 100
EWL406-11	Shade #11	Industrial	Each 100

FEATURES & BENEFITS

- Clear Replacement Lense to suit Welding Helmet
- Replacement lenses to suit welding helmet and goggles





EDG440

Oxy welding goggles

**EDG440**

CODE	LENS	QTY	QTY
EDG440	Weld	Industrial	Each 20

FEATURES & BENEFITS

- 'Flip-up' lenses for gas welding and grinding
- Side mounted vents for air flow
- Replacement Shade #5 lenses available.
- Industrial quality



EBE565

Maxisafe Medium Impact Visor with Earmuffs

**EBE565**

CODE	LENS	DESCRIPTION	QTY	QTY
EBE565	Clear	Assembly	Each	10
ERC430	Clear	Lens Only	Each	10

FEATURES & BENEFITS

- Ratchet adjustable head gear
- Replacable polycarbonate visor and chin guard
- Medium impact protection
- Class 4 Earmuffs
- Complies with AS/NZS 1337



EMV439



EN1731  
EN166  
EN352-1

Mesh Visor & Earmuffs

**EMV439**

CODE	LENS	QTY	QTY
EMV439	Mesh Visor & Earmuffs	1	10
EMV451	Nylon mesh visor	1	20
HEM668	Class 4 earmuffs	1	20

FEATURES & BENEFITS

- Ratchet adjustable head gear
- Replaceable mesh visor
- Easy to assemble
- Class 4 Earmuffs
- Designed to use with chainsaws, trimmers and mowers
- Nylon mesh is softer than wire mesh
- Joint requires no maintenance and can never rust
- Accommodates safety specs, goggles and respirators

RECOMMENDED USE

- Forestry
- Maintenance
- Landscaping
- Machine operators
- Water blasting



**Maxisafe Anti-Fog Lens Cleaning Sachets**

**ELT464**

CODE	DESCRIPTION	QTY	QTY
ELT464	Sachets	1	10

FEATURES & BENEFITS

- Anti-Fog and non-scratch wipes
- Micro fibre material - pre-moistened
- Dispenser of 100 Individually Packaged Wipes
- Ideal for Glasses, Faceshields, LCD monitors, camera lenses
- Suitable for glass, plastic or polycarbonate.



**Maxisafe Disposable Lens Cleaning Station**

**ELS452**

CODE	DESCRIPTION	QTY	QTY
ELS452	Disposable Station	1	8
ELS463	Bottle Lens Cleaner	1	8
ERT448	Replacement tissues	1	60

FEATURES & BENEFITS

- Handy carry box with points for mounting on walls
- Contains 600 Lens Cleaning Tissues & 236ml Bottle lens cleaner with spray pump
- Anti Fog, Anti Static and Silicon Free solution
- CE Certified
- Ideal for site offices



**Maxisafe Metal Lens Cleaning Station**

**ELS466**

CODE	DESCRIPTION	QTY	QTY
ELS466	Metal Station	1	5
ELC446	475mL Bottle Lens Cleaner	1	10
ERT416	Replacement tissues	1	18

FEATURES & BENEFITS

- Durable construction for hot and humid environments
- Refillable.
- Large Metal Dispenser contains a 16 oz. Spray Bottle of solution. Spray pump and 760 tissues.
- CE Certified.
- Ideal for mine sites, construction sites and heavy industry applications.



**Maxisafe Isopropyl Alcohol Wipes**

**EHW449**

CODE	PACK QTY	DESCRIPTION	QTY	QTY
EHW449	100	Wipes	1	10

FEATURES & BENEFITS

- Ideal for hard surfaces in hospitals, pathology, dental and laboratories
- 100 wipes per tub
- Bio-degradable wipes
- 70% Isopropyl alcohol



**Maxisafe Bottles of Lens Cleaning Solution**

**ELS463**

CODE	VOLUME	DESCRIPTION	QTY	QTY
ELS463	230ml	Bottle	1	24

FEATURES & BENEFITS

- Eliminates static and an Anti-fog solution
- Silicone free solution
- Total compliance to OSHA standards
- Also available in 3.78 litre bottle
- CE Certified



**Maxisafe Lint-Free Replacement Tissues**

**ERT448**

CODE	PACK QTY	DESCRIPTION	QTY	QTY
ERT448	1 PKT	Tissues	1	60

FEATURES & BENEFITS

- Maxisafe Lint-Free Replacement Tissues
- Suits ELS452 lens cleaning station



**Maxisafe Lint-Free Replacement Tissues**

**ERT416**

CODE	DESCRIPTION	QTY	QTY
ERT416	Tissues	1	18

FEATURES & BENEFITS

- Maxisafe Lint-Free Replacement Tissues
- Suits ELS466 lens cleaning station



**Anti-Fog Lens Cleaner Spray**

**EAS477**

CODE	DESCRIPTION	QTY	QTY
EAS477	Spray	20	60

FEATURES & BENEFITS

- Anti-fog, anti-static lens spray
- Alcohol free, germicidal solution
- Supplied with microfibre lens cleaning cloth



**Maxisafe Micro-fibre Spec Bag**

**EMB481**

CODE	DESCRIPTION	QTY	QTY
EMB481	Spec Bag	10	100

FEATURES & BENEFITS

- Made from microfibre material doubling as a lens cleaning cloth
- To suit any style of Maxisafe eyewear
- Drawstring to secure the glasses





## EARMUFFS



Earplugs, semi aurals, ear muffs and electronic ear muffs, whatever the level of noise you need to block out, we've got you covered. Might even be something you can use at home – or for the next time you want to rock out!

It's important to choose the right hearing protector for the right noise situation. Under the Australian Standard AS/NZS 1270:2002, the class system is a simple way to select a hearing protector appropriate to a noise exposure. Once the noise level in the work area has been assessed by a noise level survey, the table below can be used to select the appropriate hearing protector to ensure the correct level of protection at the given frequency. Choosing a hearing protector with a higher SLC80 than required will reduce the effectiveness of warning signals, conversations and any other acoustic communications.

Class	SLC80dB	For use in noise
1	10 – 13	Less than 90dB(A)
2	14 – 17	90 to less than 95dB(A)
3	18 – 21	95 to less than 100dB(A)
4	22 – 25	100 to less than 105dB(A)
5	26 & > dB	105 to less than 110dB(A)

### TYPES OF HEARING PROTECTION

Earplugs have the advantage of being able to be used with all other PPE items. Provided they are used correctly, they often exceed attenuation afforded by ear muffs. Corded versions for carrying around the neck and detectable plugs for use in the food industry are also available.

**Semi Aurals** (banded earplugs) are ideal for supervisors and managers frequently moving in and out of noise hazardous areas, as they can be stored unobtrusively around the neck when not in use.

**Earmuffs** are the traditional method of ear protection but the attenuation characteristics of each model need to be studied before a recommendation is made.

**Electronic earmuffs** provide attenuation against loud noises but amplify weak external sounds such as speech.

### COMFORT

The more comfortable you feel the longer you will be able to protect your ears against noise levels, which will destroy healthy 'inner parts of the ear'. It is one thing to test an ear defender for 20 seconds but another wearing it most of the day. Comfort is the key. There is little use throwing away a hearing protection device with a headache 20 minutes after putting it on. To cut it short, don't just refer to attenuation sheets, check on clamp pressure as well. The lower the tension the more comfortable you feel.

bodyguards





# for your ears

Replaceable headband

Sweat reducing ultra comfy Elastex™ ear cushions

Super low tension

Non-crack

Non-shrink

Protect your ears with earmuffs that rock! Super low tension, fully replaceable cushions and headband mean you get Class 5 protection with Gold Class comfort, no sweat! Rockman from Maxisafe.

### ELASTEX 3500 heavy -duty ear cushion

Our cup style hearing protector cushions can withstand sweat over long periods without shrinking or cracking, aggressive cleaning liquids and tool attacks far better than any PVC foil product. It measurably slows down sweat production in the heat.

### DUALELASTAN wireheadband

A solid plastic bridge fits between the two headband wires, which are fixed in their position by molding the TPE material around the wire. The result is a dramatic increase in usability and lifetime of the headband.

The main benefits are:

- Stiffness of the headband supports and protects the wires far better than the old foam welded into the foil headband.
- The old system did not allow changing of the headband cushion. Now it is possible to replace a cushion whenever the wearer needs to do so.
- The usual shrinking of PVC foiled headbands causing tears cannot occur.
- The tension of the wires is far better protected by the inner headband than any foil system could, keeping constant pressure for years.
- Cleaning can be done easily even with efficient cleaning fluids when the cushion has been replaced.

maxisafe®



No PVC



Red Maxisafe 3004

### HRE661

CODE	RATING	PROTECTION	QTY	QTY
HRE661	SLC80	Class 5 / 32dB	1	10

#### FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 32dB
- Unique Elastex™ sweat reducing ear cushions
- Super low headband tension for extended use
- Replaceable cushioned headband
- Two-point suspension for simple height adjustment

AS/NZS 1270:1999 compliant





HRE662

maxisafe®



**Red Bluetooth Earmuff 3004**

**HRE661-BT**

CODE	RATING	PROTECTION	QTY	QTY
HRE661-BT	SLC80	Class 5 / 32dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 32dB
  - Unique Elastex™ sweat reducing ear cushions
  - Super low headband tension for extended use
  - Replaceable cushioned headband
  - Two-point suspension for simple height adjustment
  - Stereo headset
  - USB Charging cable
  - Pair headset with your phone for auto connection
  - Play music from your phone while you work!
  - Approximately 10 hours play time
  - 200 hours standby time
  - Retail packaged – ready for your showroom
- AS/NZS 1270:1999 compliant



HRE662

maxisafe®



**Blue Maxisafe 3003**

**HRE662**

CODE	RATING	PROTECTION	QTY	QTY
HRE662	SLC80	Class 5 / 26dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 26dB
  - Unique Elastex™ sweat reducing ear cushions
  - Super low headband tension for extended use
  - Replaceable cushioned headband
  - Two-point suspension for simple height adjustment
- AS/NZS 1270:1999 compliant



HRE664

maxisafe®



**Green Maxisafe Folding Style 3007**

**HRE664**

CODE	RATING	PROTECTION	QTY	QTY
HRE664	SLC80	Class 4 / 25dB	1	10

FEATURES & BENEFITS

- Class 4 protection with SLC80 rating of 25dB
  - Unique Elastex™ sweat reducing ear cushions
  - Super low headband tension for extended use
  - Stainless steel headband provides constant tension
  - Two-point suspension for simple height adjustment
- AS/NZS 1270:1999 compliant





HRE646 fits Rockman see page 103

maxisafe®



**Yellow Maxisafe Helmet Style 3017**

**HRE646**

CODE	RATING	PROTECTION	QTY	QTY
HRE646	SLC80	Class 5 / 26dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 26dB
  - Unique Elastex™ sweat reducing ear cushions
  - 3 Optional positions: working, airing and resting
  - Designed to easily mount and adjust the Rockman visor holder
- AS/NZS 1270:1999 compliant



HRE663

maxisafe®



**Yellow Maxisafe Neck Style 3005**

**HRE663**

CODE	RATING	PROTECTION	QTY	QTY
HRE663	SLC80	Class 4 / 25dB	1	10

FEATURES & BENEFITS

- Class 4 protection with SLC80 rating of 25dB
  - Unique Elastex™ sweat reducing ear cushions
  - Super low headband tension for extended use
  - Stainless steel spring wire system provides constant clamp pressure
- AS/NZS 1270:1999 compliant



HRE658

maxisafe®

**Maxisafe Earmuff Hygiene Kit 3102**

**HRE658**

CODE	RATING	PROTECTION	QTY	QTY
HRE658	Kit		1	10

FEATURES & BENEFITS

- Suits all Rockman earmuffs



HBE635

maximuff

**MaxiMuff**

**HBE635**

CODE	RATING	PROTECTION	QTY	QTY
HBE635	N/A	Class 5 / 28dB	1	20

FEATURES & BENEFITS

- Class 5, 28dB according to AS/NZS 1270
  - Shock resistant and durable construction
  - Slide and swivel cup enhances comfort and fit
  - Soft foam ear cushions for comfort and secure fit
  - Can be worn behind the head for use with hard hats
- AS/NZS 1270:1999 compliant



4



**QB2 Supa-Aural Quiet Band**

CODE	RATING	PROTECTION	QTY	QTY
<b>HQB634</b>	<b>SLC80</b>	Class 2 / 21dB	10	100

- FEATURES & BENEFITS
- Class 3 earplug with SLC<sub>80</sub> rating of 21 dB
  - Approved to AS/NZS 1270:2002
  - Alternative to earplugs or earmuffs
  - Lightweight, durable band doesn't put pressure on the ear canal
  - Removable pads are washable, reusable and easily replaced
  - Can be worn over the head, under the chin or behind the neck



**Maxiplug - Uncorded**

CODE	RATING	PROTECTION	QTY	QTY
<b>HEU645</b>	<b>SLC80</b>	Class 5 / 27dB	1	10

- FEATURES & BENEFITS
- Certified to AS/NZS 1270:2002
  - Class 5 protection with SLC<sub>80</sub> rating of 27dB
  - Tapered design for easy fit
  - Soft polyurethane for maximum comfort
  - Pairs packaged in individual bags
  - 200 pairs per dispenser
- AS/NZS 1270:2002 compliant



**Maxiplug - Corded**

CODE	RATING	PROTECTION	QTY	QTY
<b>HEC644</b>	<b>SLC80</b>	Class 5 / 27dB	1	10

- FEATURES & BENEFITS
- Certified to AS/NZS 1270:2002
  - Class 5 protection with SLC<sub>80</sub> rating of 27dB
  - Corded, tapered design for easy fit
  - Soft polyurethane for maximum comfort
  - Pairs packaged in individual bags
  - 100 pairs per dispenser
- AS/NZS 1270:2002 compliant



**QB200 Replacement pads Box 50 pairs**

CODE	RATING	PROTECTION	QTY	PAIRS
<b>HQB641</b>	<b>SLC80</b>	Class 2 / 21dB	1	50

- FEATURES & BENEFITS
- Class 2 earplug with SLC<sub>80</sub> rating of 21 dB
  - Replacement suit HQB634 Quiet Band
  - Lightweight, durable band doesn't put pressure on the ear canal
  - Removable pads are washable, reusable and easily replaced



**Maxiplug - Uncorded Blister Pack of 5 Pairs**

CODE	RATING	PROTECTION	QTY	QTY
<b>HEU669</b>	<b>SLC80</b>	Class 5 / 27dB	1	50

- FEATURES & BENEFITS
- AS/NZS Certified to AS/NZS 1270:2002
  - Class 5 protection with SLC<sub>80</sub> rating of 27dB
  - Tapered design for easy fit
  - Soft polyurethane for maximum comfort
  - 5 pairs per blister pack
- AS/NZS 1270:2002 compliant



**Maxiplug - Corded Blister Pack of 5 Pairs**

CODE	RATING	PROTECTION	QTY	QTY
<b>HEC670</b>	<b>SLC80</b>	Class 5 / 27dB	1	50

- FEATURES & BENEFITS
- Certified to AS/NZS 1270:2002
  - Class 5 protection with SLC<sub>80</sub> rating of 27dB
  - Tapered design for easy fit
  - Soft polyurethane for maximum comfort
  - 5 pairs per blister pack
- AS/NZS 1270:2002 compliant



HEU660



**Maxiplug  
100 Tradies Pack**

**HEU660**

CODE	RATING	PROTECTION	QTY	QTY
HEU660	SLC80	Class 5 / 27dB	1	40

FEATURES & BENEFITS

- Class 5 protection with SLC<sub>80</sub> rating of 27dB
  - Tapered design for easy fit
  - Soft polyurethane for maximum comfort
  - 100 Pairs per cone
- AS/NZS 1270:2002 compliant



HED653



**Earplug dispenser**

**HED653**

CODE	RATING	PROTECTION	QTY	QTY
HED653		Dispenser	1	N/A

FEATURES & BENEFITS

- Suits the Maxisafe Refill Bags of 300 pairs of earplugs
- Ideal for factory and warehouse environments
- Wall mountable



HED649 refill bag



**Maxiplug -  
300 Refill Bag for Dispenser**

**HEU649**

CODE	RATING	PROTECTION	QTY	QTY
HEU649	SLC80	Class 5 / 27dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC<sub>80</sub> rating of 27dB
  - Tapered design for easy fit
  - Soft polyurethane for maximum comfort
  - 300 pairs per refill bag – dispensers available
- AS/NZS 1270:2002 compliant







Comfort Fit Uncorded Earplugs

HEU652

CODE	RATING	DESCRIPTION	QTY	QTY
HEU652	SLC80	Class 4 / 22dB	1	10

FEATURES & BENEFITS

- Bell shape delivers maximum comfort
- Excellent attenuation
- Smooth Polyurethane foam skin for better hygiene
- Class 4, 22dB
- Certified to AS/NZS 1270:2002

AS/NZS 1270:2002 compliant

4



Comfort Fit Corded Earplugs

HEC679

CODE	RATING	DESCRIPTION	QTY	QTY
HEC679	SLC80	Class 4 / 22dB	1	10

FEATURES & BENEFITS

- Bell shape delivers maximum comfort
- Corded pairs
- Excellent attenuation
- Smooth Polyurethane foam skin for better hygiene
- Class 4, 22dB
- Certified to AS/NZS 1270:2002

AS/NZS 1270:2002 compliant



**Detectable Corded Earplugs**

**HEC675**

CODE	RATING	DESCRIPTION	QTY	QTY
HEC675	SLC80	Class 5 / 26dB	1	10

FEATURES & BENEFITS

- Metal Detectable plug for laser tracking
  - Excellent attenuation
  - Tapered fit for maximum comfort
  - Polyurethane foam
  - Class 5, 26dB
  - Certified to AS/NZS 1270:2002
- AS/NZS 1270:2002 compliant



**Reusable Detectable Corded Earplugs**

**HEC674**

CODE	RATING	DESCRIPTION	QTY	QTY
HEC674	SLC80	Class 4 / 24dB	1	10

FEATURES & BENEFITS

- Metal Detectable plug for laser tracking
  - Excellent attenuation
  - Soft TPR rubber for maximum comfort
  - Class 4, 24dB
  - Certified to AS/NZS 1270:2002
- AS/NZS 1270:2002 compliant



**Reusable Corded Earplugs**

**HEC676**

CODE	RATING	DESCRIPTION	QTY	QTY
HEC676	SLC80	Class 5 / 26dB	1	60

FEATURES & BENEFITS

- Reusable corded earplugs
  - 3 flange for easy fitting
  - Soft TPR rubber for maximum comfort
  - Supplied in re-sealable plastic case
  - Attractive counter display of 60 pieces
  - Class 4, 24dB
  - Certified to AS/NZS 1270:2002
- AS/NZS 1270:2002 compliant



# mists, vapours,

From top of the line industrial quality respiratory protection to disposable single use masks, if you need protection from an airborne hazard you'll find the answer in this range. Mists, vapours, gas and fumes, whatever the hazard you can breathe easy with Maxisafe.

## MAXISAFE PROTECTION

The Maxisafe range of disposable and industrial quality respirators provide a low cost, high quality respiratory solution. Packed with innovative features and modern designs, the range provides great protection at a competitive price and is certified to AS/NZS 1716 where applicable.

## AIRBORNE HAZARDS

**DUSTS** are airborne solid particles with variable dimensions, which are generated during crushing process of organic and inorganic solid substances e.g. drilling, sawing and sandblasting.

**MISTS** are tiny liquid droplets that are formed from liquid materials by atomization and condensation processes such as spray painting.

**FUMES** are particles forming an airborne suspension, usually caused by the heating of a solid to such an extent that it vapourises and condenses into extremely fine particles. They are generally generated during combustion, fusion or welding processes and may be termed a thermally generated particulate.

**VAPOUR** A gaseous state formed by evaporation from substances that are solid or liquid at room temperature (petrol, methylated spirits).

**GAS** Air-like substance at room temperature such as carbon dioxide, chlorine, ammonia etc.

## MAXISAFE ADVANTAGES

Maxisafe's respirators are designed with a unique and highly adapted pre-shaped nose area removing the need for an adjustable nose-bridge. This design has proved to be closer fitting and more comfortable ensuring a secure seal during long periods of use.

---

P2 Pre-moulded respirator fits a wide variety of face profiles

---

Exhalation valve provides increased air flow and comfort

---

P2 rating offers protection against mechanically and thermally generated particles

---

Pre-formed nose-bridge minimizes the risk of leaks

---

Twin straps offer firm comfortable fit

---

Suitable for medical, soldering, welding, grinding, sanding and dusty environments

# ezy



whatever the hazard



5

**Nuisance dust mask  
box 50**

**RES500**

CODE	DESCRIPTION	QTY	QTY
RES500	Box of 50	Dust mask	1 20
RES500C-10	Blister of 10	Dust mask	1 24

FEATURES & BENEFITS

- A lightweight hygiene mask
- Economical and ideal for protection against large dust particles
- Aluminium nose-piece can be moulded for comfort and seal
- Ideal for sweeping and non-industrial applications
- 50 masks per box

ezybreathe



5



**P2 Conical Disposable Respirator**

RES513				
CODE	RATING	DESCRIPTION	QTY	QTY
RES513	P2 rated	Box of 20 respirators	1	12

- FEATURES & BENEFITS
- Premium conical style disposable respirators
  - P2 rating offers protection against mechanically and thermally generated particles
  - Soft nose foam ensures custom fit to nose
  - Latex free straps give firm and comfortable fit
  - Latex free exhalation valve ensures low breathing resistance
  - Soft inner layer for comfort and fit
  - Certified to AS/NZS 1716:2012 P2 standards

**P2 Conical Disposable Respirator with Valve**

RES514				
CODE	RATING	DESCRIPTION	QTY	QTY
RES514	P2 rated	Box of 10 respirators with valve	1	12

- FEATURES & BENEFITS
- Premium conical style disposable respirators
  - P2 rating offers protection against mechanically and thermally generated particles
  - Soft nose foam ensures custom fit to nose
  - Latex free straps give firm and comfortable fit
  - Latex free exhalation valve ensures low breathing resistance
  - Soft inner layer for comfort and fit
  - Certified to AS/NZS 1716:2012 P2 standards



5

**P1 Respirator**

<b>RES501</b>				
CODE	RATING	DESCRIPTION	QTY	QTY
RES501	P1 rated	Box of 20 Respirators	1	12
RES501C-3	P1 rated	Blister of 3 Respirators	1	24

- FEATURES & BENEFITS
- P1 Pre-moulded respirator fits a wide variety of face profiles
  - Pre-formed nose-bridge minimizes the risk of leaks
  - Twin straps offer firm comfortable fit
  - Suitable for medical, grinding, sanding and dusty environments
  - Certified to AS/NZS 1716

**P1 Respirator with Valve**

<b>RES502</b>				
CODE	RATING	DESCRIPTION	QTY	QTY
RES502	P1 rated	Box of 10 Valve Respirators	1	12
RES502C-3	P1 rated	Blister of 3 Valve Respirators	1	24

- FEATURES & BENEFITS
- P1 Pre-moulded respirator fits a wide variety of face profiles
  - Exhalation valve provides increased air flow and comfort
  - Pre-formed nose-bridge minimizes the risk of leaks
  - Twin straps offer firm comfortable fit
  - Suitable for medical, grinding, sanding and dusty environments
  - Certified to AS/NZS 1716





**P2 Respirator**

**RES503**

CODE	RATING	DESCRIPTION	QTY	QTY
RES503	P2 rated	Box of 10 Valve Respirators	1	12
RES503C-3	P2 rated	Blister of 3 Respirators	1	24

FEATURES & BENEFITS

- P2 Pre-moulded respirator fits a wide variety of face profiles
- P2 rating offers protection against mechanically and thermally generated particles
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, soldering, welding, grinding, sanding and dusty environments
- Certified to AS/NZS 1716

**P2 Respirator with Valve**

**RES504**

CODE	RATING	DESCRIPTION	QTY	QTY
RES504	P2 rated	Box of 10 Valve Respirators	1	12
RES504C-3	P2 rated	Blister of 3 Valve Respirators	1	24

FEATURES & BENEFITS

- P2 Pre-moulded respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- P2 rating offers protection against mechanically and thermally generated particles
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, soldering, welding, grinding, sanding and dusty environments
- Certified to AS/NZS 1716



**P2 Respirator with Valve & Active Carbon Filter**

**RES505**

CODE DESCRIPTION QTY QTY

CODE	P2 rated	DESCRIPTION	QTY	QTY
RES505	P2 rated	Valve / Filter	10	12
RES505C-3	P2 rated	Blister of 3	1	20

FEATURES & BENEFITS

- P2 Pre-moulded respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- Active Carbon Filter protects against nuisance level organic vapours
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, soldering, welding, grinding, sanding and dusty environments
- Certified to AS/NZS 1716

**P2 horizontal flat fold respirator**

**RES507**

CODE DESCRIPTION QTY QTY

CODE	P2 rated	DESCRIPTION	QTY	QTY
RES507	P2 rated	Respirator	20	20

FEATURES & BENEFITS

- P2 Flat Fold respirator fits a wide variety of face profiles
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments

**P2 horizontal flat fold Respirator with Valve**

**RES508**

CODE DESCRIPTION QTY QTY

CODE	P2 rated	DESCRIPTION	QTY	QTY
RES508	P2 rated	Valve Respirator	12	20

FEATURES & BENEFITS

- P2 Flat Fold respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments



5

**P2 3-Panel Flat Fold Respirator with Valve**

RES510				
CODE	RATING	DESCRIPTION	QTY	QTY
RES510	P2 rated		1	12

FEATURES & BENEFITS

- P2 rating for protection against mechanically and thermally generated particles
- Exhalation Valve provides increased airflow and comfort
- Contoured shape for enhanced fit, seal & comfort
- Latex free dual straps give firm and comfortable fit
- Adjustable twin head strap for optimum fit
- Mouldable high density foam nose seal for a secure & comfortable fit
- Fits most common face shapes
- Staple free
- Hygienically sealed
- Certified to AS/NZS 1716:2003

RECOMMENDED USES

- Medical
- Soldering
- Grinding
- Sandy
- Dusty environments

**P2 Mesh Respirator with Valve**

RES517				
CODE	RATING	DESCRIPTION	QTY	QTY
RES517	P2 rated		1	12

FEATURES & BENEFITS

- Pre-moulded design fits a wide variety of face profiles
- Exhalation valve provides increased airflow and comfort
- Mesh shell resists collapsing and prolongs mask life
- Foam rubber nose seal
- Twin adjustable head straps
- Certified to AS/NZS 1716:2003

RECOMMENDED USES

- Medical
- Soldering
- Grinding
- Sandy
- Dusty environments





5

**FREE MAXISAFE PRODUCT DISPLAY**

These new floor merchandisers make selling easy for you. Eye catching, bold and clearly branded, we are offering them FREE when you put our safety range in.

- Display your full safety range
- Make it easy for your customers to buy
- Draw attention to new products

...ask how today!



# professional face masks & filters

The Maxisafe premium range offers a solution for every situation and application



## EXCLUSIVE FEATURES

All Maxisafe half and full face respirators are manufactured and certified to AS/NZS 1716. Manufactured using premium quality products they are regarded as one of the most comfortable on the market today. All masks are manufactured from lightweight TPE Material or Silicone to prevent oxidation reaction with UV and loss of elasticity and provide durability and unmatched comfort. The RCX01 Full Face Masks can be easily converted to a PAPR or SAR unit providing protection against just about any contaminant at any concentration level.



### COMFORTABLE

Extremely lightweight provides wearer comfort. (RRS01 only weighs 110grams!!)



### FLEXIBLE

Easily convert full face respirators to PAPR or SAR system



### BREATHE COMFORTABLY

Large inhalation ports provide lower breathing resistance enhancing wearer comfort



### RANGE

Various sizes available across all models to allow diversity of face shapes and sizes





onal

**FILTER SELECTION.**

All Maxisafe filters are certified to AS/NZS 1716. These filters have been designed to protect workers against a wide range of contaminants including organic gases and vapors, acid gases, chlorine, hydrogen cyanide, hydrogen sulphide, sulphur dioxide, ammonia and particles including dust and mist. Selection of the appropriate filter cartridge and filter combination is dependent on a number of factors, including the type of contaminant, the level of exposure, and the length of exposure. Therefore, this information is presented as an overview only. Class P3 can only be assigned when combined with a full face piece.

**FILTER LIFE EXPECTANCY**

It is difficult to give an exact life expectancy of a filter cartridge. This is because the filter life depends on a number of variable factors including the wearers breathing rate, the characteristics and level of the contaminant, the length of time a user is exposed to a contaminant and environmental conditions such as temperature and humidity which could affect the wearers breathing rate. Saturated or used filter cartridges will leak trace amounts of contaminants to the wearer, this may be detected via odour, taste, and/or irritation. If a contaminant can be detected by any of these means, then the filter cartridges should be changed immediately.



**FREE  
Respirator  
Swap Program**

Get a FREE MAXISAFE REUSABLE RESPIRATOR in exchange for a competitor respirator with your purchase of Maxisafe cartridges and / or filters, conditions apply.

5

PROFESSIONAL RANGE







# durable and reliable

Developed by a R&D team with nearly 100 years experience in the respiratory protection equipment industry. The Sole purpose - to provide users a mask with the highest quality while simple to use

### Broad view visor

- Extremely broad field of vision
- Obstacle-free downward vision
- Polycarbonate
- Anti-fogging coating
- Anti-scratch coating

### Twist lock

- Twist only 60 degrees to connect

### Speech diaphragm

- For improved communication
- Steel mesh prevents damage from fumes

### 6-Point Head Harness

- Quick and smooth donning and doffing
- Excellent durability



### Twin-double-cushion

- Double sealing action provides maximum protection and comfort
- Silicone rubber
- Available in three sizes, ensures a perfect fit for every type of face



## Maxisafe Full Face Respirator - Silicone

### RCX01

CODE	RATING	DESCRIPTION	QTY	QTY
RCX01-M	Class 2 Silicone	Medium Full Face Respirator Mask - Silicone	1	10
RCX01-L	Class 2 Silicone	Large Full Face Respirator Mask - Silicone	1	10

#### FEATURES & BENEFITS

- Certified to AS/NZ 1716
- Certified to EN136:1998 Class 2
- The Maxisafe Professional Twin full face respirator provides outstanding protection and comfort against a wide range of respiratory hazards. The lightweight and ergonomically designed respirator is ideal for many industrial applications.
- Wide View lens design also offers a broad field of vision along with Anti-Fog and Anti-Scratch coatings as added benefits.

- Featuring a unique speech diaphragm for outstanding speech transmission.
- 6 point harness design provides added comfort during extended wear times.
- Twin Double-Cushion seal offers secure fit to various facial contours.
- Ultra lightweight design – only 610 grams (without filters).
- Soft pliable Silicone facepiece for comfort
- Slim-line design allows easy integration with helmets and earmuffs.

- 5 point adjustable harness with quick release buckles for quick donning.
- Available in sizes Medium, Large.

#### RECOMMENDED USES

- Emergency Services
- Spray painting industry's
- Petrochemical industry
- Asbestos removal industry
- Smelter plants
- Automotive and Fibreglass industry
- Agriculture industry

# full protection, half the burden

Light, low breathing resistance and affordable. RCF01 full face mask is the only user-friendly and wallet-friendly choice in the market.

### 3D curve visor

- Minimised distance between eyes and lens
- Broad field of vision
- Polycarbonate
- Anti-fogging coating
- Anti-scratch coating

### Twist lock

- Twist only 60 degrees to connect

### Speech diaphragm

- For improved communication

### 6-Point Head Harness

- Quick and smooth donning and doffing
- Non-sticky surface prevents hair entanglement



### Optimised shape

- One of the lightest available in the market (less than 360g)
- Purposely designed to allow incorporated use with hard hat
- TPE (Thermoplastic elastomers)
- Available in 2 sizes, ensures a perfect fit for every type of face.



### ULTRA lightweight 335g

- Lighter than a football (410-450g)
- Almost half the weight of other full face masks



## Maxisafe Full Face Respirator - TPE

### RCF01

CODE	RATING	DESCRIPTION	QTY	QTY
RCF01-M	Class 2 TPE	Medium Full Face Respirator Mask - TPE	1	10
RCF01-L	Class 2 TPE	Large Full Face Respirator Mask - TPE	1	10

#### FEATURES & BENEFITS

- Certified to AS/NZ 1716 and Certified to EN136:1998 Class 1
- The Maxisafe Professional Twin full face respirator provides outstanding protection and comfort against a wide range of respiratory hazards. The lightweight and ergonomically designed respirator is ideal for many industrial applications.
- Featuring a unique speech diaphragm for outstanding speech transmission.
- 6 point harness design provides added comfort during extended wear times.
- Twin Double-Cushion seal offers secure fit to various facial contours.
- Superior design techniques eliminates distortion providing clear visibility.
- Ultra lightweight design – only 335grams!! (without filters).
- Soft pliable TPE (Thermo Plastic Elastomer) facepiece for comfort – 100% metal free.
- Slim-line design allows easy integration with helmets and earmuffs.
- 5 point adjustable harness with quick release buckles for quick donning.
- Spherical Lens Eyeiece offers a broad field of vision along with Anti-Fog and Anti-Scratch coatings as added benefits.
- Available in sizes Medium, Large.

#### RECOMMENDED USES

- Emergency Services
- Spray painting industry's
- Petrochemical industry
- Asbestos removal industry
- Smelter plants
- Automotive and Fibreglass industry
- Agriculture industry

there's safe and there's Maxisafe.





# weight 110g

Designed to prevent uncomfortable sticky surface to users face even under heavy sweat conditions and only 110g without filters.

### Slim Shape

- Exhalation and inhalation valve mechanisms are embedded in the facepiece

### Unique low profile design

- Enable mask to be worn under welding helmets and face shields

### Easy to wear

- Easy adjustment of strap length. Just fasten the buckle on the back of the neck

### EXTREMELY lightweight 110g

- Lighter than 3 golf balls (110g without filters)
- One of the lightest facepieces in the RPD market. With particle filters P3R attached still weighs only 150g



## Maxisafe Half Face Respirator - TPE

### RRS01

CODE	RATING	DESCRIPTION	QTY	QTY
RRS01-M	TPE	Medium Mask	1	10
RRS01-L	TPE	Large Mask	1	10

#### FEATURES & BENEFITS

- Certified to AS/NZ 1716
- The Maxisafe RS01 1/2 Face Respirator is suitable for everyday tasks in the workplace, combining comfort, protection and low maintenance costs.
- One of the lightest face pieces on the market – only 110 Grams! With particle filters P3R attached, still weighing only 150 Grams!
- Made from TPE material (Thermo Plastic Elastomer) to prevent uncomfortable sticky surface on the facial skin, even under heavy sweat conditions.

- Large diameter valves create low breathing resistance and reduce wearer fatigue.
- Bayonet Filter mechanism enables fast, secure connection of filters.
- Slim Shape - exhalation and inhalation valve mechanisms are both embedded in the face piece.
- The adjustable elastic harness is threaded through the front cover of mask to ensure good stability and balance.
- Easy adjustment of strap length – just fasten the buckle on the back of the neck.
- Available in sizes Medium, Large.

#### RECOMMENDED USES

- Emergency Services
- Spray painting industry's
- Handling animals
- Spraying pesticides
- Automotive and Fibreglass industry
- Agriculture industry



# more comfort

Soft 100% silicone rubber for more comfort, protection and low maintenance cost for professional tradesmen

### Speech diaphragm

- For improved communication



### Metal free

- Full incinerable
- Weighs only 180g without filters (medium size)

### Bayonet mount

- Enables fast secure connection of filters



## Maxisafe Half Face Respirator - Silicone

### RRX01

CODE	RATING	DESCRIPTION	QTY	QTY
RRX01-M	Silicone	Medium Mask	1	10
RRX01-L	Silicone	Large Mask	1	10

#### FEATURES & BENEFITS

- Certified to AS/NZ 1716
- Certified to EN140:1998
- The Maxisafe RX01 ½ Face Respirator is for the professional tradesman, combining comfort, protection and low maintenance costs.
- Only 180Grams in weight!
- Large Speech Diaphragm for optimum speech transmission.
- Made from 100% Silicone for maximum comfort.
- Large diameter valves create low breathing resistance and reduce wearer fatigue.


- Bayonet Filter mechanism enables fast, secure connection of filters.
- Slim Shape - exhalation and inhalation valve mechanisms are both embedded in the face piece.
- The adjustable elastic harness is threaded through the front cover of mask to ensure good stability and balance.
- Easy adjustment of strap length – just fasten the buckle on the back of the neck.
- Available in sizes Medium, Large.

#### RECOMMENDED USES

- Emergency Services
- Spray painting industry's
- Handling animals
- Spraying pesticides
- Automotive and Fibreglass industry
- Agriculture industry



# 2 component only combined filters



5

PROFESSIONAL RANGE

## Gas Filters

## Particle Filters



### RCA-A1

EN14387:2000 A1

SPECIFICATIONS  
82mm diameter  
24mm height  
47g weight (approx)



### RCA-A2

EN14387:2000 A2

SPECIFICATIONS  
82mm diameter  
34mm height  
69g weight (approx)



### RCA-K1

EN14387:2000 K1

SPECIFICATIONS  
82mm diameter  
34mm height  
101g weight (approx)



### RCA-ABEK1

EN14387:2000 ABEK1

SPECIFICATIONS  
82mm diameter  
34mm height  
86g weight (approx)



### RCA-AX

EN14387:2000 AX

SPECIFICATIONS  
82mm diameter  
34mm height  
118g weight (approx)



### RP3RC

EN14387:2000 P3

SPECIFICATIONS  
86mm diameter  
+14.5mm height  
14g weight (approx)



### RP2RC


EN14387:2000 P2

SPECIFICATIONS  
82mm diameter  
+14.5mm height  
14g weight (approx)



# compact & light water and oil repellent effect

Prevent penetration from solid or liquid particulates!



**LOW  
PROFILE**

**5**  
PROFESSIONAL RANGE

## Particle Filters

 <p><b>RP3R</b> EN143:2000 P3</p> <p>SPECIFICATIONS 77mm diameter 21mm height 20g weight (approx)</p>	 <p><b>RP2R</b> EN143:2000 P2</p> <p>SPECIFICATIONS 77mm diameter 21mm height 20g weight (approx)</p>
--	--



## FREE Respirator Swap Program

Get a FREE MAXISAFE REUSABLE RESPIRATOR in exchange for a competitor respirator with your purchase of Maxisafe cartridges and / or filters, conditions apply.





**A1 Gas Filter**

**RCA-A1**

CODE	RATING	PROTECTION	QTY	QTY
RCA-A1	A1	Gas Filter	1	20

**A2 Gas Filter**

**RCA-A2**

CODE	RATING	PROTECTION	QTY	QTY
RCA-A2	A2	Gas Filter	1	20



**K1 Gas Filter**

**RCA-K1**

CODE	RATING	PROTECTION	QTY	QTY
RCA-K1	K1	Gas Filter	1	20

**ABEK Gas Filter**

**RCA-ABEK1**

CODE	RATING	PROTECTION	QTY	QTY
RCA-ABEK1	ABEK1	Gas Filter	1	20



**AX Gas Filter**

**RCA-AX**

CODE	RATING	PROTECTION	QTY	QTY
RCA-AX	AX	Gas Filter	1	20



**P2 Particle Filter**

**RP2R**

CODE	RATING	PROTECTION	QTY	QTY
RP2R	P2	Particle Filter	1	20



**P3 Particle Filter**

**RP3R**

CODE	RATING	PROTECTION	QTY	QTY
RP3R	P3	Particle Filter	1	20



**P3 Combined Particle Filter and Retainer Cap**

**RP3RC**

CODE	RATING	PROTECTION	QTY	QTY
RP3RC	P3	Particle Filter	1	28



**P2 Combined Particle Filter and Retainer Cap**


**RP2RC**

CODE	RATING	PROTECTION	QTY	QTY
RP2RC	P2	Particle Filter	1	28



**Step 1 -** Pinch the tube of fitness checker

**Step 2 -** Inhale to make sure no air is leaking between face and respirator



**Step 1 -** Pinch the tube of fitness checker

**Step 2 -** Inhale to make sure no air is leaking between face and respirator



**Large Seal Tester for Gas Filters**

**R10**

CODE	SIZE	DESCRIPTION	QTY	QTY
R10	Large		1	10

FEATURES & BENEFITS

- Used for 'fitment testing' on half and full face respirators
- Use only when testing Gas Filters
- When wearing the respirator, fit tester over the gas filter and inhale
- If 'leakage' occurs around mask it is not fitted properly

**Small Seal Tester for Particle Filters**

**R15**

CODE	SIZE	DESCRIPTION	QTY	QTY
R15	Small		1	10

FEATURES & BENEFITS

- Used for 'fitment testing' on half and full face respirators
- Use only when testing Particle Filters
- When wearing the respirator, fit tester over the particle filter and inhale
- If 'leakage' occurs around mask it is not fitted properly




**Replacement Lens Cover for RCF01 Faceshield**

**RCF01-CG**

CODE	DESCRIPTION	QTY	QTY
RCF01-CG	Replacement Lens	1	10

FEATURES & BENEFITS

- Ideal for spray painters
- To be used on the RCF01 Mask



**Replacement Lens Cover for RCX01 Faceshield**

**RCX01-PF**

CODE	DESCRIPTION	QTY	QTY
RCX01-PF	Replacement Lens	1	10

FEATURES & BENEFITS

- Ideal for spray painters
- To be used on the RCX01 Silicone Mask



# respirator kits



Maxisafe's cost efficient respirator kits come complete with half face respirator and a pair of filters conveniently packed in a resealable storage container, providing protection for the respirator and filters.



### TPE Half Mask General Purpose Particulate Kit

#### RRS01WK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRS01WK-M	Medium	General Purpose Particulate Kit	1	6
RRS01WK-L	Large	General Purpose Particulate Kit	1	6

FEATURES & BENEFITS

- 1 x RS01 Medium Half Face Respirator
- 2 x P3R Particle Filters
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



### Silicone Half Mask General Purpose Particulate Kit

#### RRX01WK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRX01WK-M	Medium	General Purpose Particulate Kit	1	6
RRX01WK-L	Large	General Purpose Particulate Kit	1	6

FEATURES & BENEFITS

- 1 x RX01 Silicone Medium Half Face Respirator
- 2 x P3R Particle Filters
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



### TPE Half Mask Painter's Kit

#### RRS01PK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRS01PK-M	Medium	Painter Kit	1	6
RRS01PK-L	Large	Painter Kit	1	6

FEATURES & BENEFITS

- 1 x RS01 Medium Half Face Respirator
  - 2 x A2 Gas Filters
  - 2 x P2RC Particle Filter with Retainer Cap
  - 3 x Hygiene Alcohol Wipes for cleaning mask
  - Re-usable, Sealable and Food-Grade container for storage
- Not suitable for protection against 2 pack paint containing isocyanates*



### Silicone Half Mask Painter's Kit

#### RRX01PK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRX01PK-M	Medium	Painter Kit	1	6
RRX01PK-L	Large	Painter Kit	1	6

FEATURES & BENEFITS

- 1 x RX01 Medium Silicone Half Face Respirator
  - 2 x A2 Gas Filters
  - 2 x P2RC Particle Filter with Retainer Cap
  - 3 x Hygiene Alcohol Wipes for cleaning mask
  - Re-usable, Sealable and Food-Grade container for storage
- Not suitable for protection against 2 pack paint containing isocyanates*



### TPE Half Mask Chemical Kit

#### RRS01CK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRS01CK-M	Medium	Chemical Kit	1	6
RRS01CK-L	Large	Chemical Kit	1	6

FEATURES & BENEFITS

- 1 x RS01 Medium Half Face Respirator
- 2 x ABEK1 Gas Filter Cartridges
- 2 x P2RC Particle Filter with Retainer Cap
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



### Silicone Half Mask Chemical Kit

#### RRX01CK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRX01CK-M	Medium	Chemical Kit	1	6
RRX01CK-L	Large	Chemical Kit	1	6

FEATURES & BENEFITS

- 1 x RX01 Medium Silicone Half Face Respirator
- 2 x ABEK1 Gas Filter Cartridges
- 2 x P2RC Particle Filter with Retainer Cap
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



maxiguard



**Maxiguard Silicone Half Mask Respirator**

**R7500**

CODE		SIZE	PACK	CARTON
R7500P-M	Silicone	Medium	1	10
R7500P-L	Silicone	Large	1	10
<b>Replacement Filters</b>				
R7N11-P2	P2 Prefilter		5	10
R510	Prefilter Holder		2	10
R701-A1	A1		2	10
R703-ABEK1	ABEK1		2	10

**FEATURES & BENEFITS**

- Certified to AS/NZS 1716:2003
- The adjustable elastic harness is threaded through the front cover of mask to ensure good stability and balance.
- Easily adjustment of strap length using the buckle on the back of the neck.
- Soft 100% silicone rubber for maximum comfort and low maintenance cost
- Bayonet mounted filters enables fast secure connection
- Available in medium and large size
- A1 Gas Filters offer organic vapour protection suitable for organic solvents, paint thinners, lacquers and glues, degreasing and pesticide spraying.

**COMPLETE KIT INCLUDES:**

- Adjustable half mask
  - A1 replaceable gas filters R701
  - P2 replaceable pre-filters R7N11
- Not suitable for protection against 2 pack paint containing isocyanates

**RECOMMENDED USES**

- Emergency Services
- Spray painting industry
- Handling animals
- Spraying pesticides
- Automotive and Fibreglass
- Agriculture industry



maxiguard



**Maxiguard Silicone Half Mask Respirator**

**R690**

CODE		SIZE	PACK	CARTON
R690P-L	Silicone	Large	1	10
<b>Replacement Filters</b>				
R7N11-P2	P2 Prefilter		5	10
R510	Prefilter Holder		2	10
R701-A1	A1		2	10
R703-ABEK1	ABEK1		2	10
R680PLC-100	Lens Cover		10	100

**FEATURES & BENEFITS**

- Reusable, low maintenance respirator.
- Lightweight, well-balanced with comfortable, soft silicone nose cup.
- Suitable for use with Maxisafe gas & vapour and / or particulate filters.
- Twin filter design provides lower breathing resistance, a balanced fit, and improved field of vision.
- Simple, secure bayonet filter attachment system.
- Wide field of vision with a scratch and chemical resistant polycarbonate lens.
- Easy and secure fitting.
- Face piece weight: 409 grams.
- A1 Gas Filters offer organic vapour protection suitable for organic solvents, paint thinners, lacquers and glues, degreasing and pesticide spraying.

**COMPLETE KIT INCLUDES:**

- Adjustable half mask
  - A1 replaceable gas filters R701
  - P2 replaceable pre-filters R7N11
- Not suitable for protection against 2 pack paint containing isocyanates

**RECOMMENDED USES**

- Emergency Services
- Spray painting industry
- Handling animals
- Spraying pesticides
- Automotive and Fibreglass
- Agriculture industry



**'Bandit' Assembled Half Mask - with 2 Cartridges**

**RSB520 & RSB521**

CODE	DESCRIPTION	QTY	QTY
RSB520	Medium Mask	1	12
RSB521	Large Mask	1	12

FEATURES & BENEFITS

- Half Mask Respirators from the trusted experts in respiratory protection for over 25 years!
  - SAS Half Mask Respirators – RSB520
- COMFORT
- Manufactured from odourless, TPE (soft thermoplastic elastomer) for ultimate comfort
  - Large diameter valves create low breathing resistance
  - Latex and Silicone Free to ensure no allergic skin reaction or irritation
- FIT
- 'Ergo-Contour' design assures a secure, comfortable seal around the contours of the face
  - Head strap designed for less tension for a secure fit
  - Low profile design ensures compatibility with other PPE



**'Bandit' Prefilters to suit Half Masks, box of 5 pairs**

**RSB522**

CODE	DESCRIPTION	QTY	QTY
RSB522	Filters	1	24

FEATURES & BENEFITS

- Prefilters suit RSB520 and RSB521 Half Mask Respirators





The air supply automatically starts simply by wearing the mask and beginning to breathe! The air supply then automatically stops 5 seconds after taking the headpiece off.

6-Point Harness



Flashes

- Filter replacement indicator

Particle Filter

Speech Diaphragm

Fan Unit

Battery



5 PROFESSIONAL RANGE

PAPR: Powered Air Purifying Respirator

**RSYNC01**

CODE	RATING	DESCRIPTION	QTY	QTY
RSYNC01	Clear	Full Face PAPR Respirator	1	5
RVABE1P3	ABE1P3	Combined Multi-purpose gas filter	1	10
RVA1P3	A1P3	Combined Gas filter for organic gasses & vapours	1	10
RVP3	P3	Particle Filter		
		Battery		
		Battery charger		

AUTOMATIC BREATHING FUNCTION

- To supply the optimum amount of air, the internal pressure in the face piece is constantly monitored so that the fan motor speed automatically adjusts itself according to the rate of breathing!
- Inhalation: The fan speed increases according to the inhalation amount so that the supply of

air is only what is required by the user, this allows the user to breath easily and comfortably.

- Exhalation: the fan speed decreases according to the exhalation amount to reduce wasteful air supply during exhalation, which alleviates any oppressive feeling during exhalation.

AUTOMATIC ON/OFF FUNCTION

- The air supply automatically starts simply by wearing the mask and beginning to breathe! The air supply then automatically stops 5 seconds after taking the headpiece off.
- This allows workers to concentrate on their work without the hassle of switching on and off.

BUILT-IN BATTERY

- No battery cables making donning and functionality very easy.
- U-shaped battery pack is specifically designed to be compact and light.

FILTER REPLACEMENT INDICATOR

- When the breathing monitor continues to monitor a negative pressure inside the facepiece, the filter replacement indicator LED will begin to flash.



**Air Hood Face Shield and Respirator**

**RPG540**

CODE	RATING	DESCRIPTION	QTY	QTY
RPG540		Full Face PAPR with AerGO® Respirator	1	5
RPRSL-2	P2	Particle filter AerGO® (set of 2)		
RA1PRSL-2	A1	Set of combined A1 filters AerGO® (set of 2)		
RA1B1E1PRSL-2	ABE	Set of combined A1B1E1 filters AerGO® - ozone (Set of 2)		
RPCA-10		Prefilter AerGO® (set of 10)		
RPCA-50		Prefilter AerGO® (set of 50)		
RSA-10		Spark Arrester (set of 10)		
ROF-10		Odour Filter (set of 10)		
RFC-SA-10		Filter cover and spark arrester, prefilter (set of 2+2+2)		

FEATURES & BENEFITS

- Low weight, compact unit.
- Protection factor (NPF50)
- Comfortable and adjustable headband.
- Available with 2 basic types of visor.
  - Polycarbonate - high mechanical resistance, suitable for grinding operations. EN166
  - Acetate - high chemical resistance.

RECOMMENDED USES

- Dusty Environments
- Low Chemical Environments
- Heavy Industrial Operations
- Grinding and Surface Finishing
- Building Industry





Exceptionally light and compact powered air purifying respirator which is designed for active respiratory and face protection with remediation of materials containing asbestos

Wide vision range



5 hour battery life



Low weight



Belt or mask mounting options







**Powered Air Purifying Respirator**

**RPA538 AND RPA539**

CODE	RATING	DESCRIPTION	⊕ QTY	⊖ QTY
RPA538		Full Face PAPR with mask mounted Asbest respirator	1	5
RPA539		Full Face PAPR with belt mounted Asbest respirator & hose	1	5
RAC534		CleanAIR Asbest Respirator with battery	1	5
RPF536		Particle filter P R SL	1	10
RCF537		Canister filter cover	1	10
RLB452		Li-ion battery to suit CleanAIR Asbest Unit	1	2
RBC543		Battery Charger to suit CleanAIR Asbest Unit	1	2

FEATURES & BENEFITS

- Low weight, compact unit.
- Simple operation.
- High nominal protection factor (NPF2000)
- Simple decontamination.
- 5 hour protection time
- Also able to be mounted on the belt

RECOMMENDED USES

- Asbestos Removal
- Building Industry
- Remediation Operations



5 PROFESSIONAL RANGE



**Maxisafe PAPR with Evolve Welding Hood**

**RWH532**

CODE	ADF	QTY	QTY
RWH532	Clear	V9-13	1 5

FEATURES & BENEFITS

- Combines an auto-darkening welding hood and a clear protective visor
- Lightweight, well balanced hood (775g) for comfort
- Unique pivot flip-up mechanism optimises the centre of gravity reducing required space
- The flip-up front can be lifted up onto the top of the helmet providing unobstructed view
- Large curved visor 170 x 95mm for wide view with medium impact protection
- Compatible with ADF's or passive filters 110x90 mm
- Ergonomic, belt mounted air purifying respirator
- Respirator operation time up to 10 hours
- Adjustable airflow (160 lpm and 210 lpm)
- Li-Ion Battery 14,4 V / 2,6 Ah
- Short battery recharging time < 3 h
- Audiovisual and vibrating alarm indicating low airflow and low battery charge
- Simple control with only one button
- Fully CE certified

RECOMMENDED USES

- Most Welding Applications
- Grinding Applications
- Steel Fabrication
- Metal cleaning







**Air Purifying Respirator**

**RPA530**

CODE	RATING	QTY	QTY
RPA530		1	5
RA1PRSL-2	A1	1 pair	5 pairs

FEATURES & BENEFITS

- Ergonomic shape and low weight - only 980g.
- Slim profile.
- Universal usage.
- Operation time up to 10 hours.
- Short battery charging time <3hrs
- Adjustable airflow.
- Constant airflow.
- Audiovisual and vibrating alarm indicating low airflow and low battery.
- Simple control.
- Comfortable exchangeable belt.
- Unique filter sealing, provides perfect unit seal after every filter change.
- Perfect for use with Maxisafe RPG540 AIR HOOD FACE SHIELD

RECOMMENDED USES

- Dusty Industrial Environments
- Automotive Industry
- Shipbuilding Industry
- Welding
- Grinding
- Surface Finishing
- Building Industry
- Agriculture



**High Demand Ozone Filters**

**RA1B1E1PRSL-2**

CODE	QTY	QTY
RA1B1E1PRSL-2	A1B1E1	1 pair 5 pairs

FEATURES & BENEFITS

- Provides protection against
- Organic gases and vapours
- Inorganic gases and vapours
- Acid gasses and vapours
- Particles
- Ozone (maximum concentration of 20 mg/m<sup>3</sup>)

RECOMMENDED USES

- Welding
- Grinding
- Building Industry
- Heavy Industry
- Refineries



# RESPIRATORY FILTER SELECTION CHART



This **Filter Selection Chart** should be used as a guide only. An MSDS sheet should be consulted and concentration levels of the contaminants you are working with should be checked before deciding on a disposable or reusable respirator with filters. Some contaminant concentrations may require a higher level of protection such as a PAPR or SAR unit.

**A** Organic Vapours    **B** Acid Gases    **E** Sulphur Dioxide (SO<sub>2</sub>)    **K** Ammonia (NH<sub>3</sub>)    **P** Particulates

SUBSTANCE	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
<b>A</b>							
1 Acetaldehyde	75-07-0				■		
2 Acetamide	60-35-5					P3R	
3 Acetic acid	64-19-7	■		■		P2RC	
4 Acetic anhydride	108-24-7	■		■			
5 Acetone	67-64-1				■		
6 Acetone cyanohydrine	75-86-5	■		■			
7 Acetonitrile	75-05-8	■		■			
8 Acetylene	74-86-2						■
9 Acetyl chloride	75-36-5			■		P2RC	
10 o-Acetylsalicylic acid	50-78-2					P2R	
11 Acrolein	107-02-8				■		
12 Acrylamide	79-06-1					P3R	
13 Acrylic acid	79-10-7	■		■		P2RC	
14 Acrylonitrile	107-13-1	■		■			
15 Aldrin	309-00-2					P3R	
16 Allyl alcohol	107-18-6	■		■			
17 Allylamine	107-11-9	■		■			
18 Allyl bromide	106-95-6	■		■			
19 Allyl chloride	107-05-1				■		
20 Allyl glycidyl ether	106-92-3	■		■			
21 Allyl isocyanate	1476-23-9	■		■		P2RC	
22 Allyl propyl disulfide	2179-59-1			■		P2RC	
23 Aluminium	7429-90-5					P2R	
24 Aluminium hydroxide	21645-51-2					P2R	
25 Aluminium oxide	1344-28-1					P2R	
26 Aluminium alkyl compounds		■		■		P2RC	
27 p-Aminoazobenzene	60-09-3					P3R	
28 o-Aminotoluene	97-56-3					P3R	
29 4-Aminodiphenyl	92-67-1					P3R	
30 3-Amino-9-ethylcarbazol	132-32-1					P2R	
31 2-Aminoethanol	141-43-5	■		■		P2RC	
32 2-Aminopyridine	504-29-0					P2R	
33 Amitrole (3-Amino-1,2,4-triazole)	61-82-5					P3R	
34 Ammonia	7664-41-7		■	■			
35 Ammonium chloride fume	12125-02-9					P2R	
36 Ammonium sulfate	7773-06-0					P2R	
37 n-Amyl acetate (1-Pentyl acetate)	628-63-7	■		■			
38 sec-Amyl acetate (2-Pentyl acetate)	626-38-0	■		■			
39 Aniline	62-53-3	■		■			
40 Anisidine, o-isomer	90-04-0	■		■		P3RC	
41 Anisidine, p-isomer	104-94-9					P2R	
42 Anthracene	120-12-7					P2R	
43 Antimony and compounds, as Sb	7440-36-0					P3R	
44 Antimony penta chloride	7647-18-9			■		P3RC	
45 Antimony trioxide, as Sb	1309-64-4					P3R	
46 ANTU (α-Naphthylthiourea)	86-88-4					P2R	
47 p-Aramid, fibrous dust	26125-61-1					P2R	
48 Argon	7440-37-1						■
49 Arsenic and inorganic compounds (except arsine), as As	7440-38-2					P3R	
50 Arsenic acid and its salts, as As	7778-39-4					P3R	
51 Arsenic pentoxide, as AS	1303-28-2					P3R	
52 Arsenic trioxide, as AS	1327-53-3					P3R	
53 Arsenous acid and its salts, as As	13464-58-9					P3R	
54 Arsine	7784-42-1						■
55 Asbestos, all forms	1332-21-4 12001-28-4 12172-73-5 7536-66-4 77536-67-5 77536-68-6 132207-32-0					P3R	
56 Asphalt fume (Bitumen)	8052-42-4	■		■		P2RC	
57 Atrazine	1912-24-9					P2R	
58 Auramine	492-80-8					P3R	
59 Azinphos-methyl (Guthion®)	86-50-0					P2R	
<b>B</b>							
60 Barium and soluble compounds, as Ba	7440-39-3					P2R	
61 Barium chloride	10326-27-9					P3R	
62 Benomyl	17804-35-2					P3R	
63 Beechwood dust						P3R	

Substance	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
64 Benzaldehyde	100-52-7	■		■			
65 Benzene	71-43-2	■		■			P2RC
66 Benzidine	92-87-5						P3R
67 Benzo[a]pyrene	50-32-8						P3R
68 Benzo[e]pyrene	192-97-2						P2R
69 Benzoyl peroxide (Dibenzoyl peroxide)	94-36-0						P2R
70 Benzylamine	100-46-9	■		■			P2RC
71 Benzyl butyl phthalate	85-68-7	■		■			
72 Benzyl chloride	100-44-7			■			
73 Beryllium and compounds, as Be	7440-41-7						■
74 4,4'-Bis(dimethylamino)benzophenone (Miche's ketone)	90-94-8						P3R
75 Biphenyl (Diphenyl)	92-52-4						P2R
76 Bismuth telluride, Undoped	1304-82-1						P2R
77 Bismuth telluride, Se-doped, as Bi <sub>2</sub> Te <sub>3</sub>	1304-82-1						P2R
78 Borax (Sodium tetraborate)	1330-43-4						P2R
79 Boric acid	10043-35-3						P2R
80 Boron oxide	1303-86-2						P2R
81 Boron tribromide	10294-33-4						■
82 Boron trifluoride	7637-07-2						■
83 Bromacil	314-40-9						P3R
84 2-Bromobutane	78-76-2	■		■			
85 Bromine	7726-95-6			■			
86 Bromine pentafluoride	7789-30-2						■
87 Bromobenzene	108-86-1	■		■			
88 1-Bromo-2-chloroethane	107-04-0	■		■			
89 Bromoethane (Ethyl bromide)	74-96-4				■		
90 Bromoethylene (Vinyl bromide)	593-60-2				■		
91 Bromoform (Tribromomethane)	75-25-2	■		■			P2RC
92 Bromomethane (Methyl bromide)	74-83-9	■		■			■
93 2-Bromopentane	107-81-3	■		■			
94 1,3-Butadiene	106-99-0				■		
95 n-Butanal (Butyraldehyde)	123-72-8	■		■			
96 n-Butane	106-97-8				■		
97 1,4-Butane sultone	1633-83-6	■		■			P2RC
98 2,4-Butane sultone	1121-03-5	■		■			P2RC
99 1-Butanol (n-Butyl alcohol)	71-36-3	■		■			
100 2-Butanol (sec-Butyl alcohol)	78-92-2	■		■			
101 2-Butanone (Methyl ethyl ketone)	78-93-3	■		■			
102 2-Butanone peroxide (Methyl ethyl ketone peroxide)	1338-23-4						P2R
103 2-Butenal (Crotonaldehyde)	4170-30-3	■		■			
104 2-Butoxyethanol (EGBE)	111-76-2	■		■			
105 2-Butoxyethyl acetate (EGBEA)	112-07-2	■		■			
106 n-Butyl acetate (1-Butyl acetate)	123-86-4	■		■			
107 sec-Butyl acetate (2-Butyl acetate)	106-46-4	■		■			
108 tert-Butyl acetate	540-88-5	■		■			
109 n-Butyl acrylate	141-32-2	■		■			
110 n-Butylamine	109-73-9	■		■			
111 sec-Butylamine	13952-84-6				■		
112 tert-Butyl chromate, as CrO <sub>3</sub>	1189-85-1						P2R
113 Butyl formate	592-84-7	■		■			
114 n-Butyl glycidyl ether (BGE)	2426-08-6	■		■			P2RC
115 tert-Butyl glycidyl ether	7665-72-7	■		■			
116 tert-Butyl hydroperoxide	75-91-2			■			
117 n-Butyl lactate	138-22-7	■		■			P2RC
118 n-Butyl mercaptan (Butanethiol)	109-79-5			■			
119 n-Butyl methacrylate	97-88-1	■		■			P2RC
120 tert-Butyl peroxyacetate	107-71-1			■			P2RC
121 o-sec-Butyl phenol	89-72-5	■		■			P2RC
122 p-tert-Butyl phenol	98-54-4						P2R
123 Butyl stearate	123-95-5	■		■			P2RC
124 p-tert-Butyltoluene	98-51-1	■		■			
<b>C</b>							
125 Cadmium and compounds, as Cd	7440-43-9						P3R
126 Cadmium chloride, as Cd	10108-64-2						P3R
127 Cadmium oxide, as Cd	1306-19-0						P3R
128 Cadmium sulfate, as Cd	1306-23-6						P3R
129 Calcium arsenate, as As	7778-44-1						P3R
130 Calcium bisulfide solution	13780-03-5			■			P2RC
131 Calcium carbonate	1317-65-3						P2R
132 Calcium chromate, as Cr	13765-19-0						P3R
133 Calcium cyanamide	156-62-7						P2R

SUBSTANCE	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
134 Calcium hydroxide	1305-62-0					P2R	
135 Calcium oxide	1305-78-8					P2R	
136 Camphor, synthetic	76-22-2					P2R	
137 Caprolactam	105-60-2					P2R	
138 Captafol	2425-06-1					P3R	
139 Captan	133-06-2					P3R	
140 Carbaryl (Sevin®)	63-25-2					P2R	
141 Carbofuran	1563-66-2					P3R	
142 Carbon black	1333-86-4					P3R	
143 Carbon dioxide	124-38-9						■
144 Carbon disulfide	75-15-0			■			
145 Carbon monoxide	630-08-0						■
146 Carbon tetrabromide	558-13-4					P2R	
147 Carbon tetrachloride	56-23-5	■		■			
148 Carbonyl fluoride	353-50-4						■
149 Cellulose	9004-34-6					P2R	
150 Chlordane	57-74-9					P3R	
151 Chlordecone (Kepone®)	143-50-0	■		■		P3RC	
152 Chlorine	7782-50-5			■			
153 Chlorine dioxide	10049-04-4			■			
154 Chlorine trifluoride	7790-91-2						■
155 Chloroacetaldehyde	107-20-0	■		■			
156 2-Chloroacetophenone (Phenacyl chloride) (CN)	532-27-4	■		■		P2RC	
157 Chloroacetyl chloride	79-04-9	■		■			
158 p-Chloroaniline	106-47-8					P3R	
159 Chlorobenzene (Monochlorobenzene)	108-90-7	■		■			
160 o-Chlorobenzylidene malononitrile (CS)	2698-41-1					P3R	
161 Chlorobromomethane (Bromochloromethane)	74-97-5	■		■			
162 Chlorodiphenyl, 42% chlorine	53469-21-9	■		■			
163 Chlorodiphenyl, 54% chlorine	11097-69-1	■		■		P3RC	
164 Chloroform (Trichloromethane)	67-66-3						■
165 N-Chloroformyl-morpholine	15159-40-7	■		■		P2RC	
166 bis(Chloromethyl)ether	542-88-1			■			
167 Chloromethyl methyl ether (MME ; Methyl chloromethyl ether)	107-30-2						■
168 3-Chloro-2-methyl-1-propene	563-47-3	■		■			
169 1-Chloronaphthalene	90-13-1	■		■			
170 1-Chloro-1-nitropropane	600-25-9			■		P2RC	
171 1-Chloropentane	543-59-9	■		■			
172 Chloropirin (Trichloronitromethane)	76-06-2	■		■			
173 β-Chloroprene (2-Chloro-1,3-butadiene)	126-99-8						■
174 1-Chloropropane	540-54-5						■
175 2-Chloropropane (Isopropyl chloride)	75-29-6						■
176 o-Chlorostyrene	2039-87-4	■		■			
177 o-Chlorotoluene	95-49-8			■			
178 4-Chloro-o-toluidine	95-69-2	■		■		P3RC	
179 5-Chloro-o-toluidine	95-79-4	■		■		P2RC	
180 Chlorpyrifos	2921-88-2	■		■		P3RC	
181 Chromic acid and chromates, as Cr	7738-94-5					P3R	
182 Chromite, as Cr						P2R	
183 Chromium ( ) inorganic compounds, as Cr	7440-47-3					P2R	
184 Chromium ( ) inorganic compounds, water-soluble, as Cr						P3R	
185 Chromium ( ) inorganic compounds, insoluble, as Cr						P3R	
186 Chromium carbonyl	13007-92-6						■
187 Chromium ( ) oxide	1308-38-9					P2R	
188 Chromium oxychloride	14977-61-8			■			
189 Citric acid	77-92-9					P2R	
190 Coal dust, anthracite						P2R	
191 Coal dust, bituminous or lignite						P2R	
192 Coal tar pitch volatiles, as benzene soluble aerosol	65996-93-2	■		■		P3RC	
193 Cobalt and compounds	7440-48-4					P3R	
194 Cobalt ( ) acetate tetrahydrate	6147-53-1					P2R	
195 Coconut oil						P2R	
196 Copper, dusts and mists, as Cu	7440-50-8					P2R	
197 Copper, fume, as Cu	7440-50-8					P2R	
198 Copper ( ) chloride	7447-39-4					P2R	
199 Copper ( ) sulfate	7758-98-7					P2R	
200 Cotton dust, raw, untreated						P3R	
201 Cresol, all isomers	1319-77-3	■		■		P2RC	
202 Cumene	98-82-8	■		■			
203 Cumene hydroperoxide	80-15-9			■			
204 Cyanamide	420-04-2			■		P2RC	
205 Cyanides, as CN				■		P3RC	
206 Cyanogen	460-19-5						■
207 Cyanogen bromide	506-68-3			■		P3RC	
208 Cyanogen chloride	506-77-4			■			■
209 Cyanuric chloride	108-77-0			■		P2RC	
210 Cyclohexane	110-82-7	■		■		P2RC	
211 Cyclohexanol	108-93-0	■		■		P2RC	
212 Cyclohexanone	108-94-1	■		■			

Substance	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
213 Cyclohexene	110-83-8	■		■			
214 Cyclohexylamine	108-91-8	■		■			
215 Cyclonite (RDX)	121-82-4						P2R
216 1,3-Cyclopentadiene	542-92-7						■
217 Cyclopentanone	120-92-3	■		■			
<b>D</b>							
218 2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7						P2R
219 DDT (Dichlorodiphenyltrichloro-ethane)	50-29-3						P3R
220 Decaborane	17702-41-9						■
221 n-Decane	124-18-5	■		■			
222 1-Decanol	112-30-1	■		■			P2RC
223 Demeton (Systox®)	8065-48-3	■		■			P3RC
224 Diacetone alcohol (4-Hydroxy-4-methyl-2-pentanone)	123-42-2	■		■			
225 Diacetyl peroxide	110-22-5			■			P2RC
226 2,4-Diaminoanisole	615-05-4						P3R
227 3,3'-Diaminobenzidine	91-95-2						P2R
228 3,3'-Diaminobenzidine tetrahydrochloride	7411-49-5						P2R
229 4,4'-Diamino-3,3'-dimethyldiphenylmethane	838-88-0						P3R
230 2,4-Diaminotoluene (Toluene-2,4-diamine)	95-80-7						P3R
231 Diatomaceous earth, calcinated	99439-28-8						P2R
232 Diatomaceous earth, uncalcinated	61790-53-2						P3R
233 Diazinon®	333-41-5	■		■			P3RC
234 Diazomethane	334-88-3						■
235 Dibenzylamine	103-49-1	■		■			
236 Dibenzylether	103-50-4	■		■			P2RC
237 Diborane	19287-45-7						■
238 1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	■		■			P3RC
239 1,2-Dibromoethane	106-93-4	■		■			P3RC
240 2-N-Dibutylaminoethanol	102-61-8	■		■			P2RC
241 Dibutyl ether	142-96-1	■		■			
242 Dibutyl phosphate	107-66-4	■		■			
243 Dibutyl phthalate	84-74-2	■		■			
244 Dichloroacetylene	7572-29-4						■
245 o-Dichlorobenzene	95-50-1	■		■			
246 m-Dichlorobenzene	541-73-1	■		■			
247 p-Dichlorobenzene	106-46-7	■		■			P3RC
248 3,3'-Dichlorobenzidine	91-94-1	■		■			P3R
249 1,4-Dichloro-2-butene	764-41-0	■		■			P3RC
250 2,2'-Dichloroethyl ether	111-44-4	■		■			
251 Dichlorodisopropyl ether	108-60-1	■		■			
252 Dichlorodimethyl ether	4885-02-3	■		■			P2RC
253 1,3-Dichloro-5,5-dimethyl hydantoin	118-52-5						P2R
254 1,1-Dichloroethane	75-34-3						■
255 1,2-Dichloroethane	107-06-2			■			
256 1,1-Dichloroethene	75-35-4						■
257 cis-1,2-Dichloroethene	156-59-2						■
258 trans-1,2-Dichloroethene	156-60-5						■
259 Dichloromethane	75-09-2						■
260 1,2-Dichloromethoxyethane	41683-62-9	■		■			P2RC
261 1,1-Dichloro-1-nitroethane	594-72-9	■		■			P2RC
262 1,2-Dichloropropane	78-87-5	■		■			
263 1,3-Dichloro-2-propanol	96-23-1	■		■			
264 1,3-Dichloropropene	542-75-6	■		■			
265 2,2-Dichloropropionic acid	75-99-0	■		■			P2RC
266 Dichlorotetrafluoroethane (1,2-Dichloro-1,1,2,2-tetrafluoroethane)	76-14-2						■
267 2,4-Dichlorotoluene	95-73-8	■		■			
268 Dichlorvos (DDVP)	62-73-7	■		■			P3RC
269 Dicyclohexylmethane-4,4'-diisocyanate	5124-30-1	■		■			P3RC
270 Dicyclohexyl peroxide	1758-61-8	■		■			P2RC
271 Dicyclohexyl phthalate	84-61-7						P2R
272 Dicyclopentadiene	77-73-6	■		■			P2RC
273 Dicyclopentadienyl iron, as Fe (Forrocene)	102-54-5						P2R
274 Dieltrin	60-57-1						P3R
275 Diesel fuel	68476-30-2 68334-30-5 68476-34-6 77650-28-3	■		■			
276 Diethanolamine	111-42-2	■		■			P3RC
277 Diethylamine	109-89-7						■
278 2-Diethylaminoethanol	100-37-8			■			
279 Diethylene carbonate	105-58-8	■		■			
280 Diethylene glycol	111-46-6	■		■			
281 Diethylene triamine	111-40-0	■		■			
282 Diethyl ether (Ethyl ether)	60-29-7						■
283 N,N-Diethylhydroxylamine (DEHA)	3710-84-7	■		■			P2RC
284 Diethyl oxalate	95-92-1	■		■			
285 Diethyl phthalate	84-66-2	■		■			

# RESPIRATORY FILTER SELECTION CHART



SUBSTANCE	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airtone or SCBA
		A	K	A B E K	AX			
286 Diethyl sebacate	110-40-7	■					P2RC	
287 Diethyl sulfate	64-87-5	■						
288 Diethyl sulfide	352-93-2				■			
289 Difluorobromomethane	1511-62-2					■		
290 Difluorodibromomethane	75-61-6					■		
291 Diglycidyl ether (DGE)	2238-07-5	■					P2RC	
292 1,2-Dihydroxybenzene (Catechol)	120-80-9						P3R	
293 1,3-Dihydroxybenzene (Resorcinol)	108-46-3						P2R	
294 1,4-Dihydroxybenzene (Hydroquinone)	123-31-9						P3R	
295 Diisobutyl ketone	108-83-8	■						
296 Diisopropylamine	108-18-9	■						
297 Dilauryl peroxide	105-74-8	■					P2RC	
298 3,3'-Dimethoxybenzidine	119-90-4						P3R	
299 1,1-Dimethoxyethane	534-15-6							
300 1,2-Dimethoxyethane	110-71-4	■						
301 Dimethoxymethane	109-87-5					■		
302 N,N-Dimethylacetamide	127-19-5	■						
303 Dimethylamine	124-40-3					■		
304 1-Dimethylamino-2-propanol	108-16-7	■						
305 N,N-Dimethylaniline	121-69-7	■					P2RC	
306 3,3'-Dimethylbenzidine (Tolidine)	119-93-7						P3R	
307 2,2-Dimethylbutane	75-83-2							
308 2,3-Dimethylbutane	79-29-8					■		
309 1,3-Dimethylbutyl acetate	108-84-9	■					P2RC	
310 Dimethylcarbamoyl chloride	79-44-7							
311 N,N-Dimethylcyclohexylamine	98-94-2	■						
312 Dimethyl disulfide	624-92-0	■						
313 N,N-Dimethylethanolamine	108-01-0	■						
314 Dimethyl ether	115-10-6						■	
315 N,N-Dimethylethylamine	598-56-1						■	
316 N,N-Dimethylformamide	68-12-2	■						
317 1,1-Dimethylhydrazine	57-14-7		■					
318 1,2-Dimethylhydrazine	540-73-8		■					
319 Dimethyl hydrogen phosphite	868-85-9	■						
320 N,N-Dimethylisopropylamine	996-35-0	■					P2RC	
321 Dimethyl phthalate	131-11-3	■					P2RC	
322 2,2-Dimethyl propane (Neopentane)	463-82-1						■	
323 Dimethyl sulfate	77-78-1	■						
324 Dimethyl sulfide	75-18-3	■						
325 1,2-Dinitrobenzene	528-29-0						P2R	
326 1,3-Dinitrobenzene	99-65-0						P2R	
327 1,4-Dinitrobenzene	100-25-4						P2R	
328 4,6-Dinitro-o-cresol	534-52-1						P3R	
329 1,5-Dinitronaphthalene	605-71-0						P2R	
330 2,6-Dinitronaphthalene	24824-26-8	■					P2RC	
331 Dinitropyrene	78432-19-6						P2R	
332 2,3-Dinitrotoluene	602-01-7						P2R	
333 2,4-Dinitrotoluene	121-14-2						P3R	
334 2,5-Dinitrotoluene	619-15-8						P2R	
335 2,6-Dinitrotoluene	606-20-2						P3R	
336 3,4-Dinitrotoluene	610-39-9						P2R	
337 3,5-Dinitrotoluene	618-85-9						P2R	
338 1,4-Dioxane	123-91-1	■					P3RC	
339 Dioxathion	78-34-2						■	
340 1,3-Dioxolane	646-06-0	■						
341 Dipentene	138-86-3	■						
342 Diphenylamine	122-39-4						P2R	
343 Diphenyl ether	101-84-8	■					P2RC	
344 Diphenylmethane diisocyanate (MDI)	101-68-8	■					P3RC	
345 Dipropylamine	142-84-7	■						
346 Dipropylene glycol methyl ether	34590-94-8	■						
347 Dipropyl ether	111-43-3	■						
348 Diquat dibromide	85-00-7						P3R	
349 Disulfoton	298-04-4						P3RC	
350 Disulfur dichloride (Sulfur monochloride)	10025-67-9							
351 Di-sec-octyl phthalate	117-81-7	■						
352 Disulfiram	97-77-8						P2R	
353 2,6-Di-tert-butyl-p-cresol	128-37-0						P2R	
354 Di-tert-butyl peroxide	110-05-4	■						
355 Diuron	330-54-1						P2R	
356 1,2-Divinylbenzene	91-14-5	■						
357 1,3-Divinylbenzene	108-57-6	■						
358 Dodecylbenzene	123-01-3	■						
<b>E</b>								
359 Emery	1302-74-5						P2R	
360 Endsulfan	115-29-7						P3R	
361 Endrin	72-20-8						P3R	
362 Entofurane	13838-16-9						P2RC	

Substance	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airtone or SCBA
		A	K	A B E K	AX			
363 Epichlorohydrin (1-Chloro-2,3-epoxypropane)	106-89-8	■						
364 EPN (O-Ethyl O-4-nitrophenyl phenyl phosphonothioate)	2104-64-5	■					P3RC	
365 1,2-Epoxybutane	106-88-7						■	
366 Ethanol	64-17-5	■						
367 2-Ethoxyethanol (EGEE; Cellosolve)	110-80-5	■						
368 2-Ethoxyethyl acetate (EGEEA; Cellosolve acetate)	111-15-9	■						
369 Ethyl acetate	141-78-6	■						
370 Ethyl acrylate (Acrylic acid)	140-88-5	■						
371 Ethylamine	75-04-7						■	
372 Ethyl amyl ketone (5-Methyl-3-heptanone)	541-85-5	■						
373 Ethyl benzene	100-41-4	■						
374 Ethyl carbamate (Urethane)	51-79-6	■					P3RC	
375 Ethyl chloride (Chloroethane)	75-00-3						■	
376 Ethyl chloroacetate	105-39-5	■						
377 Ethylene chlorohydrin (2-Chloroethanol)	107-07-3	■						
378 Ethylenediamine (1,2-Diaminoethane)	107-15-3	■					P2RC	
379 Ethyleneimine (Aziridine)	151-56-4		■					
380 Ethylene glycol	107-21-1	■						
381 Ethylene glycol dinitrate (EGDN)	628-96-6	■						
382 Ethylene glycol monoisopropyl ether	109-59-1	■						
383 Ethylene oxide	75-21-8						■	
384 Ethyl formate (Formic acid ethyl ester)	109-94-4						■	
385 2-Ethyl-1-hexanol	104-76-7	■						
386 Ethyl mercaptane (Ethanethiol)	75-08-1						■	
387 4-Ethylmorpholine	100-74-3	■						
388 Ethyl propionate	105-37-3	■						
389 Ethyl silicate (Silicic acid tetraethyl ester)	78-10-4	■						
<b>F</b>								
390 Fenchlorophos	299-84-3	■					P2RC	
391 Fention	55-38-9	■					P3RC	
392 Ferbam	14484-64-1						P2R	
393 Ferrocene	102-54-5						P2R	
394 Ferrovanadium dust	12604-58-9						P2R	
395 Flour dust							P2R	
396 Fluorides, as F							P2RC	
397 Fluorine	7782-41-4						■	
398 Fluorobenzene	462-06-6	■						
399 Formaldehyde	50-00-0						■	
400 Formamide	75-12-7	■					P2RC	
401 Formic acid	64-18-6						P2RC	
402 Fuel oils		■					P2RC	
403 Furan	110-00-9						■	
404 Furfural	98-01-1	■						
405 Furfuryl alcohol	98-00-0	■						
<b>G</b>								
406 Gasoline	86290-81-5 8006-61-9	■						
407 Gelatin	9000-70-8						P2R	
408 Germanium tetrahydride	7782-65-2						■	
409 Glass, fibrous or dust							P3R	
410 Glutaraldehyde	111-30-8	■						
411 Glycerine	56-81-5	■					P2RC	
412 Glycidyl (2,3-Epoxy-1-propanol)	556-52-5	■						
413 Glycidyl isopropyl ether	4016-14-2	■					P2RC	
414 Glyoxal	107-22-2						■	P3RC
415 Graphite, natural	7782-42-5						P2R	
<b>H</b>								
416 Hafnium and compounds, as Hf	7440-58-6						P2R	
417 Helium	7440-59-7						■	
418 Halotane (2-Bromo-2-chloro-1,1,1-trifluoroethane)	151-67-7						■	
419 Heptachlor	76-44-8						P3R	
420 n-Heptane	142-82-5	■						
421 2-Heptanone	110-43-0	■						
422 3-Heptanone	106-35-4	■						
423 4-Heptanone	123-19-3	■						
424 Hexachlorobenzene (HCB)	118-74-1						P3R	
425 Hexachlorocyclopentadiene	77-47-4	■						
426 Hexachloroethane	67-72-1	■					P3RC	
427 Hexamethylenediamine	124-09-4	■					P2RC	
428 Hexamethylene diisocyanate	822-06-0	■						
429 Hexamethylenetetramine	100-97-0						P2RC	
430 Hexamethylphosphoramide	680-31-9	■					P3RC	
431 n-Hexane	110-54-3	■						
432 n-Hexanol	111-27-3	■						
433 2-Hexanone	591-78-6	■						
434 1-Hexene	592-41-6						■	



SUBSTANCE	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		Gas Filter						
		A	K	A B E K	AX			
435 cis-2-Hexene	7688-21-3	■		■				
436 trans-2-Hexene	4050-45-7	■		■				
437 Hexylamine	111-26-2	■		■				
438 Hexylene glycol	107-41-5	■		■				
439 Hydrazine	302-01-2		■	■		P3RC		
440 Hydrazobenzene (1,2-Diphenylhydrazine)	122-66-7					P2R		
441 Hydrazoic acid	7782-79-8			■				
442 Hydrogenated terphenyls	61788-32-7	■						
443 Hydrogen bromide	10035-10-6			■				
444 Hydrogen chloride	7647-01-0			■				
445 Hydrogen cyanide	74-90-8			■				
446 Hydrogen fluoride, as F	7664-39-3			■				
447 Hydrogen peroxide	7722-84-1			■				
448 Hydrogen selenide	7783-07-5			■				
449 Hydrogen sulfide	7783-06-4			■				
450 Hydroxylamine	7803-49-8			■				
451 2-Hydroxypropyl acrylate	999-61-1	■		■				
<b>I</b>								
452 Indene	95-13-6	■		■				
453 Indium and compounds, as In	7440-74-6					P3R		
454 Inorganic fiber						P3R		
455 Iodine	7553-56-2	■		■		P3RC		
456 Iodoform	75-47-8	■		■		P2RC		
457 Iodomethane (Methyl iodide)	74-88-4				■			
458 Iron( ) chloride	7758-94-3					P2R		
459 Iron( ) chloride	7705-08-0					P2R		
460 Iron( ) oxide	1345-25-1					P2R		
461 Iron( ) oxide	1309-37-1					P2R		
462 Iron pentacarbonyl	13463-40-6	■		■				
463 Iron( ) sulfide	1317-37-9					P2R		
464 Iron( ) sulfide	12063-27-3					P2R		
465 Iron salts, soluble, as Fe						P2R		
466 Isoamyl acetate	123-92-2	■		■				
467 Isoamyl alcohol	123-51-3	■		■				
468 Isobutane	75-28-5				■			
469 Isobutanol (Isobutyl alcohol)	78-83-1	■		■				
470 Isobutyl acetate	110-19-0	■		■				
471 Isobutylamine	78-81-9	■		■				
472 Isobutylformate	542-55-2	■		■				
473 Isobutyraldehyde	78-84-2				■			
474 Isotlurane	26675-46-7				■	P2RC		
475 Isooctane (2,2,4-Trimethylpentane)	540-84-1	■		■				
476 Isophorone	78-59-1	■		■				
477 Isophorone diisocyanate	4098-71-9	■		■				
478 Isopropyl acetate	108-21-4	■		■				
479 Isopropylamine	75-31-0				■			
480 N-Isopropylaniline	768-52-5				■			
481 Isopropyl ether	108-20-3	■		■		P2RC		
482 Isopropyl nitrate	1712-64-7	■		■		P2RC		
483 Isopropyl oil		■		■		P2RC		
<b>J</b>								
484 Jet fuel		■		■		P2RC		
<b>K</b>								
485 Kerosene		■		■		P2RC		
<b>L</b>								
486 Lactic acid	50-21-5			■		P2RC		
487 Lead and inorganic compounds, as Pb	7439-92-1					P3R		
488 Lead alkyls	75-74-1 78-00-2	■		■		P3RC		
489 Lead( ) acetate trihydrate	6080-56-4					P2R		
490 Lead arsenate	3687-31-8					P3R		
491 Lead chromate	7758-97-6					P3R		
492 Linseed oil		■		■		P2RC		
493 Lindane (γ-Hexachlorocyclohexane)	58-89-9					P3RC		
494 Lithium hydride	7580-67-8					P3R		
495 Lithium hydroxide	1310-65-2					P2R		
<b>M</b>								
496 Magnesium chloride	7786-30-3					P2R		
497 Magnesium hydroxide	1309-42-8					P2R		
498 Magnesium oxide	1309-48-4					P2R		
499 Magnesium sulfate	7487-88-9					P2R		
500 Malathion	121-75-5	■		■		P2RC		
501 Maleic acid	110-16-7					P2R		
502 Maleic anhydride	108-31-6	■		■		P3RC		

Substance	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		Gas Filter						
		A	K	A B E K	AX			
503 Manganese and inorganic compounds, as Mn	7439-96-5						P2R	
504 Manganese, fume, as Mn	7439-96-5						P2R	
505 Manganese cyclopentadienyl tricarbonyl, as Mn	12079-65-1						P3R	
506 Manganese( ) oxide	1313-13-9						P2R	
507 2-Mercaptoethanol	60-24-2			■				
508 Mercury and compounds, as Hg	7439-97-6						■	
509 Mesityl oxide	141-79-7	■		■				
510 Methacrylic acid	79-41-4	■		■			P2RC	
511 Methacrylonitrile	126-98-7	■		■				
512 Methane	74-82-8						■	
513 Methanol (Methyl alcohol)	67-56-1				■			
514 Methomyl	16752-77-5						P3R	
515 Methoxychlor	72-43-5						P2R	
516 2-Methoxyethanol (EGME)	109-86-4	■		■				
517 2-Methoxyethyl acetate (EGMEA)	110-49-6	■		■				
518 1-Methoxy-2-propanol	107-98-2	■		■				
519 2-Methoxy-1-propanol	1589-47-5	■		■				
520 1-Methoxy-2-propanol acetate	108-65-6	■		■				
521 2-Methoxy-1-propanol acetate	70657-70-4	■		■				
522 Methyl acetate	79-20-9				■			
523 Methyl acrylate	96-33-3	■		■				
524 Methylamine	74-89-5		■	■				
525 N-Methylaniline	100-61-8	■		■				
526 2-Methylbutane	78-78-4				■			
527 Methyl-tert-butyl ether	1634-04-4				■			
528 Methyl chloroform (1,1,1-Trichloroethane)	71-55-6	■		■				
529 Methyl-2-cyanoacrylate	137-05-3			■				
530 Methylcyclohexane	108-87-2	■		■				
531 Methylcyclohexanol	25639-42-3	■		■				
532 2-Methylcyclohexanone	583-60-8	■		■				
533 Methyl demeton (Demeton-methyl)	8022-00-2	■		■			P3RC	
534 4,4'-Methylene-bis(2-chloroaniline) (MBOCA)	101-14-4						P3R	
535 4,4'-Methylene dianiline (4,4'-Diaminodiphenyl-methane)	101-77-9						P3R	
536 Methyl ethyl ketone peroxide	1338-23-4	■		■				
537 Methyl formate	107-31-3				■			
538 Methyl hydrazine	60-34-4			■				
539 Methyl isocyanate (5-Methyl-2-hexanone)	110-12-3	■		■				
540 Methyl isobutyl carbinol (4-Methyl-2-pentanol)	108-11-2	■		■				
541 Methyl isobutyl ketone (4-Methyl-2-pentanone)	108-10-1	■		■				
542 Methyl isocyanate	624-83-9				■			
543 Methyl mercaptan (Methanethiol)	74-93-1				■			
544 Methyl mercury	22967-92-6						■	
545 Methyl methacrylate	80-62-6	■		■				
546 Methyl parthion	298-00-0	■		■			P3RC	
547 2-Methylpentane	107-83-5				■			
548 3-Methylpentane	96-14-0				■			
549 4-Methylpent-3-en-2-on	141-79-7	■		■				
550 2-Methyl-2-propanol (tert-Butyl alcohol)	75-65-0	■		■			P2RC	
551 Methyl propyl ketone (2-Pentanone)	107-87-9	■		■				
552 2-Methyl-2-propanethiol	75-66-1				■			
553 Methyl propionate	554-12-1	■		■				
554 N-Methyl-2-pyrrolidone	872-50-4	■		■				
555 Methyl silicate	681-84-5	■		■				
556 α-Methyl styrene	98-83-9	■		■				
557 Mevinphos (Phosdrin®)	7786-34-7	■		■			P3RC	
558 Mineral wool fiber							P2R	
559 Molybdenum and compounds, as Mo	7439-98-7						P3R	
560 Monochloroacetic acid	79-11-8						P2R	
561 Morpholine	110-91-8	■		■				
562 Motor oils, used		■		■			P2RC	
563 Mustard gas (2,2'-Dichlorodiethyl sulfide)	505-60-2			■			P3RC	
<b>N</b>								
564 Naled (Dibrom)	300-76-5	■		■			P3RC	
565 Naphtha, Benzin	8030-30-6	■		■			P2RC	
566 Naphtha (petroleum), Hydrotreated heavy	64742-48-9	■		■			P2RC	
567 Naphthalene	91-20-3	■		■			P3RC	
568 1,5-Naphthalene diisocyanate (NDI)	3173-72-6						P2R	
569 α-Naphthylamine (1-Naphthylamine)	134-32-7						P2R	
570 β-Naphthylamine (2-Naphthylamine)	91-59-8						P3R	
571 Neon	7440-01-9						■	
572 Nickel	7440-02-0						P3R	
573 Nickel carbonate	3333-67-3						P3R	
574 Nickel chloride	7718-54-9						P3R	
575 Nickel oxide	1313-99-1						P3R	
576 Nickel sulfide	16812-54-7						P3R	
577 Nicotine	54-11-5	■		■				
578 Nitrapyrin (2-Chloro-6-(trichloromethyl)pyridine)	1929-82-4						P2R	
579 Nitric acid	7697-37-2			■				

# RESPIRATORY FILTER SELECTION CHART



5

PROFESSIONAL RANGE

SUBSTANCE	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
580 5-Nitroacenaphthene	602-87-9					P3R	
581 2-Nitro-4-aminophenol	119-34-6					P2R	
582 4-Nitroaniline	100-01-6					P2R	
583 Nitrobenzene	98-95-3	■		■		P3RC	
584 4-Nitrobiphenyl	92-93-3					P3R	
585 Nitroethane	79-24-3	■		■			
586 Nitrogen dioxide	10102-44-0			■			
587 Nitrogen monoxide	10102-43-9						■
588 Nitrogen trifluoride	7783-54-2						■
589 Nitroglycerin (Glycerol trinitrate)	55-63-0	■		■		P2RC	
590 Nitromethane	75-52-5	■		■			
591 1-Nitronaphthalene	86-57-7					P2R	
592 2-Nitronaphthalene	581-89-5					P2R	
593 5-Nitro-o-toluidine	99-55-8					P3R	
594 2-Nitro-1,4-phenylenediamine	5307-14-2					P2R	
595 1-Nitropropane	108-03-2	■		■			
596 2-Nitropropane	79-46-9	■		■			
597 1-Nitropyrene	5522-43-0					P3R	
598 2-Nitropyrene	789-07-1					P2R	
599 4-Nitropyrene	57835-92-4					P3R	
600 N-Nitrosodiethanolamine (NDELA)	1116-54-7					P3R	
601 N-Nitrosodethylamine (NDEA)	55-18-5	■		■		P3RC	
602 N-Nitrosodisopropylamine	601-77-4					P2R	
603 N-Nitrosodimethylamine	62-75-9	■		■		P2RC	
604 N-Nitrosodi-n-butylamine (DBN)	924-16-3	■		■		P3RC	
605 N-Nitrosodi-n-propylamine (NDPA)	621-64-7	■		■		P3RC	
606 N-Nitrosoethylethylamine	612-64-6					P2R	
607 N-Nitrosomethylethylamine	10595-95-6	■		■		P3RC	
608 N-Nitrosomethylphenylamine	614-00-6	■		■		P2RC	
609 N-Nitrosomorpholine (NMOR)	59-89-2	■		■		P3RC	
610 N-Nitrosopiperidine (NPIP)	100-75-4	■		■		P3RC	
611 N-Nitrosopyrrolidine (NPYR)	930-55-2	■		■		P3RC	
612 2-Nitrotoluene	88-72-2	■		■			
613 3-Nitrotoluene	99-08-1	■		■		P3RC	
614 4-Nitrotoluene	99-99-0					P2R	
615 Nonane	111-84-2	■		■			
<b>O</b>							
616 Oakwood dust						P3R	
617 Octachloronaphthalene	2234-13-1					P3R	
618 n-Octane	111-65-9	■		■			
619 1-Octanol	111-87-5	■		■			
620 1-Octene	111-66-0	■		■			
621 Oil mist, mineral	8012-95-1	■		■		P2RC	
622 Osmium tetroxide	20816-12-0			■		P3RC	
623 Oxalic acid	144-62-7					P2R	
624 4,4'-Oxydianiline	101-80-4					P3R	
625 Oxygen difluoride	7783-41-7						■
626 Ozone	10028-15-6						■
<b>P</b>							
627 Palmitic acid	57-10-3					P2R	
628 Paraffin wax fume	8002-74-2	■		■		P2RC	
629 Paraldehyde	123-63-7	■		■		P2RC	
630 Paraquat dichloride	1910-42-5					P3R	
631 Parathion	56-38-2	■		■		P3RC	
632 Pentaborane	19624-22-7						■
633 Pentachloroethane	76-01-7	■		■			
634 Pentachloronaphthalene	1321-64-8					P2R	
635 Pentachlorophenol	87-86-5					P3R	
636 Pentane	109-66-0						■
637 n-Pentanol	71-41-0	■		■			
638 Peracetic acid	79-21-0			■		P2RC	
639 Perchloromethyl mercaptan	594-42-3	■		■		P2RC	
640 Perchloryl fluoride	7616-94-6			■			
641 Permethrin	52645-53-1	■		■		P2RC	
642 Phenol	108-95-2	■		■		P2RC	
643 Phenolphthalein dissolved in ethanol	77-09-8	■		■		P3RC	
644 Phenyl acetate	122-79-2	■		■		P2RC	
645 p-Phenylenediamine	106-50-3					P3R	
646 Phenyl ether	101-84-8	■		■		P2RC	
647 Phenyl ether/biphenyl mixture	8004-13-5	■		■		P2RC	
648 Phenyl glycidyl ether (PGE)	122-60-1	■		■		P2RC	
649 Phenylhydrazine	100-60-3	■		■		P3RC	
650 Phenyl isocyanate	103-71-9			■			
651 Phenyl mercaptan	108-98-5			■		P2RC	
652 N-Phenyl-β-naphthylamine	135-88-6					P2R	
653 Phenylphosphine	638-21-1						■
654 Phorate	298-02-2	■		■			

Substance	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
655 Phosgene (Carbonyl chloride)	75-44-5			■			
656 Phosphine	7803-51-2						■
657 Phosphoric acid	7664-38-2			■		P2RC	
658 Phosphorous acid	13598-36-2					P2R	
659 Phosphorus, Yellow	12185-10-3			■		P3RC	
660 Phosphorus oxychloride	10025-87-3			■		P2RC	
661 Phosphorus pentachloride	10026-13-8			■		P2RC	
662 Phosphorus pentasulfide	1314-80-3			■		P2RC	
663 Phosphorus pentoxide	1314-56-3			■		P2RC	
664 Phthalic anhydride	85-44-9	■		■		P2RC	
665 Picloram	1918-02-1					P2R	
666 Picric acid	88-89-1					P3R	
667 Platinum, soluble salts, as Pt	7440-06-4					P2R	
668 Polychlorinated biphenyls (PCBs)	1336-36-3					P3R	
669 Polyvinyl chloride (PVC)	9002-86-2					P2R	
670 Portland cement	65997-15-1					P2R	
671 Potassium chloride	7447-40-7					P2R	
672 Potassium chromate	7789-00-6					P3R	
673 Potassium cyanide, as CN	151-50-8					P3R	
674 Potassium hydroxide	1310-58-3					P2R	
675 Potassium sulfate	7778-80-5					P2R	
676 1,3-Propane sultone	1120-71-4	■		■		P3RC	
677 2-Propanethiol	75-33-2						■
678 n-Propanol (n-Propyl alcohol)	71-23-8	■		■			
679 2-Propanol (Isopropyl alcohol)	67-63-0	■		■			
680 Propargyl alcohol	107-19-7	■		■			
681 β-Propiolactone	57-57-8	■		■			
682 Propionaldehyde (Propanal)	123-38-6						■
683 Propionic acid	79-09-4			■			
684 Propoxur	114-26-1						P3R
685 n-Propyl acetate	109-60-4	■		■			
686 Propylamine	107-10-8			■			
687 Propylene	115-07-1						■
688 Propylene glycol	57-55-6	■		■			
689 Propylene glycol dinitrate (PGDN)	6423-43-4	■		■			P2RC
690 Propylene oxide (1,2-Epoxypropane)	75-56-9						■
691 Propyleneimine	75-55-8	■		■			P3RC
692 Propyl formate	110-74-7	■		■			
693 n-Propyl mercaptan	107-03-9			■			
694 Pyrethrum	8003-34-7	■		■			P2RC
695 Pyridine	110-86-1	■		■			
<b>Q</b>							
696 Quinone (p-Benzoquinone)	106-51-4	■		■			P2RC
<b>R</b>							
697 Radium, elemental	7440-16-6						P2R
698 Rotenone, commercial	83-79-4	■		■			P2RC
<b>S</b>							
699 Salicylic acid	69-72-7						P2R
700 Sarin (GB)	107-44-8	■		■			P3RC
701 Selenium compounds, as Se	7782-49-2						P3R
702 Silica, amorphous, fused	60676-86-0						P2R
703 Silica, amorphous, silica fume	69012-64-2						P2R
704 Silica, crystalline, cristobalite	14464-46-1						P3R
705 Silica, crystalline, α-quartz	14808-60-7						P3R
706 Silicon carbide, fibrous dust	409-21-2						P3R
707 Silicon carbide, nonfibrous	409-21-2						P2R
708 Silver, metal	7440-22-4						P3R
709 Silver, soluble compounds, as Ag	7440-22-4						P3R
710 Soap solution							P2R
711 Sodium azide	26628-22-8						P2R
712 Sodium benzoate	532-32-1						P2R
713 Sodium bisulfite	7631-90-5						P2R
714 Sodium chlorate	7775-09-9						P2R
715 Sodium chloride	7647-14-5						P2R
716 Sodium chromate	7775-11-3						P2R
717 Sodium cyanide, as CN	143-33-9			■			P3RC
718 Sodium fluoroacetate	62-74-8			■			P3RC
719 Sodium hydrogen carbonate	144-55-8						P2R
720 Sodium hydroxide	1310-73-2						P2R
721 Sodium metabisulfite	7681-57-4						P2R
722 Sodium silicate	6834-92-0						P2R
723 Sodium sulfate	7757-82-6						P2R
724 Sodium thiosulfate	7772-98-7			■			P2RC
725 Soman (GD)	96-64-0	■		■			P3RC
726 Stearic acid	57-11-4						P2R
727 Stibine	7803-52-3						■

SUBSTANCE	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		A	K	A B E K	AX	Gas Filter		
728 Stoddard solvent	8052-41-3	■		■			P3RC	
729 Strontium chromate, as Cr	7789-06-2						P3R	
730 Strychnine	57-24-9						P3R	
731 Styrene, monomer	100-42-5	■		■				
732 Subtilisin	1395-21-7						P3R	
733 Sulfotep (TEDP)	3689-24-5			■			P3RC	
734 Sulfur dichloride	10545-99-0			■				
735 Sulfur dioxide	7446-09-5			■				
736 Sulfuric acid	7664-93-9			■			P3RC	
737 Sulfur pentafluoride	5714-22-7			■				
738 Sulfur tetrafluoride	7783-60-0							■
739 Sulfur trioxide	7446-11-9			■			P2RC	
740 Sulfuryl chloride	7791-25-5			■				
741 Sulfuryl difluoride	2699-79-8							■
<b>T</b>								
742 2,4,5-T (2,4,5-Trichlorophenoxy acetic acid)	93-76-5						P2R	
743 Tabun (GA)	77-81-6	■		■			P3RC	
744 Talc, containing no asbestos fibers	14807-96-6						P2R	
745 Tannic acid and tannins	1401-55-4						P2R	
746 Tantalum, metal	7440-25-7						P2R	
747 Tar fumes							P2R	
748 Tartaric acid	526-83-0						P2R	
749 Tellurium and compounds, as Te	13494-80-9						P3R	
750 Tellurium hexafluoride, as Te	7783-80-4							■
751 Turpentine oil		■		■				
752 Terphenyls	26140-60-3						P2R	
753 1,1,2,2-Tetrabromoethane	79-27-6	■		■				
754 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	1746-01-6						P3R	
755 1,1,1,2-Tetrachloro-2,2-difluoroethane (FC-112a)	76-11-9	■		■			P2RC	
756 1,1,2,2-Tetrachloro-1,2-difluoroethane (FC-112)	76-12-0	■		■			P2RC	
757 1,1,2,2-Tetrachloroethane	79-34-5	■		■				
758 Tetrachloroethylene (Perchloroethylene)	127-18-4	■		■				
759 Tetrachloronaphthalene	1335-88-2						P2R	
760 Tetraethyl lead	78-00-2	■		■				
761 Tetraethyl pyrophosphate (TEPP)	107-49-3	■		■			P3RC	
762 Tetraethyl silicate	78-10-4	■		■				
763 Tetrahydrofuran	109-99-9	■		■				
764 Tetrahydrothiophene (THT)	110-01-0			■				
765 1,2,4,5-Tetramethylbenzene	95-93-2						P2R	
766 Tetramethyl lead	75-74-1	■		■				
767 Tetramethyl succinonitrile	3333-52-6	■		■			P3RC	
768 Tetranitromethane	509-14-8			■			P3RC	
769 1,3,6,8-Tetranitropyrene	28767-61-5						P2R	
770 Tetrasodium pyrophosphate	7722-88-5						P2R	
771 Tetryl (N-Methyl-N,2,4,6-tetranitroaniline)	479-45-8						P2R	
772 Thallium and soluble compounds, as Tl	7440-28-0						P3R	
773 4,4'-Thiobis(6-tert-butyl-m-cresol)	96-69-5						P2R	
774 4,4'-Thiodianiline	139-65-1						P3R	
775 Thioglycolic acid	68-11-1			■				
776 Thionyl chloride	7719-09-7			■				
777 Thiourea	62-56-6						P2R	
778 Thiram	137-26-8						P3R	
779 Tin( ) chloride	7646-78-8			■				
780 Titanium dioxide	13463-67-7						P3R	
781 Toluene (Toluol)	108-88-3	■		■				
782 Toluene-2,4-diisocyanate	584-84-9	■		■			P3RC	
783 Toluene-2,6-diisocyanate	91-08-7	■		■			P3RC	
784 p-Toluidine	106-49-0	■		■			P3RC	
785 Tributyl phosphate	126-73-8	■		■				
786 Tri-n-butyltin benzoate	4342-36-3	■		■			P2RC	
787 Tri-n-butyltin chloride	1461-22-9			■				
788 Tri-n-butyltin fluoride	1983-10-9						P3R	
789 Tri-n-butyltin linoleate	24124-25-2	■		■			P2RC	
790 Tri-n-butyltin methacrylate	2155-70-6	■		■			P2RC	
791 Tri-n-butyltin naphthenate	85409-17-2	■		■				
792 Trichloroacetic acid	76-03-9						P3R	
793 1,2,4-Trichlorobenzene	120-82-1	■		■			P2RC	
794 2,3,4-Trichloro-1-butene	2431-50-7	■		■				
795 1,1,2-Trichloroethane	79-00-5	■		■				
796 Trichloroethylene	79-01-6	■		■				
797 Trichloronaphthalene	1321-65-9						P2R	
798 1,2,3-Trichloropropane	96-18-4	■		■				
799 Tricyclohexylin hydroxide	13121-70-5						P3R	
800 Tridymite	15468-32-3						P3R	
801 Triethanolamine	102-71-6	■		■			P2RC	
802 Triethylamine	121-44-8	■		■				
803 Triethylene tetramine	112-24-3	■		■				
804 Trimanganese tetroxide	1317-35-7						P2R	

Substance	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		A	K	A B E K	AX	Gas Filter		
805 Trimellitic anhydride	552-30-7						P3R	
806 Trimethylamine	75-50-3					■		
807 2,4,5-Trimethylaniline	137-17-7						P2R	
808 1,2,3-Trimethyl benzene	526-73-8	■		■				
809 1,2,4-Trimethyl benzene	95-63-6	■		■				
810 1,3,5-Trimethyl benzene (Mesitylene)	108-67-8	■		■				
811 2,4,4-Trimethyl-1-pentene	107-39-1	■		■				
812 Trimethyl phosphate	512-56-1	■		■				
813 Trimethyl phosphite	121-45-9	■		■				
814 2,4,7-Trinitrofluorenone	129-79-3	■		■			P2RC	
815 2,4,6-Trinitrotoluene (TNT)	118-96-7						P3R	
816 1,3,6-Trinitropyrene	75321-19-6						P2R	
817 Tri-o-tolyl phosphate	78-30-8	■		■				
818 Tri-p-tolyl phosphate	78-32-0						P2R	
819 Triphenyl amine	603-34-9						P2R	
820 Triphenyl phosphate	115-86-6	■		■			P2RC	
821 Tungsten and insoluble compounds, as W	7440-33-7						P2R	
822 Turpentine	8006-64-2	■		■				
<b>U</b>								
823 n-Undecane	1120-21-4	■		■				
824 Uranium, natural, soluble and insoluble compounds, as U	7440-61-1						P3R	
<b>V</b>								
825 Vanadium pentoxide, as V	1314-62-1						P3R	
826 Vinyl acetate	108-05-4	■		■				
827 Vinyl chloride (Chloroethylene)	75-01-4					■		
828 Vinyl toluene	25013-15-4	■		■				
829 VM P naphtha	8032-32-4	■		■				
830 VX (nerve agent)	50782-69-9	■		■			P3RC	
<b>W</b>								
831 Warfarin	81-81-2	■		■			P3RC	
832 Welding fumes							P3R	
833 White spirit		■		■				
834 Wood oil							P2R	
<b>X</b>								
835 o-Xylene	95-47-6	■		■				
836 m-Xylene	108-38-3	■		■				
837 p-Xylene	106-42-3	■		■			P2RC	
838 2,6-Xylenol (2,6-Dimethyl phenol)	576-26-1						P2R	
839 2,5-Xylenol (2,5-Dimethyl phenol)	95-87-4	■		■			P2RC	
840 2,4-Xylenol (2,4-Dimethyl phenol)	105-67-9						P2R	
841 2,3-Xylenol (2,3-Dimethyl phenol)	526-75-0						P2R	
842 3,4-Xylenol (3,4-Dimethyl phenol)	95-65-8	■		■			P2RC	
843 3,5-Xylenol (3,5-Dimethyl phenol)	108-68-9						P2R	
844 2,3-Xylydine	87-59-2	■		■			P3RC	
845 2,4-Xylydine	95-68-1	■		■			P2RC	
846 2,5-Xylydine	95-78-3	■		■			P2RC	
847 2,6-Xylydine	87-62-7	■		■			P3RC	
848 3,4-Xylydine	95-64-7	■		■			P3RC	
849 3,5-Xylydine	108-69-0	■		■			P3RC	
<b>Y</b>								
850 Yttrium and compounds, as Y	7440-65-5						P2R	
<b>Z</b>								
851 Zinc chloride, fume	7646-85-7						P2R	
852 Zinc chromates, as Cr	13530-65-9						P3R	
853 Zinc oxide, fume	1314-13-2						P2R	
854 Zinc sulfate	7733-02-0						P2R	
855 Zirconium compounds, as Zr	7440-67-7						P2R	
<b>A1 Cartridges</b>								
n Certified to ASNZ 1716								
n A1 Cartridges								





# Retractable Visor Helmet



• CRASH-BOX integrated shock absorption



• Faceshield completely integrated within helmet

The E-MAN helmet has been developed according to state of the art science of crumple zones in modern vehicle design. The helmet is also equipped with a fully retractable visor providing protection for the entire face. E-MAN is introducing the CRASH BOX especially designed for partial or total destruction depending on the impact intensity. By destroying the CRASH BOX a certain amount of the impact energy will be taken over by the helmet shell while the rest of the impact energy is being forwarded to the suspension and from there to the head of the user. The functionality of the CRASH BOX is comparable to the crumple zones on contemporary cars.



## E-MAN 4000 Retractable Clear Visor Helmet

### HEM569

CODE	STYLE	COLOUR	DESCRIPTION	QTY	QTY
HEM569	E-Man 4000	■	Helmet with Clear Visor	Each	10
HEM577	E-Man 4000		Clear visor 4000 only	Each	1

#### FEATURES & BENEFITS

- The visor protects the whole face and can be completely pushed up between the helmet shells if not used.
- Electric arc according to GS-ET29 Class 1 + 2 > 4000 Amps for 0,5 sec E-MAN 4000
- E-MAN 4000 Class 1 according to GS-ET 29 in combination with EN 166.
- State of the art crumple zones similar to modern day cars
- By compressing and destroying of the Crash Box, the E-MAN is capable to absorb far more impact energy than any single wall helmet and therefore provides additional protection to the user.
- Especially designed for partial or total destruction depending on the impact intensity
- E-MAN has been tested and certified according to EN 397 (Safety Helmets) and EN 50365 (Electricians Helmets). VDE approved.
- 6 point ratchet system harness
- Polycarbonate Visor delivers electric arc protection according to EN1668
- Red Dot Design Award Winner 2009



• Faceshield protects the face and chin



- The raised faceshield is protected by the double shell
- The E-MAN helmet series offers a variety of accessories and upgrades according to every user need and workplace condition: Ratchet system, 6 point textile suspension, helmet lights, chin straps (designed to fit the self releasing mounts on the E-MAN, all types of sweatbands etc.



**E-MAN 7000 Retractable Green IR Visor Helmet**

**HEM579**

CODE	STYLE	COLOUR	DESCRIPTION	QTY	QTY
HEM579	E-Man 7000	■	With Green IR Retractable Visor	Each	10
HEM578	E-Man 7000	■	Green IR replacement visor	Each	1
HEM575	E-Man7000		Nomex FR Balaclava	Each	1

**FEATURES & BENEFITS**

- First double wall helmet with Crashbox on the market.
- The visor protects the whole face and can be completely pushed up between the helmet shells if not used.
- E-MAN 7000 Class 2 according to GS-ET 29 in combination with EN 166.
- Electric arc according to GS-ET29 Class 1 + 2 > 7000 Amps for 0,5 sec E-MAN 7000







# keep cool and comfo

All our hard hats are available ventilated and unventilated - to keep you cool and comfortable in any weather, UV protected for added strength and longer life, made from top quality materials and certified to AS/NZS 1801:1997 standards. That's the Maxisafe difference.

Maxisafe's unique 'Rotating Six Point Ratchet Harness' ensures the hard hat stays on, Self-Adjusting itself through 60 degrees, staying on the wearers head when in awkward positions. Available in vented, unvented, long and short peak varieties as well as specific types suited to the mining, construction and forestry industries, along with an extensive range of replaceable parts and accessories, Maxisafe has your requirements covered.

**VENTILATION** Warm air rises. So ventilation holes need to be at the top of the helmet shell to expel hot air where it gathers and to draw in cool air from below, the Maxisafe design allows your head to breathe, especially when working outdoors in hot weather for optimum wearer comfort.

**UV PROTECTION** High quality (UV Resistant) ABS materials are free from material aging due to intensive UV light exposure (i.e. sunlight). Also provides extra impact and penetration protection against normal ABS materials.

9

- All materials are UV resistant

- Apply your company's logo, or a customer's company logo to the Maxisafe helmets. Various designs, locations and colours are available. Use the power of branding to reinforce and grow your company's image in the marketplace.



- Meets AS/NZS 1801 Type 2 standards

- Vented or unvented

- Large capacity raintrough

- Attachment slot fits most brands of earmuffs

- Unique 'rotating six point harness' with ratchet harness model



**POLYCARBONATE** Material used for high temperature requirements. (This material meets AS/NZS 1801 Type 2 standards).

**POLYPROPYLENE** This is a new generation material specially designed to meet the requirements of AS/NZS 1801 Type 1. This material has better UV resistance than ABS - up until now ABS was the most commonly known material used for hardhats and is not as highly UV rated as Polypropylene.



# Portable in any weather

## Vented Hard Hat with Ratchet Harness

### HVR580

CODE	STYLE	COLOUR	QTY	QTY
HVR580-B	Ratchet hard hat	Blue	Each	20
HVR580-FO	Ratchet hard hat	Flouro Orange	Each	20
HVR580-FY	Ratchet hard hat	Flouro Yellow	Each	20
HVR580-G	Ratchet hard hat	Green	Each	20
HVR580-PK	Ratchet hard hat	Pink	Each	20
HVR580-O	Ratchet hard hat	Orange	Each	20
HVR580-W	Ratchet hard hat	White	Each	20
HVR580-Y	Ratchet hard hat	Yellow	Each	20
HVR580-R	Ratchet hard hat	Red	Each	20
HRS557-N	Helmet Sweat Band		Each	20



HVR580-W



HVR580 Ratchet harness

#### FEATURES & BENEFITS

- Certified to AS/NZS 1801:1997 standards
- Ergonomically designed 6 point Ratchet Harness
- Vented with replaceable cotton sweatband for ultimate comfort
- Long Peak for added protection and an edge gutter to catch and deflect rain
- Available in white, blue, orange, yellow, green, red, flouro orange and flouro yellow



HVR580-B



HVR580-FO



HVR580-FY



HVR580-G



HVR580-PK



HVR580-O



HVR580-Y



HVR580-R



Vented Hard Hat with sliplock harness

HVS590

CODE	STYLE	COLOUR	QTY	QTY
HVS590-RB	Sliplock hard hat	Blue	Each	20
HVS590-RFO	Sliplock hard hat	Flouro Orange	Each	20
HVS590-RFY	Sliplock hard hat	Flouro Yellow	Each	20
HVS590-RG	Sliplock hard hat	Green	Each	20
HVS590-RO	Sliplock hard hat	Orange	Each	20
HVS590-RPK	Sliplock hard hat	Pink	Each	20
HVS590-RW	Sliplock hard hat	White	Each	20
HVS590-RY	Sliplock hard hat	Yellow	Each	20
HVS590-RR	Sliplock hard hat	Red	Each	20
HRS557-N	Helmet Sweat Band		Each	50

FEATURES & BENEFITS

- Certified to AS/NZS 1801:1997 standards
- Ergonomically designed 6 point harness. Unique Maxisafe Sliplock harness for added comfort
- Vented with replaceable cotton sweatband for ultimate comfort
- Long Peak for added protection and an edge gutter to catch and deflect rain
- Available in white, blue, orange, yellow, green, red, fluro orange and fluro yellow



HVS590-W Sliplock Harness

White Unvented hard hat

HUR581-W

CODE	STYLE	COLOUR	QTY	QTY
HUR581-W	Ratchet hard hat	White	Each	20
HUS591-W	Sliplock hard hat	White	Each	20
HRS557-N	Helmet Sweat Band		Each	50

FEATURES & BENEFITS

- Certified to AS/NZS 1801:1997 standards
- Ergonomically designed 6 point harness. Unique Maxisafe Ratchet harness for added comfort
- Unvented with replaceable cotton sweatband for ultimate comfort
- Long Peak for added protection and an edge gutter to catch and deflect rain



**Professional Forestry Kit with Muffs, Mesh Visor and Hard Hat**

**HFK429**

CODE	STYLE	COLOUR	QTY	QTY
HFK429	Forestry	Orange	Each	10

FEATURES & BENEFITS

- Helmet certified to AS/NZS 1801 : 1997
- Designed for use with chainsaws, trimmers and mowers
- Tight fit around earmuffs to protect from flying fragments
- Nylon mesh is softer than wire mesh
- Patented joint keeps visor up no matter what size and weight
- Joint needs no maintenance and can never rust
- Accommodates safety specs, goggles and respirators



**Maxisafe Forestry Kit with Mesh Visor and Muffs complete**

**HFK563**

CODE	STYLE	COLOUR	QTY	QTY
HFK563	Forestry	Orange	Each	10

FEATURES & BENEFITS

- Certified to EN1731:2006
- Complete Helmet, Muff and Clear Visor assembly
- Lightweight, easy to assemble Visor Holder with Clear Visor
- Visor fitted with EasyFit clips for quick and easy visor replacement

EN1731



**Hard Hat with Clear Visor and Earmuffs**

**HFK425**

CODE	STYLE	COLOUR	QTY	QTY
HFK425	Rockman	White	Each	10

FEATURES & BENEFITS

- Helmet certified to AS/NZS 1801 : 1997
- Complete Helmet, Muff and Clear Visor assembly
- Includes Class 5 Rockman 3017 Earmuff
- Lightweight, easy to assemble Visor Holder with Clear Visor
- Visor fitted with EasyFit clips for quick and easy visor replacement







**Bump Cap**

**HBC564-N**

CODE	STYLE	COLOUR	QTY	QTY
HBC564-N	Ventilated Bump Cap	Navy	1	10

FEATURES & BENEFITS

- Designed to protect your workforce against minor bumps to the head from low ceilings or hanging items
- Provides protection against small impacts and minor sharp objects
- Excellent ventilation
- CE Certified to EN812:1997
- They are not a substitute for safety helmets since they do not offer adequate protection against falling objects and heavier impacts



HBC564-N

**Hard Hat Brim with Neck Flap**

**HBS558**

CODE	STYLE	COLOUR	QTY	QTY
HBS558-G	Neck Flap	Green	Each	25
HBS558-N	Neck Flap	Navy	Each	25
HBS558-O	Neck Flap	Orange	Each	25
HBS558-W	Neck Flap	White	Each	25

FEATURES & BENEFITS

- Available in white, yellow, navy blue, green & orange
- Neck flap affords protects from the sun
- Durable cotton construction



HBS558-G



HBS558-W



HBS558-O



HBS558-N

**Maxisafe Visor Holder**

**EVH432**

CODE	COLOUR	QTY	QTY
EVH432	Holder only	Each	10
EVH432C	Replacement visor holder clip	Each	10

FEATURES & BENEFITS

- Lightweight Visor holder to suit ERC430, EBC459, EBG443, EBG444, EBF434.
- Fitted with QuickFit Locks
- Fits all major brands of helmets
- EVH432C Replacement visor holder clip



**Maxisafe Replacement Clear Visor**

**ERC430**

CODE	STYLE	COLOUR	QTY	QTY
ERC430	Clear	Visor only	Each	10

FEATURES & BENEFITS

- Anti-Fog visor fits EVH432 visor holder
- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Aluminium edge for extra protection



**Maxisafe Replacement Mesh Visor - to suit EVH432**

**EMV451**

CODE	STYLE	COLOUR	QTY	QTY
EMV451		Visor only	Each	10

FEATURES & BENEFITS

- Designed for use with Chainsaws, Trimmers, Mowers and Forestry use.
- Tight fit around earmuffs to fully protect from flying fragments
- Nylon Mesh visor, is softer and lighter the wire mesh
- Patented joints keeps visor up no matter what size or weight
- 'Maintenance free joint' means joint will never rust
- Accommodates safety specs, goggles and respirators.
- Can be used with or without earmuffs



**Calico Spray Hoods**

**HCH573**

CODE	STYLE	COLOUR	QTY	QTY
HCH573	One size fits all	Calico Spray Hoods	10	200

FEATURES & BENEFITS

- Very popular in sandblasting and painting industry
- Lightweight and comfortable hood
- Good sweat absorption



**Hard hat chin strap**

**HCS561**

CODE	STYLE	COLOUR	QTY	QTY
HCS561	Adjustable	Chin strap	Each	100

FEATURES & BENEFITS

- Adjustable hard hat chin strap
- Helps keep hard hat in place
- Comfortable elastic material and compatible with all Maxisafe helmets



**Helmet Sweat band**

**HRS557**

CODE	STYLE	COLOUR	QTY	QTY
HRS557	Cotton	Sweat band	5	50

FEATURES & BENEFITS

- Universal sweatband fits all helmets and browguards
- Replaceable for hygiene and comfort
- Packet of 5
- Extra thick for superior sweat absorption
- Velcro closure for use with a variety of helmets & faceshields



**Straw Sun Hat**

**HSH574**

CODE	STYLE	COLOUR	QTY	QTY
HSH574	Straw	Orange	1	25

FEATURES & BENEFITS

- Popular style
- Lightweight, durable design
- Hi-vis hat band
- Sweat band
- Adjustable chin cord





# safety

Hi-vis reflective safety vests for day use or day and night use. All vests comply to AS/NZS 4602. Quality velcro seals on both the day and day/night reflective tape and non reflective vests. Keep safe, be seen, be Maxisafe.



**Hi-vis Yellow Safety Vest - DAY/NIGHT USE**

**SVF603**

CODE	SIZE	COLOUR	QTY	QTY
SVF603-S	Small	Hi-vis	Each	50
SVF603-M	Medium	Hi-vis	Each	50
SVF603-L	Large	Hi-vis	Each	50
SVF603-XL	XLarge	Hi-vis	Each	50
SVF603-2XL	2XLarge	Hi-vis	Each	50
SVF603-3XL	3XLarge	Hi-vis	Each	50
SVF603-4XL	4XLarge	Hi-vis	Each	50
SVF603-5XL	5XLarge	Hi-vis	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602 – Day/Night Use
- With 'H' pattern Reflective tape – Class D/N
- Velcro closure



**Hi-vis Orange Safety Vest - DAY/NIGHT USE**

**SVF604**

CODE	SIZE	COLOUR	QTY	QTY
SVF604-S	Small	Hi-vis	Each	50
SVF604-M	Medium	Hi-vis	Each	50
SVF604-L	Large	Hi-vis	Each	50
SVF604-XL	XLarge	Hi-vis	Each	50
SVF604-2XL	2XLarge	Hi-vis	Each	50
SVF604-3XL	3XLarge	Hi-vis	Each	50
SVF604-4XL	4XLarge	Hi-vis	Each	50
SVF604-5XL	5XLarge	Hi-vis	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602 – Day/Night Use
- With 'H' pattern Reflective tape – Class D/N
- Velcro closure







**Vic Roads Safety Vest**

**SVR605**

CODE	SIZE	COLOUR	QTY	QTY
SVR605-M	Medium	Vic Roads	Each	50
SVR605-L	Large	Vic Roads	Each	50
SVR605-XL	XLarge	Vic Roads	Each	50
SVR605-2XL	2XLarge	Vic Roads	Each	50
SVR605-3XL	3XLarge	Vic Roads	Each	50
SVR605-4XL	4XLarge	Vic Roads	Each	50
SVR605-5XL	5XLarge	Vic Roads	Each	50
SVR605-6XL	6XLarge	Vic Roads	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602 – Vic Roads use
- Reflective yellow tape complies with 'Vic Roads' standards
- Zip closure



**Hi-vis Yellow Safety Vest - DAY USE**

**SVV601**

CODE	SIZE	COLOUR	QTY	QTY
SVV601-S	Small	Hi-vis	Each	50
SVV601-M	Medium	Hi-vis	Each	50
SVV601-L	Large	Hi-vis	Each	50
SVV601-XL	XLarge	Hi-vis	Each	50
SVV601-2XL	2XLarge	Hi-vis	Each	50
SVV601-3XL	3XLarge	Hi-vis	Each	50
SVV601-4XL	4XLarge	Hi-vis	Each	50
SVV601-5XL	5XLarge	Hi-vis	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602
- No reflective tape – suitable for day use
- Velcro closure



**Hi-vis Orange Safety Vest - DAY USE**

**SVV602**

CODE	SIZE	COLOUR	QTY	QTY
SVV602-S	Small	Hi-vis	Each	50
SVV602-M	Medium	Hi-vis	Each	50
SVV602-L	Large	Hi-vis	Each	50
SVV602-XL	XLarge	Hi-vis	Each	50
SVV602-2XL	2XLarge	Hi-vis	Each	50
SVV602-3XL	3XLarge	Hi-vis	Each	50
SVV602-4XL	4XLarge	Hi-vis	Each	50
SVV602-5XL	5XLarge	Hi-vis	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602
- No reflective tape – suitable for day use
- Velcro closure



**Yellow Navy Short Sleeve Polo Shirt**

**CPY966**

CODE	SIZE	COLOUR	QTY	QTY
CPY966-S	Small	Yellow	1	50
CPY966-M	Medium	Yellow	1	50
CPY966-L	Large	Yellow	1	50
CPY966-XL	XLarge	Yellow	1	50
CPY966-2XL	2XLarge	Yellow	1	50
CPY966-3XL	3XLarge	Yellow	1	50

FEATURES & BENEFITS

- Comply with AS/NZS 4602.1.21011 and AS/NZS 1906.4:2010 class D
- Suitable for day use only
- 100% polyester breathable mesh fabric
- Chest pocket with pen division



**Orange Navy Short Sleeve Polo Shirt**

**CPO967**

CODE	SIZE	COLOUR	QTY	QTY
CPO967-S	Small	Orange	1	50
CPO967-M	Medium	Orange	1	50
CPO967-L	Large	Orange	1	50
CPO967-XL	XLarge	Orange	1	50
CPO967-2XL	2XLarge	Orange	1	50
CPO967-3XL	3XLarge	Orange	1	50

FEATURES & BENEFITS

- Comply with AS/NZS 4602.1.21011 and AS/NZS 1906.4:2010 class D
- Suitable for day use only
- 100% polyester breathable mesh fabric
- Chest pocket with pen division









**Navy PVC Rainsuit**

**CPR623**

CODE	SIZE	COLOUR	QTY	QTY
CPR623-S	Small	Navy	1	50
CPR623-M	Medium	Navy	1	50
CPR623-L	Large	Navy	1	50
CPR623-XL	XLarge	Navy	1	50
CPR623-2XL	2XLarge	Navy	1	50
CPR623-3XL	3XLarge	Navy	1	50

FEATURES & BENEFITS

- Hi-Vis PVC / Polyester fabric
- Hood with drawstrings and neck storage
- Elastic waist on pants
- Two large pockets



**Yellow PVC Rainsuit**

**CPR625**

CODE	SIZE	COLOUR	QTY	QTY
CPR625-S	Small	Yellow	1	50
CPR625-M	Medium	Yellow	1	50
CPR625-L	Large	Yellow	1	50
CPR625-XL	XLarge	Yellow	1	50
CPR625-2XL	2XLarge	Yellow	1	50
CPR625-3XL	3XLarge	Yellow	1	50

FEATURES & BENEFITS

- Hi-Vis PVC / Polyester fabric
- Hood with drawstrings and neck storage
- Elastic waist on pants
- Two large pockets



**Orange PVC Rainsuit**

**CPR626**

CODE	SIZE	COLOUR	QTY	QTY
CPR626-S	Small	Orange	1	50
CPR626-M	Medium	Orange	1	50
CPR626-L	Large	Orange	1	50
CPR626-XL	XLarge	Orange	1	50
CPR626-2XL	2XLarge	Orange	1	50
CPR626-3XL	3XLarge	Orange	1	50

FEATURES & BENEFITS

- Hi-Vis PVC / Polyester fabric
- Hood with drawstrings and neck storage
- Elastic waist on pants
- Two large pockets





# coveralls

The Maxisafe range of coveralls are designed to protect workers from a range of hazardous substances, products and processes. They are typically used in situations where cleanliness and hygiene are critical for protection from fine particles, liquid splashes or fine spray providing a physical, throw away barrier that is cost effective and doesn't require decontamination. Maxisafe coveralls meet the applicable European Standards for Chemical Protective Clothing, Category III.



**TYPE 4** Spray-tight clothing. Barrier to saturation and spray of liquids (EN14605 and 468).



**TYPE 5** Particle-tight clothing. Barrier to hazardous airborne particulate materials and dust (EN 13982-1).



**TYPE 6** Limited splash-tight clothing. Barrier to limited splash and liquid spray (EN 13034).



**EN 1149.5** Anti-static. Anti-statically treated and offering electrostatic protection according to EN 1149-1.



## 'Koolguard' Laminated Disposable Coveralls - White

### COT619

CODE	SIZE	COLOUR	QTY	QTY
COT619-M	Medium	White	1	25
COT619-L	Large	White	1	25
COT619-XL	XLarge	White	1	25
COT619-2XL	2XLarge	White	1	25
COT619-3XL	3XLarge	White	1	25
COT619-4XL	4XLarge	White	1	25
COT619-5XL	5XLarge	White	1	25



#### FEATURES & BENEFITS

- Two layer, microporous laminated fabric
- Provides a fluid and particulate barrier
- Water vapour permeable and water repellent
- Two way zipper and lint free
- Tough, durable fabric
- Outstanding comfort, breathability and softness
- Anti-static protection according to EN 1149-1
- White colour

# coveralls



**Chemguard' SMS Disposable Coveralls - Blue**

**COC620**

CODE	SIZE	COLOUR	QTY	QTY
COC620-S	Small	Blue	1	25
COC620-M	Medium	Blue	1	25
COC620-L	Large	Blue	1	25
COC620-XL	XLarge	Blue	1	25
COC620-2XL	2XLarge	Blue	1	25
COC620-3XL	3XLarge	Blue	1	25
COC620-4XL	4XLarge	Blue	1	25
COC620-5XL	5XLarge	Blue	1	25



FEATURES & BENEFITS

- SMS Polyolefin non-woven fabric
- Type 5 and Type 6 protection
- Water vapour permeable and water repellent
- Strong, lightweight and durable construction
- Outstanding comfort, breathability and softness
- Two way zipper and lint free
- Lightweight and tear resistant
- Blue colour



**Chemguard' SMS Disposable Coveralls - White**

**COC621**

CODE	SIZE	COLOUR	QTY	QTY
COC621-S	Small	White	1	25
COC621-M	Medium	White	1	25
COC621-L	Large	White	1	25
COC621-XL	XLarge	White	1	25
COC621-2XL	2XLarge	White	1	25
COC621-3XL	3XLarge	White	1	25
COC621-4XL	4XLarge	White	1	25
COC621-5XL	5XLarge	White	1	25



FEATURES & BENEFITS

- SMS Polyolefin non-woven fabric
- Type 5 and Type 6 protection
- Water vapour permeable and water repellent
- Strong, lightweight and durable construction
- Outstanding comfort, breathability and softness
- Two way zipper and lint free
- Lightweight and tear resistant
- White colour



**Chemguard SMS Disposable Coverall**

**COC624**

CODE	SIZE	COLOUR	QTY	QTY
COC624-L	Large	Orange	1	25
COC624-XL	XLarge	Orange	1	25
COC624-2XL	2XLarge	Orange	1	25
COC624-3XL	3XLarge	Orange	1	25
COC624-4XL	4XLarge	Orange	1	25



FEATURES & BENEFITS

- SMS Polyolefin non-woven fabric
- Type 5 and 6 protection
- Water repellent
- Strong, lightweight and durable construction
- Outstanding comfort, breathability and softness
- Two-way zipper and lint free
- Lightweight and tear resistant
- Orange colour



**Blue Polypropylene Disposable Coveralls**

**CPB615**

CODE	SIZE	COLOUR	QTY	QTY
CPB615-S	Small	Blue	1	50
CPB615-M	Medium	Blue	1	50
CPB615-L	Large	Blue	1	50
CPB615-XL	XLarge	Blue	1	50
CPB615-2XL	2XLarge	Blue	1	50
CPB615-3XL	3XLarge	Blue	1	50
CPB615-4XL	4XLarge	Blue	1	50
CPB615-5XL	5XLarge	Blue	1	50

FEATURES & BENEFITS

- Lightweight, breathable fabric
- Low cost protection for dirty environments
- White or blue colour
- Two way zipper
- Elasticised wrist, ankles, hood and waist
- Washable (30°C)



**White Polypropylene Disposable Coveralls**

**CPW615**

CODE	SIZE	COLOUR	QTY	QTY
CPW615-S	Small	White	1	50
CPW615-M	Medium	White	1	50
CPW615-L	Large	White	1	50
CPW615-XL	XLarge	White	1	50
CPW615-2XL	2XLarge	White	1	50
CPW615-3XL	4XLarge	White	1	50
CPW615-4XL	4XLarge	White	1	50
CPW615-5XL	5XLarge	White	1	50

FEATURES & BENEFITS

- Lightweight, breathable fabric
- Low cost protection for dirty environments
- White or blue colour
- Two way zipper
- Elasticised wrist, ankles, hood and waist
- Washable (30°C)



**Orange Polypropylene Disposable Coverall**

**CPO615**

CODE	SIZE	COLOUR	QTY	QTY
CPO615-M	Medium	Orange	1	50
CPO615-L	Large	Orange	1	50
CPO615-XL	XLarge	Orange	1	50
CPO615-2XL	2XLarge	Orange	1	50
CPO615-3XL	3XLarge	Orange	1	50

FEATURES & BENEFITS

- Lightweight, breathable fabric
- Low cost protection for dirty environments
- Two-way zipper
- Elasticised wrist, ankles, hood and waist
- Washable (30°C)






**Chembarrier Disposable Coverall**

**COB609**

CODE	SIZE	COLOUR	QTY	QTY
COB609-M	Medium	Yellow	1	50
COB609-L	Large	Yellow	1	50
COB609-XL	XLarge	Yellow	1	50
COB609-2XL	2XLarge	Yellow	1	50
COB609-3XL	4XLarge	Yellow	1	50



FEATURES & BENEFITS

- High performance, composite, laminated fabric
- Light weight yet durable
- Strong, ultrasonically welded seams
- Double, covered two-way zippers
- Elasticised wrist, ankles, hood and waist

RECOMMENDED USES

- Chemical Cleanup
- Medical First Response
- Tank Cleaning for Hazardous Substances
- Chemical Handling & Transportation
- Oil Handling & Oil Based Mud Protection
- Decontamination
- Disease & Disaster Management
- Overhead Pesticide Spraying
- Petrochemical Plants
- Hazardous Paint Stripping
- Sewage Purification Installations



**PVC Apron 980 x 1200mm**

**CPA629**

CODE	SIZE	COLOUR	QTY	QTY
CPA629	Std	Blue	1	20
CPA630	Std	White	1	20

FEATURES & BENEFITS

- Heavy duty re-inforced PVC - Blue or White
- Popular in fishing and brick cutting industries
- Extremely tough



# Arcguard

## welding apparel



6

Arcguard® FR Pyrovatex® premium welding apparel boasts 100% flame resistance and is lightweight and cool to wear





**Hi-Vis Fire Retardent 350GSM Welding Jacket**

**WHJ932**

CODE	SIZE	QTY	QTY
WHJ932/M	Medium	1	5
WHJ932/L	Large	1	5
WHJ932/XL	Extra Large	1	5
WHJ932/2XL	2 XLarge	1	5
WHJ932/3XL	3 XLarge	1	5
WHJ932/4XL	4 XLarge	1	5
WHJ932/5XL	5 XLarge	1	5

FEATURES & BENEFITS

- Premium 350gsm Pyrovatex® treated cotton drill for enhanced breathability
- Arcguard Pyrovatex® welding apparel is 100% flame resistant
- Rear opening flap suits safety harness
- Non-conductive fasteners
- FR reflective trim offers night time hi-vis protection
- Kevlar stitched with chrome leather sleeves
- Extended collar to protect neck
- Heavy duty zip closure with velcro flap and buttons for extra durability
- Ideal for medium duty welding applications
- Lightweight and cool
- Sold and packaged individually

**Arcguard® FR Pyrovatex® Welding Jackets**

**WFJ931**

CODE	SIZE	QTY	QTY
WFJ931/M	Medium	1	5
WFJ931/L	Large	1	5
WFJ931/XL	Extra Large	1	5
WFJ931/XXL	2 XLarge	1	5
WFJ931/3XL	3 XLarge	1	5
WFJ931/4XL	4 XLarge	1	5

FEATURES & BENEFITS

- 350GSM Pyrovatex® treated cotton drill material for enhanced breathability
- Arcguard® welding apparel is 100% flame resistant
- Kevlar stitched seams with premium split chrome leather
- Extended back for extra protection
- Off-set Velcro closure for extra durability
- Ideal for medium duty welding applications
- Lightweight and cool to wear
- Sold and packaged individually





# welding



**Arcguard®  
Leather Welding Blankets**

<b>WBL186</b>			
CODE	SIZE	QTY	QTY
WBL186-1.8	1.8m x 1.8m	1	5
WBL186-1.8E	1.8m x 1.8m with eyelets	1	5
WBL186-3	3.0m x 3.0m	1	5

- FEATURES & BENEFITS
- Heavy Duty split leather construction for added durability
  - 100% Kevlar Stitching for resistance to heat, cuts and abrasion
  - Continuous working temperature of 80°C
  - Packaged in reusable bags
  - Available with Eyelets around the edge

**Arcguard®  
Welding Cap**

<b>WAL180</b>			
CODE	SIZE	QTY	QTY
WAL180	Welders cap only	1	50
WCL180/F	Welders cap with flap	1	20

- FEATURES & BENEFITS
- Heavy Duty split leather construction for added durability
  - With neck flap to protect neck from splatter and dross



# apparel

**Arcguard**



**Arcguard®  
Welder's Apron**

CODE	SIZE	QTY	QTY
WAL182	60cm x 90cm	1	10
WAL183	80cm x 100cm	1	10

FEATURES & BENEFITS

- Manufactured from soft split leather
- Adjustable neck and waist straps
- Continuous working temperature of 80°C
- Reinforced Seams for strength

**Arcguard**



**Arcguard®  
Seatless Welding Pants**

CODE	SIZE	QTY	QTY
WBL187	Available in Large & XLarge	1	20

FEATURES & BENEFITS

- Heavy Duty split leather construction for added durability
- Seatless with full front, waist and buckle
- Comfortable fit over normal work clothes
- Heavy duty protection from dross and spatter

**Arcguard**



**Welders  
Leather Spats**

CODE	SIZE	QTY	QTY
WSP185	One size fits all	1	20

FEATURES & BENEFITS

- Chrome leather with hook and loop fastening for quick and easy fitting and removal
- Protects footwear from welding spatter





# knee pads

Maxisafe have developed a series of knee pads for every job where you need to be on your knees. Give your knees the comfort and quality they deserve and choose from any of our range. Be clever, be comfortable, be Maxisafe.



### Premium Gel Knee Pad

#### KPE680

CODE	DESCRIPTION	PAIR	PAIRS
KPE680	Heavy Duty	1	20

#### FEATURES & BENEFITS

- Constructed of heavy-duty 600D polyester fabric
- Super-thick, ½' high density, closed-cell foam provides all-day comfort
- Anti-compression air injected gel
- Large, low-profile cap designed to prevent 'roll-over' onto hard surfaces
- Foam core gives maximum cushioning
- Comfortable elastic straps with Velcro fasteners

### Comifimax Knee Pad

#### KPS683

CODE	DESCRIPTION	PAIR	PAIRS
KPS683	Super Strong	1	20

#### FEATURES & BENEFITS

- Anti-compression comfort pad
- Super strong 1680D polyester fabric
- Foam core gives maximum cushioning
- Elastic straps with Velcro fastening for rapid fit
- Non-marking design for smooth surfaces

be clever,



# and back support



## BACK SUPPORT

### BBS701

CODE	DESCRIPTION	PAIR	PAIRS
BBS701-S	Small 86cm	1	24
BBS701-M	Medium 93cm	1	24
BBS701-L	Large 100cm	1	24
BBS701-XL	XLarge 107cm	1	24
BBS701-2XL	2XLarge 113cm	1	24
BBS701-3XL	3XLarge 120cm	1	24

#### FEATURES & BENEFITS

- Helps relieve lower back pain by reducing strain
- Protects the key part of your waist and supports weight loss
- Supports correct posture and keeps spine aligned and upright
- High-elasticity, fully adjustable, double compression design supports waist
- Vented, breathable neoprene panel reduces sweating
- Suits men and women

#### RECOMMENDED USE

- Warehouse stock picking
- Lifting and bending
- Furniture removal
- Manual labour
- Agriculture

# be comfortable





# Gumboots

Stimela® has become the benchmark by which premium gumboots are judged. However, we are not complacent! Continually rolling out new products and refining our designs through customer feedback, we're fulfilling our mission to provide you the safest, most comfortable gumboot you've ever worn!

As proof of our commitment, in 2007 our Stimela® boots won a DISA Award, for their technologically innovative comfort and safety design features.

It's all part of ... going the extra distance!




**Visual safety**  
Patented hi-vis ankle cap




**Achilles tendon protection**  
Heel area of boot is reinforced for extra protection of this common and painful injury area



**Sole safety**  
Extra deep tread lugs and patterning design to provide excellent grip on all terrain, from rocky and steep inclines to wet and muddy conditions or slippery floors.



**Side impact technology**  
Ankle pad is thicker and harder than the surrounding boot to stabilise, protect and support ankle bone.



**Lower calf area**  
Eliminates impaired blood circulation when seated



**Accentuated toe-spring**  
Accentuated toe and heel-spring for easy walking



SHOVA®



SHOVA®



**Shova White Gumboot**

**FWG905**

CODE	SIZE	COLOUR	PAIR	PAIRS
FWG905-5	5	<input type="checkbox"/> White	1	25
FWG905-6	6	<input type="checkbox"/> White	1	25
FWG905-7	7	<input type="checkbox"/> White	1	25
FWG905-8	8	<input type="checkbox"/> White	1	25
FWG905-9	9	<input type="checkbox"/> White	1	25
FWG905-10	10	<input type="checkbox"/> White	1	25
FWG905-11	11	<input type="checkbox"/> White	1	25
FWG905-12	12	<input type="checkbox"/> White	1	25
FWG905-13	13	<input type="checkbox"/> White	1	25



FEATURES & BENEFITS

- General purpose use in agriculture and food processing.
- Manufactured under SABS approved quality management system.
- 100% polyester single jersey sock lining.
- Blood & fat / Oil & acid resistant.
- 25 part nitrile content.
- Average weight : 2kg.

**Shova Black Gumboot**

**FWG906**

CODE	SIZE	COLOUR	PAIR	PAIRS
FWG906-5	5	<input checked="" type="checkbox"/> Black	1	25
FWG906-6	6	<input checked="" type="checkbox"/> Black	1	25
FWG907-7	7	<input checked="" type="checkbox"/> Black	1	25
FWG906-8	8	<input checked="" type="checkbox"/> Black	1	25
FWG906-9	9	<input checked="" type="checkbox"/> Black	1	25
FWG906-10	10	<input checked="" type="checkbox"/> Black	1	25
FWG906-11	11	<input checked="" type="checkbox"/> Black	1	25
FWG906-12	12	<input checked="" type="checkbox"/> Black	1	25
FWG906-13	13	<input checked="" type="checkbox"/> Black	1	25



FEATURES & BENEFITS

- General purpose use in agriculture and food processing.
- Manufactured under SABS approved quality management system.
- 100% polyester single jersey sock lining.
- Made from virgin PVC, SANS certified.
- 25 part nitrile content
- Average weight : 2kg.





**stimela**



**Stimela Executive**

**SAFETY TOECAP**

**FWG901**

CODE	SIZE	COLOUR	PAIR	PAIRS
FWG901-5	5	<input type="checkbox"/> White	1	25
FWG901-6	6	<input type="checkbox"/> White	1	25
FWG901-7	7	<input type="checkbox"/> White	1	25
FWG901-8	8	<input type="checkbox"/> White	1	25
FWG901-9	9	<input type="checkbox"/> White	1	25
FWG901-10	10	<input type="checkbox"/> White	1	25
FWG901-11	11	<input type="checkbox"/> White	1	25
FWG901-12	12	<input type="checkbox"/> White	1	25
FWG901-13	13	<input type="checkbox"/> White	1	25



FEATURES & BENEFITS

- Heavy duty agriculture and food industry.
- Safety toecap.
- Acid, oil and fat resistant sole.
- Meets and exceeds AS/NZS 2210.3 type 2.
- Deep and wide tread pattern for improved grip and quick mud release.

**stimela**



**Stimela Foreman**

**SAFETY TOECAP**

**FWG902**

CODE	SIZE	COLOUR	PAIR	PAIRS
FWG902-4	4	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-5	5	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-6	6	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-7	7	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-8	8	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-9	9	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-10	10	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-11	11	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-12	12	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25
FWG902-13	13	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Black/Yellow	1	25



FEATURES & BENEFITS

- Heavy duty construction/general purpose boot.
- Safety toecap.
- Popular in concreting industry.
- Meets and exceeds AS/NZS 2210.3 type 2.

stimela



**Stimela Superintendant**

SAFETY TOECAP MIDSOLE

**FWG903**

CODE	SIZE	COLOUR	PAIR	PAIRS
FWG903-6	6	Black	1	25
FWG903-7	7	Black	1	25
FWG903-8	8	Black	1	25
FWG903-9	9	Black	1	25
FWG903-10	10	Black	1	25
FWG903-11	11	Black	1	25
FWG903-12	12	Black	1	25
FWG903-13	13	Black	1	25



FEATURES & BENEFITS

- Ultimate heavy duty boot.
- Safety toecap.
- Includes steel midsole.
- Meets and exceeds AS/NZS 2210.3 type 2.
- Popular in mining and building site applications.

stimela



**Stimela Commander**

SAFETY TOECAP MIDSOLE

**FWG907**

CODE	SIZE	COLOUR	PAIR	PAIRS
FFWG907-5	5	Orange	1	25
FWG907-6	6	Orange	1	25
FWG907-7	7	Orange	1	25
FWG907-8	8	Orange	1	25
FWG907-9	9	Orange	1	25
FWG907-10	10	Orange	1	25
FWG907-11	11	Orange	1	25
FWG907-12	12	Orange	1	25
FWG907-13	13	Orange	1	25



FEATURES & BENEFITS

- Introducing the ultimate boot in high vis safety - a first for Australia.
- Safety toecap.
- Perfect product for minesites, construction sites, oil rigs - in fact, anywhere where safety and visibility are important!
- Antistatic boot - ideal for oil rigs and other sensitive environments..
- Meets and exceeds AS/NZS 2210.3 Type 2.
- Acid and oil resistant sole.
- Also available with steel midsole.

stimela



**Stimela Foreman**

SAFETY TOECAP

**FWG904**

CODE	SIZE	COLOUR	PAIR	PAIRS
FWG904-4	4	Green/Black	1	25
FWG904-5	5	Black/Yellow	1	25
FWG904-6	6	Black/Yellow	1	25
FWG904-7	7	Black/Yellow	1	25
FWG904-8	8	Black/Yellow	1	25
FWG904-9	9	Black/Yellow	1	25
FWG904-10	10	Black/Yellow	1	25
FWG904-11	11	Black/Yellow	1	25
FWG904-12	12	Black/Yellow	1	25
FWG904-13	13	Black/Yellow	1	25

FEATURES & BENEFITS

- Heavy duty construction/general purpose boot.
- Safety toecap.
- Popular in concreting industry.
- Meets and exceeds AS/NZS 2210.3 type 2.



StimelaXP



StimelaXP Metal Free Full Protection Gumboots

SAFETY TOECAP MIDSOLE

FWG910

CODE	SIZE	COLOUR	PAIR	PAIRS
FWG910-5	5	Black/Grey	1	5
FWG910-6	6	Black/Grey	1	5
FWG910-7	7	Black/Grey	1	5
FWG910-8	8	Black/Grey	1	5
FWG910-9	9	Black/Grey	1	5
FWG910-10	10	Black/Grey	1	5
FWG910-11	11	Black/Grey	1	5
FWG910-12	12	Black/Grey	1	5
FWG910-13	13	Black/Grey	1	5



FEATURES & BENEFITS

- A full metal free heavy-duty knee length PVC gumboot with safety toe protection offering an optional anti penetration ballistic textile midsole and fully integrated metatarsal protector. This boot offers hard wearing, excellent grip and sole support.
- Fully tested and certified to AS/NZS 2210.3
- Composite Toe Cap + Textile Mid Sole + Integrated Metatarsal Protection.
- Made in South Africa.
- Lightweight - only weighs 2.4kg!
- 100% polyester single jersey sock lining
- Ankle protection pad
- Fully integrated Metatarsal protection
- Manufactured under Neptune Boot quality management system as required by SABS.
- Permit No 2499/3864.
- EN20345:2011, SANS 20345:2014
- Full-length boots are manufactured and cut down to make work boot.
- Available in various colours.

RECOMMENDED USE

- Mining
- Forestry
- Food processing
- Agricultural Industries





**Thunder Safety Toe  
PU Gumboot**



**FWS804**



CODE	SIZE	COLOUR	PAIR	PAIRS
FWS804-03	3	Black	1	5
FWS804-04	4	Black	1	5
FWS804-05	5	Black	1	5
FWS804-06	6	Black	1	5
FWS804-07	7	Black	1	5
FWS804-08	8	Black	1	5
FWS804-09	9	Black	1	5
FWS804-10	10	Black	1	5
FWS804-11	11	Black	1	5
FWS804-12	12	Black	1	5
FWS804-13	13	Black	1	5
FWS804-14	14	Black	1	5

FEATURES & BENEFITS

- Lightweight - approx. 30% lighter than PVC!
- Comfortable - with high quality inner-soles.
- Durable - proven to last longer on concrete floors - soles will not go hard, brittle and crack!
- Breathable - amazingly cool.
- Excellent thermal insulation - warmer in the cold BUT cooler in the heat!
- High resistance to abrasion, chemicals and temperature.
- High resistance to hydrolysis and bacterial proliferation.
- High antistatic features.
- Composite safety toecap to EN20345 (200 joules)
- Kevlar midsole for underfoot protection
- Available in sizes 3 to 14.
- Comply with AS/NZS 2210.3

RECOMMENDED USE

- Concreting
- Construction
- Agricultural Applications

**Lightning White  
PU Gumboot**



**FWS805**



CODE	SIZE	COLOUR	PAIR	PAIRS
FWS805-03	3	White	1	5
FWS805-04	4	White	1	5
FWS805-05	5	White	1	5
FWS805-06	6	White	1	5
FWS805-07	7	White	1	5
FWS805-08	8	White	1	5
FWS805-09	9	White	1	5
FWS805-10	10	White	1	5
FWS805-11	11	White	1	5
FWS805-12	12	White	1	5
FWS805-13	13	White	1	5
FWS805-14	14	White	1	5

FEATURES & BENEFITS

- Lightweight - approx. 30% lighter than PVC!
- Comfortable - with high quality inner-soles.
- Durable - proven to last longer on concrete floors - soles will not go hard, brittle and crack!
- Breathable - amazingly cool.
- Excellent thermal insulation - warmer in the cold BUT cooler in the heat!
- High resistance to abrasion, chemicals and temperature.
- High resistance to hydrolysis and bacterial proliferation.
- High antistatic features.
- Composite safety toecap to EN20345 (200 joules)
- Kevlar midsole for underfoot protection
- Available in sizes 3 to 14.
- Comply with AS/NZS 2210.3

RECOMMENDED USE

- Concreting
- Construction
- Agricultural Applications

**Maxisafe  
Inner Soles**

**FWG100**



CODE	SIZE	COLOUR	PAIR	PAIRS
FWG100-4	4		1	25
FWG100-5	5		1	25
FWG100-6	6		1	25
FWG100-7	7		1	25
FWG100-8	8		1	25
FWG100-9	9		1	25
FWG100-10	10		1	25
FWG100-11	11		1	25
FWG100-12	12		1	25
FWG100-13	13		1	25
FWG100-14	14		1	25

FEATURES & BENEFITS

- EVA foam footbed
- Poron heel and ball insert for excellent energy absorption
- Cushioned arch supports
- Correctly sized – don't require cutting down
- Fit both the Shova and Stimela boot ranges
- Available in sizes 4 - 14



**NO TITANIUM DIOXIDE OR ZINC OXIDE**

The Auscreen range of sunscreen products is Australian made for tough working conditions. Formulated to provide very high protection, Auscreen is a premium sunscreen which maintains a high SPF50+ for up to 4 hours of water immersion. With Vitamin E for increased skin care the lotion can be used all over the body including the face.

FEATURES & BENEFITS

- High quality lip balm SPF50+ sunscreen
- Very high protection for sun sensitive skin






**SPF 50+ Balm**

50+			
CODE	SIZE	QTY	QTY
SMB654-50	Lip Balm 12gm	1	120






**SPF 50+ 50ml with Carabiner**

50+			
CODE	SIZE	QTY	QTY
SMB659	50ml Bottle	1	6




**Maxiblock 50+ Roll-on**

50+			
CODE	SIZE	QTY	QTY
SMB654	13.5g Stick	1	120




**SPF 50+ Sunscreen 125ml tube**

50+		QTY	QTY
CODE	SIZE	QTY	QTY
SMB650-50	125ml tube	1	6




**SPF 50+ Sprayable Sun Lotion**

50+			
CODE	SIZE	QTY	QTY
SMB655-50	250ml trigger spray	1	6

12





**Metal bracket to suit  
1 Litre sunscreen bottles**

**SMB657**

CODE	SIZE	QTY	QTY
SMB657	N/A	1	25



**SPF 50+  
Sunscreen 250ml bottle**



**50+**

CODE	SIZE	QTY	QTY
SMB651-50	250ml bottle	1	6



**SPF 50+  
Sunscreen 500ml bottle/pump**



**50+**

CODE	SIZE	QTY	QTY
SMB652-50	500ml bottle	1	6



**SPF 50+  
Sunscreen with 1 litre pump**



**50+**

CODE	SIZE	QTY	QTY
SMB653-50	1 litre bottle	1	4

12





Barriers and warning tapes are a must on work sites to ensure unavoidable hazards are made as obvious as possible. 'Prevention is better than cure' is a good motto to adopt when setting up and maintaining worksites, to not only ensure the safety of construction workers, but also the public.



**450mm Reflective Traffic Cones**

BTC760R			
CODE	SIZE	QTY	QTY
BTC760R	450mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers
- High intensity reflective tape for greater visibility
- 450mm height



**450mm Traffic Cones**

BTC760			
CODE	SIZE	QTY	QTY
BTC760	450mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers for maximum visibility
- 450mm height



**700m Reflective Traffic Cones**

BTC761R			
CODE	SIZE	QTY	QTY
BTC761R	700mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers
- High intensity reflective tape for greater visibility
- 700mm height



**700mm Traffic Cones**

BTC761			
CODE	SIZE	QTY	QTY
BTC761	700mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers for maximum visibility
- 700mm height

safety




**T-Top Bollard with base  
6kg and 8kg**

**BTB758**

CODE	SIZE	WEIGHT	QTY	QTY
BTB758-6	1155mm	6kg	1	10
BTB758-8	1155mm	8kg	1	10

FEATURES & BENEFITS

- High quality PVC construction
- 8kg rubber base for stability
- Economical cost effective delineation system
- High intensity reflective tape for greater visibility
- 1155mm height



**Extruded plastic  
barricade mesh**

**BPM720**

CODE	SIZE	QTY	QTY
BPM720-6	1m x 50m	1	20
BPM720-8	1m x 50m	1	20

FEATURES & BENEFITS

- Heavy duty safety fence
- Easy to use 6kg or 8kg rolls
- High UV stabilized fluorescent orange
- 1 metre high x 50 metre roll



**Maxisafe Retractable Cone  
Bar**

**BCB739**

CODE	SIZE	QTY	QTY
BCB739		1	10

FEATURES & BENEFITS

- Durable and lightweight ABS plastic
- Extendable from 135cm to 210cm
- Fits all standard traffic cones and T-Top bollards
- Reflective bands for enhanced visibility

RECOMMENDED USES

- Temporary barricading
- Unsafe or unauthorised work areas
- Wet areas
- Temporary crowd control



**CAUTION**  
black on yellow tape

**BTC710**

CODE SIZE QTY QTY

<b>BTC710</b>	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



**DANGER DO NOT ENTER**  
black on red/white

**BRD714**

CODE SIZE QTY QTY

<b>BRD714</b>	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



**DANGER**  
black on red/white tape

**BTD711**

CODE SIZE QTY QTY

<b>BTD711</b>	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



**Red and white**  
barricade tape

**BTR713**

CODE SIZE QTY QTY

<b>BTR713</b>	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



**Yellow & black**  
barricade tape


**BRY712**

CODE SIZE QTY QTY

<b>BRY712</b>	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



**Blue and white**  
barricade tape

**BTB708**

CODE SIZE QTY QTY

<b>BTB708</b>	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



**Green and white**  
barricade tape

**BTB709**

CODE SIZE QTY QTY

<b>BTB709</b>	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



**Maxisafe personal**  
first aid kit

**FMV819**

CODE QTY QTY

<b>FMV819</b>		1	10
---------------	--	---	----

FEATURES & BENEFITS

- Basic personal safety kit, ideal for cars, trucks and machinery



**Star Picket**  
Caps

**BSC726**

CODE QTY

<b>BSC726</b>		100
---------------	--	-----

FEATURES & BENEFITS

- Safety yellow
- Give visual warning and protect from sharp edges on starter bars and steel fence posts
- Supplied in a box of 100





**Red & White Safety Chain**

**BSC789**



CODE	SIZE	QTY	QTY
BSC789	6mm x 40m	1	4

FEATURES & BENEFITS

- Heavy duty 6mm safety chain
- Durable, lightweight, UV stabilized ABS plastic
- Easily attached to walls and posts for permanent applications
- Suitable for internal or external cordoning
- 30cm per colour



**Black & Yellow Safety Chain**

**BSC790**



CODE	SIZE	QTY	QTY
BSC790	6mm x 40m	1	4

FEATURES & BENEFITS

- Heavy duty 6mm safety chain
- Durable, lightweight, UV stabilized ABS plastic
- Easily attached to walls and posts for permanent applications
- Suitable for internal or external cordoning
- 30cm per colour



**6mm Heavy Duty Safety Chain**

**BSC759/40**



CODE	SIZE	QTY	QTY
BSC759/40	40m x 6mm	1	10

FEATURES & BENEFITS

- Yellow 6mm x 40 Metrer roll of plastic chain
- Suitable for internal or external cordoning
- Attached to walls and posts for permanent use
- UV Stabilised



**Work Vehicle First Aid Kit**

**FWV818**



CODE	SIZE	QTY	QTY
FWV818	13.5 x 10 x 8cm	1	20

FEATURES & BENEFITS

- Ideal for glove boxes
- Reflective strip for night time visibility
- Heavy duty zippers and pulls
- Stud loop closure attaches bag to belts
- Handle on top for immediate grab and run
- Approved Australian Manufacturer ISO 13485
- Contents meet Australian Std 2675-1983
- TGA and FDA approved



**Mobile Workplace First Aid Kit, soft case**

**FWP824S**



CODE	SIZE	QTY	QTY
FWP824S	27 x 28 x 9.5cm	1	20

FEATURES & BENEFITS

- Durable, softpack bag
- Fits into glove boxes and under car seats
- Reflective strip for night time visibility
- Heavy duty zippers and pulls
- Stud loop closure attaches bag to belts
- Reflective strip ensures visibility at night-time
- Approved Australian Manufacturer ISO 13485
- Contents meet Australian Std 2675-1983
- TGA and FDA approved



**Workplace First Aid Kit, hard case**

**FWP824H**



CODE	SIZE	QTY	QTY
FWP824H	27 x 28 x 9.5cm	1	5

FEATURES & BENEFITS

- Rugged, lightweight plastic case
- Keeps contents secure and free of dust
- Ensures workplace compliance
- Ideal for industrial environments
- Bonus bracket to securely mount inside vans
- Approved Australian Manufacturer ISO 13485
- Contents meet Australian Std 2675-1983
- TGA and FDA approved



**PVC Bunting Flagline - Blue**

**BBF707**



CODE	SIZE	COLOUR	QTY	QTY
BBF707	30m	Blue	1	20

FEATURES & BENEFITS

- Blue PVC triangle bunting flags
- Double sewn for strength
- 30 metre, high strength nylon rope
- 45 flags per length
- Ideal for crowd control, zoning etc.



**PVC Bunting Flagline - Fluro Orange**

**BBF722**



CODE	SIZE	COLOUR	QTY	QTY
BBF722	30m	Orange Fluro	1	20

FEATURES & BENEFITS

- Hi-Vis Orange fluorescent PVC flags
- 30metres reuseable nylon rope
- Excellent visibility for dangerous areas



**PVC Bunting Flagline - Green Fluro**

**BBF717**



CODE	SIZE	COLOUR	QTY	QTY
BBF717	30m	Green Fluro	1	20

FEATURES & BENEFITS

- Hi-Vis Green fluorescent PVC flags
- 30metres reuseable nylon rope
- Excellent visibility for dangerous areas

# EMERGENCY SHOWERS & EYEWASH



SHOWERHEAD: 8" Dia.  
CYCOLAC® Yellow Plastic

ACTIVATOR:  
Aluminium Triangular Pull Rod

VALVE:  
1" NPT Female Brass, Chrome-Plated. Full Flow Stay-Open Ball Valve


FLOW CONTROL:  
Internal 20 GPM Regulator

EMERGENCY SIGN:  
7-7/8" x 12" Plastic Wall Sign

STANCHION: 1-1/4" IPS Steel Piping with Brass Fittings

INLET & WASTE: 1-1/4" NPT Female

FLOOR FLANGE: Brass Casting with (3) 17/32" Dia.  
Mounting Holes on 9" Dia. Bolt Circle, Spaced 120° Apart



## Floor Mounted Combo Unit - Drench Shower & Eyewash

**EWS473**

CODE



QTY



QTY

**EWS473**

1

5

### FEATURES & BENEFITS

- Pedestal Mounted Combination Shower
- With Eye/Face wash and a plastic bowl
- Inline strainer
- Push Handle with ball valve for Eye/Face wash activation
- Plastic showerhead with ball valve and pull rod for activation
- Floor Mounting base for easy installation
- Galvanized pipe system, powder coated finish
- Complies to AS4775:2007
- Certified to ANSI/ISEA Z358.158.1



## Portable Eye Wash Station 370H x 600W x 255D mm

**EPE414**

CODE



QTY



QTY

**EPE414**

35 ltr

Eye Wash Station

Each

5

### FEATURES & BENEFITS

- A cost effective solution where plumbed water isn't available
- High quality non-toxic polyethylene construction
- Automatic water flow control valve 2L/minute
- Water flow is activated by pulling on green eyewash tray
- Ideal initial first aid treatment for chemical burns and injuries
- Classified as Supplemental Equipment in accordance with AS 4775-2007
- Certified to Australian Standards AS 4775-2007.
- Applications include: Medical laboratories, Mobile or field work, Small & cramped workshops, Kitchens, Renovations, Isolated areas, Areas without running water



**Portable Eye Wash Station**  
582H x 546W x 495D mm


CODE



CODE	QTY	QTY
EPE497	60 ltr	Eye Wash Station Each 5

FEATURES & BENEFITS

- A cost effective solution where plumbed water isn't available
- High quality non-toxic polyethylene construction
- Automatic water flow control valve 2L/minute
- Water flow is activated by pulling on green eyewash tray
- Ideal initial first aid treatment for chemical burns and injuries
- Classified as Supplemental Equipment in accordance with AS 4775-2007
- Certified to Australian Standards AS 4775-2007.
- Applications include: Medical laboratories, Mobile or field work, Small & cramped workshops, Kitchens, Renovations, Isolated areas, Areas without running water



**Lead Stand**

**BSC726**

CODE



CODE	QTY	QTY
BLS731	Stand and Grip	1 3
BLG732	Grip only	1 5

FEATURES & BENEFITS

- Keeps electrical leads and air hoses up off the ground in work areas and passageways.
- Prevents electrical and trip hazards
- Allows freedom of movement for machines and personnel
- Thumb screws on assembly and adjustment
- Extendable 1.5M to 2.6M
- Simple robust design
- Powder coated safety yellow for visibility
- Removable telescopic lead stand attachment makes it easy to store and transport
- Takes 8 electrical leads
- Takes 2 air hoses
- Lead grip made from insulating polypropylene
- Lead grip easily replaced if necessary



**Extension lead hooks**

**BEH765**

CODE



CODE	QTY	QTY
BEH765-5	Pack of 5	1 20
BEH765-	Pack of 20	1 5

FEATURES & BENEFITS

- Attaches to pipe, scaffolding, nails, reo bar etc
- Takes 4 power leads and 2 air hoses
- Manufactured from insulating polypropylene







# height safety harnesses



Offering leading edge technology and design, Maxisafe's new height safety harnesses and kits raise the bar

#### WHY USE FALL PROTECTION

Falls from heights are the single biggest cause of death or serious injury in the workplace. For businesses whose staff and maintenance teams need to work at height quickly and effectively, fall protection is increasingly important.

Health and Safety legislation and the controlling organisations are enforcing stricter rules and best practice for safe access and working at heights

#### WHY USE FALL PROTECTION

All Maxisafe's height safety products are AS/NZ compliant and have this marked on the data plate of every product



**Professional Full Body Roofers Harness**

**ZBH901**

CODE	SIZE	QTY	QTY
ZBH901	N/A	1	10

FEATURES & BENEFITS

- Full Body Roofers Harness with front and rear attachment points
- EN 361 and AS/NZ 1891 compliant
- General purpose harness with front and back attachment points
- Fully adjustable with quick release buckles
- Dorsal extension
- Karabiner provided with front attachment loops

RECOMMENDED AND INDUSTRY USES

- General tradesperson
- Construction workers
- Roofing
- Scaffolders
- Access equipment



**Professional Full Body Harness & Lanyard Set**

**ZBH902**

CODE	SIZE	QTY	QTY
ZBH902	N/A	1	10

FEATURES & BENEFITS

- Full Body Roofers Harness with front and rear attachment points
- 2M energy absorbing lanyard and snap hook
- EN 361 and AS/NZ 1891 compliant
- General purpose harness with front and back 'D' attachment points
- Fully adjustable with quick release buckles
- Dorsal extension
- Karabiner provided with front attachment loops

RECOMMENDED AND INDUSTRY USES

- General tradesperson
- Construction workers
- Roofing
- Vertical climbing
- Access equipment



**Professional Full Body Roofers Kit**

**ZRK903**

CODE	SIZE	QTY	QTY
ZRK903	N/A	1	10

FULL ROOFERS KIT INCLUDING

- ZBH901 Harness
- 15M Ropeline
- 2M Webbing Sling
- Karabiner
- Kit Bag

RECOMMENDED AND INDUSTRY USES

- General tradesperson
- Construction workers
- Roofing
- Scaffolders
- Access equipment

