

Test Report

No. SL52035261405301TX

Page 1 of 3

Date: March 31.2023

LION D.O.O. 37,78400 GRADISKA, BOSNA I HERCEGOVINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description . (A) bonded fabric (One bonding fabric)

Style No. : OLIC Sample Color Sample : 301

Receiving Date : March.27.2023

Testing Period ** March 27,2023- March 31,2023 *

Test Result(s)

Please refer to the next page(s).

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. HangZhou Branch

Jack Zhang (Account Executive)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspy, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. SL52035261405301TX

Page 2 of 3

Date: March 31.2023

Test Result:

Dimensional Stability To Washing(ISO 5077:2007/ISO 3759:2011/ISO 6330:2012; Procedure No.: 4N; Using Horizontal Axis, Front-Loading Type Machine: Machine Wash At 40°C With 2 Kg Total Dry Mass (Type III (100%Polyester)+Specimen), And ECE(A) Detergent + Sodium Perborate + TAED, Followed By Tumble Dry Low)

| Warp | -0.5% | Requirement |
|------|-------|-------------|
| • | | ±3% |
| Weft | -1.0% | +3% |

Remark: (+) Means Extension (-) Means Shrinkage

Appearance After Washing(ISO 6330:2012; Procedure No.: 4N; Using Horizontal Axis, Front-Loading Type Machine: Machine Wash At 40°C With 2 Kg Total Dry Mass (Type III (100% Polyester)+Specimen), And ECE(A) Detergent + Sodium Perborate + TAED, Followed By Tumble Dry Low)

| Pilling And Fuzzing Hair | 4-5 | Requirement |
|--------------------------|--------------|--------------|
| Any Observed Defects | Satisfactory | Min.3 |
| • | | Satisfactory |

Colour Fastness To Washing(ISO 105-C06:2010 A2S,Single Test, 30 Minutes Mechanical Wash At 40°C In 0.4% ECE Reference Detergent Solution,1g/L Sodium Perborate With 10 Steel Balls)

| Change In Shade | 4-5 | |
|---------------------------------|-----|-------------|
| Staining On Multi- Fiber Stripe | 4-5 | Requirement |
| - Acetate -Cotton | 4-5 | Min.4 |
| -Nylon | 4-5 | Min.3 |
| -Polyester | 4-5 | |
| -Acrylic | 4-5 | |
| -Wool | 4-5 | |

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good

Colour Fastness To Rubbing(ISO 105-X12:2016)

| Dry | 4-5 | Requirement |
|-----|-----|-------------|
| Wet | 4-5 | Min.3-4 |
| | | Min.2-3 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1443, or email: CN. Doccheck@sqs.com

36F,Na48ading.HayeH-Teh2zm,Na198.BirlanRad.BirjangUstid,Hargbox,Zinjiang.Orins 310052 t (86-571)86791199 f (86-571)87688901 www.sgsgroup.com.



Test Report No. SL52035261405301TX Date: March 31.2023 Page 3 of 3

Colour Fastness To Drycleaning(ISO 105-D01:2010) Change In Shade Staining On Multi-Fiber 4-5 Stripe -Acetate -Cotton -Nylon -Polyester -Acrylic 4-5 -Wool 4-5

Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Suggested Care:







