



Delta Munchies

11606 Washington Blvd.
Whitter, CA 90606
<http://www.deltamunchies.com>



Strawberry Sunset HHC Vape

Harvest/Lot ID: NA
Batch ID: NA
Sample Size: 3 x 2g carts
Compliance: Hemp

Batch Date: NA
Product Type: Derivative (Vape)

Order ID: 20221109-2024
Sampled on: 11/07/2022


Sample ID: LC-20221109-5475
Received on: 2022-11-09 15:20:00



RESULTS SUMMARY

Potency TESTED	Terpenes NOT TESTED	Heavy Metals PASS	Pesticides PASS	Mycotoxins PASS
Micro - Hemp PASS	Residual Solvents PASS	Foreign Material NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED

CANNABINOID PROFILE (%)




Cannabinoid	%
Total THC	0.00
Total CBD	0.00
Total CBG	0.00
Total Cannabinoids	96.28

Total THC = THC + (THCA * 0.877)
Total CBD = CBD + (CBDA * 0.877)
Total CBG = CBG + (CBGA * 0.877)

Comments:
None.

- continued -

FORM: COA58.6





CANNABINOIDS, EXPANDED (POTENCY)

Analysis Batch: WO-22110911

Analysis Date: 2022-11-09 20:00:00

Analysis Method: SOP 6.6

Instrument: Agilent HPLC (I-33)

Cannabinoid	Result (mg/g)	Result (% dry)	LOD (%)	Dilution
THCA	ND	ND	0.600	10
Δ9-THC	ND	ND	0.600	10
Δ8-THC	ND	ND	0.600	10
THCV	ND	ND	0.600	10
CBDA	ND	ND	0.600	10
CBD	ND	ND	0.600	10
CBDV	ND	ND	0.600	10
CBN	ND	ND	0.600	10
CBGA	ND	ND	0.600	10
CBG	ND	ND	0.600	10
CBC	16.974	1.697	0.600	10
9(S)-HHC	284.067	28.407	0.600	10
9(R)-HHC	661.749	66.175	0.600	10
9(R)-Δ10-THC	ND	ND	0.600	10
9(S)-Δ10-THC	ND	ND	0.600	10
THC-O	ND	ND	0.600	10
Δ9-THC-O-Ac	ND	ND	0.600	10
Total THC	ND	ND		
Total CBD	ND	ND		
Total CBG	ND	ND		
Total Cannabinoids	962.791	96.279		

MICROBIAL PANEL A - HEMP COMPLIANCE

PASS

Analysis Batch: WO-22110910

Analysis Date: 2022-11-11 13:32:57

Analysis Method: SOP 6.11

Instrument: See Below

Target	Result (CFU/g)	Limit (CFU/g)	Method	Instrument
Listeria monocytogenes	ND	None Present	SOP 6.11	Agilent AriaMX, I-43
Salmonella	ND	None Present	SOP 6.11	Agilent AriaMX, I-43
Shiga toxin producing E. coli - [STEC]	ND	None Present	SOP 6.11	Agilent AriaMX, I-43

HEAVY METALS

PASS

Analysis Batch: WO-22110912

Analysis Date: 2022-11-11 14:09:00

Analysis Method: SOP 6.10

Instrument: Agilent ICP/MS (I-37)

Metal	Result (ppm)	LOD (ppm)	Limit (ppm)	Metal	Result (ppm)	LOD (ppm)	Limit (ppm)
Arsenic	ND	0.05	1.5	Lead	ND	0.05	0.5
Cadmium	ND	0.05	0.5	Mercury	ND	0.005	3.0

- continued -

FORM: COA58.6

Page 2 of 4

This analysis report shall not be reproduced, except in full, without written consent from Americana Labs. Test results relate only to the product or material tested and are confidential unless explicitly waived otherwise. Void 1 year from completion date.
ND=Not Detected, NA=Not Applicable, NT=Not Tested, ppm=parts per million, ppb=parts per billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentrations which can be reliably measured by a testing methodology. RPD=relative percent difference. Action Levels are State of FL determined thresholds. Measurement Uncertainty is available from the lab upon request. The reported pass/fail within does not include MU.



Steven Perez
Steven Perez
Executive Laboratory Director

11/17/2022



PASS

AGRICULTURAL AGENTS (PESTICIDES)

Analysis Batch: WO-22111005

Analysis Date: 2022-11-11 14:35:00

Analysis Method: SOP 6.7

Instrument: Agilent LC/TQ (I-32) and Agilent GC/TQ (I-34)

Pesticide	Result (ppm)	Action Limit (ppm)	LOD (ppm)
Abamectin	ND	0.3	0.01
Acephate	ND	3.0	0.01
Acequinocyl*	ND	2.0	0.01
Acetamiprid	ND	3.0	0.01
Aldicarb	ND	0.1	0.01
Azoxystrobin	ND	3.0	0.01
Bifenazate	ND	3.0	0.01
Bifenthrin*	ND	0.5	0.01
Boscalid*	ND	3.0	0.01
Captan	ND	3.0	0.01
Carbaryl	ND	0.5	0.01
Carbofuran	ND	0.1	0.01
Chlorantraniliprole	ND	3.0	0.01
Chlordane*	ND	0.1	0.01
Chlorfenapyr	ND	0.05	0.01
Chlormequat chloride	ND	3.0	0.01
Chlorpyrifos*	ND	0.1	0.01
Clofentezine	ND	0.5	0.01
Coumaphos	ND	0.1	0.01
Cyfluthrin*	ND	1.0	0.01
Cypermethrin*	ND	1.0	0.01
Daminozide	ND	0.1	0.01
Diazinon	ND	0.2	0.01
Dichlorvos	ND	0.1	0.01
Dimethoate	ND	0.1	0.01
Dimethomorph (I/II)	ND	3.0	0.01
Ethoprophos (Prophos)	ND	0.1	0.01
Etofenprox	ND	0.1	0.01
Etoxazole	ND	1.5	0.01
Fenhexamid	ND	3.0	0.01
Fenoxycarb	ND	0.1	0.01
Fenpyroximate	ND	2.0	0.01
Fipronil	ND	0.1	0.01

*Analyzed by GC/TQ.

Pesticide	Result (ppm)	Action Limit (ppm)	LOD (ppm)
Flonicamid	ND	2.0	0.01
Fludioxonil	ND	3.0	0.01
Hexythiazox	ND	2.0	0.01
Imazalil	ND	0.1	0.01
Imidacloprid	ND	3.0	0.01
Kresoxim-methyl	ND	1.0	0.01
Malathion	ND	2.0	0.01
Metalaxyl	ND	3.0	0.01
Methiocarb	ND	0.1	0.01
Methomyl	ND	0.1	0.01
Methyl parathion*	ND	0.1	0.01
Mevinphos (I/II)	ND	0.1	0.01
Myclobutanil	ND	3.0	0.01
Naled	ND	0.5	0.01
Oxamyl	ND	0.5	0.01
Paclobutrazol	ND	0.1	0.01
Pentachloronitrobenzene	ND	0.2	0.01
Permethrin*	ND	1.0	0.01
Phosmet	ND	0.2	0.01
Piperonyl butoxide	ND	3.0	0.01
Prallethrin	ND	0.4	0.01
Propiconazole	ND	1.0	0.01
Propoxur	ND	0.1	0.01
Pyrethrins	ND	1.0	0.01
Pyridaben	ND	3.0	0.01
Spinetoram (J/L)	ND	3.0	0.01
Spinosad (A+D)	ND	3.0	0.01
Spiromesifen	ND	3.0	0.01
Spirotetramat	ND	3.0	0.01
Spiroxamine (I/II)	ND	0.1	0.01
Tebuconazole	ND	1.0	0.01
Thiacloprid	ND	0.1	0.01
Thiamethoxam	ND	1.0	0.01
Trifloxystrobin	ND	3.0	0.01

MYCOTOXINS

PASS

Analysis Batch: WO-22111005

Analysis Date: 2022-11-11 14:35:00

Analysis Method: SOP 6.7


Instrument: Agilent LC/TQ (I-32)

Mycotoxin	Result (ppm)	LOD (ppm)	Limit (ppm)
Aflatoxin B1	ND	0.005	
Aflatoxin B2	ND	0.005	
Aflatoxin G1	ND	0.005	

Mycotoxin	Result (ppm)	LOD (ppm)	Limit (ppm)
Aflatoxin G2	ND	0.005	
Ochratoxin A	ND	0.005	0.02
Total Aflatoxins	ND		0.02

- continued -

FORM: COA58.6



Steven Perez
Steven Perez
Executive Laboratory Director



PASS

RESIDUAL SOLVENTS

Analysis Batch: WO-22111004

Analysis Date: 2022-11-11 15:50:00

Analysis Method: SOP 6.8

Instrument: Agilent HS-GC-FID/MS (I-36)

Solvent	Result (ppm)	LOD (ppm)	Limit (ppm)
1, 1 Dichloroethene	ND	0.7	8
1, 2 Dichloroethane	ND	0.1	5
Acetone	ND	1.3	5000
Acetonitrile	ND	0.6	410
Benzene	ND	0.1	2
Butane	ND	12.4	2000
Chloroform	ND	0.1	60
Ethanol	ND	0.7	5000
Ethyl acetate	ND	0.1	5000
Ethyl ether	ND	1.2	5000

Solvent	Result (ppm)	LOD (ppm)	Limit (ppm)
Ethylene Oxide	ND	0.5	5
Heptane	ND	0.6	5000
Hexane	ND	0.1	290
Isopropyl alcohol	5.01	2.0	500
Methanol	ND	1.4	3000
Methylene chloride	ND	0.6	600
Pentane	ND	0.9	5000
Propane	ND	1.4	2100
Toluene	ND	0.2	890
Total Xylenes	ND	0.2	2170
Trichloroethylene	ND	0.6	80

- End of report -

FORM: COA58.6

Page 4 of 4

This analysis report shall not be reproduced, except in full, without written consent from Americanna Labs. Test results relate only to the product or material tested and are confidential unless explicitly waived otherwise. Void 1 year from completion date.
ND=Not Detected, NA=Not Applicable, NT=Not Tested, ppm=parts per million, ppb=parts per billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentrations which can be reliably measured by a testing methodology. RPD=relative percent difference. Action Levels are State of FL determined thresholds. Measurement Uncertainty is available from the lab upon request. The reported pass/fail within does not include MU.



Steven Perez
Executive Laboratory Director

11/17/2022