





B7548 Braille Endurance Advanced AGM Battery

At only 45 lbs, the B7548 Braille Endurance Advanced AGM Battery is a high-performance upgrade from a traditional lead acid battery. Offering weight reduction, more power output and lasting up to 2 times longer than traditional lead acid batteries!

BENEFITS:

- · Superior starting capabilities with high cranking amp output per kg
- Fast and efficient recharge, up to 2 times faster than traditional lead acid batteries
- Can be used in "Total Loss" (no alternator) applications
- Engineered for high shock and vibration applications
- Up to 2/3 weight reduction for equivalent cranking performance

215	45	75.0	900
10 SECONDS (A)	WEIGHT (lbs)	CAPACITY (Ah)	CAPACITY (Wh)

PRODUCT INFORMATION

Physical Specs

Battery Chemistry	LFP
Length (in)	10.9"
Width (in)	6.8"
Height (in)	7.5"
Weight (lbs)	45
Terminal Type	Steel stud

Charging

Polarity

Recharge Voltage 14.4V - 14.6V Maintenance Charge Voltage 13.8V

Right

Technical Specs

5 Second Pulse Cranking Amps	2390		0C to 50C
10 Second Pulse Discharge Current (A)	215	Temperature Discharge	-40C to +60C
Voltage	12	Temperature Range	400101000
Capacity (Ah)	75.0	Storage Temperature	-40C to +60C
Capacity (Wh)	900	·	





















