AS610-98SN <

DEUTSCH | DEUTSCH AS Standard

TE Internal #: AS610-98SN DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 6 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Wire Number of Positions: 6 Sealable: Yes Shell Plating Material: Black Zinc Shell Base Material: Aluminum Alloy

Features

Product Type Features

Product Type

Assembly Type

Compositor Custom

Connector

Electrical Connector

 Λ/i to Λ/i

Connector System	Wire-to-Wire
Sealable	Yes
Circular Connector Type	Plug
Shell Type	Metal
Configuration Features	
Factory Installed Backshell	No
Keying	Key Polarization N
Number of Positions	6
Contacts Preloaded	No
Body Features	
Environmental Protection	With
Feedthrough Type	No
Environmental Protection Type	Sealed
Entry Style	Rear Insertion
Shell Plating Material	Black Zinc

AS610-98SN

DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 6 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code



Shell Base Material	Aluminum Alloy
Circular Connector Insulation Material Type	Hard Dielectric/Silicone
Hermetically Sealed	No
Contact Features	
Contact Quantity (Size 20)	6
Contact Layout Arrangement	10 – 98
Circular Connector Contact Type	Socket
Mechanical Attachment	
Mating Retention Type	Coupling Ring
Mating Alignment	With
Polarization Code	Ν
Mating Alignment Type	Keyed
Mating Retention	With
Housing Features	
Circular Connector Shell Size	10
Dimensions	
Assembly Length	33.5 mm

Wi	re	Size
V V I	IC	JIZE

20 AWG

Usage Conditions

Fluid Resistance	Immersible
IP Dust Sealing Level	6
IP Water Sealing Level	7
Operating Temperature Range	-55 – 175 °C
Operation/Application	
Durability Rating	500 Cycles
Other	
Field Serviceable	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions

C For support call+1 800 522 6752

AS610-98SN

DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 6 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code



China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Restricted Materials Above Threshold

Current ECHA Candidate List: JUL 2021 (219)

Candidate List Declared Against: JUN 2020

(209)

SVHC > Threshold:

Pb (1.2% in Contact)

Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Solder Process Capability

Not Yet Reviewed for halogen content

Reflow solder capable to 245°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach



Compatible Parts

TE Part # ZPF0000000000867 **PINCE AFM-8**

Also in the Series DEUTSCH AS Standard



Customers Also Bought

C For support call+1 800 522 6752

AS610-98SN

DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 6 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code





TE Part #AS612-35PN PLUG BOOT TERMINN TYPE 6



TE Part #AS110-98SN RECEPT.CABLE COUP.TYPE 1



TE Part #AS112-35SN RECEPT.CABLE COUP.TYPE 1



TE Part #AS608-35PN PLUG BOOT TERMINN TYPE 6



TE Part #AS616-35PN PLUG BOOT TERMINN TYPE 6



TE Part #AS618-35SN PLUG.BOOT TERMIN'N TYPE 6



TE Part #ASDD606-09SN-HE PLUG ASSEMBLY ASDD 9 WAY



TE Part #ASL006-05SN-HE RECEPT.ASSY. 2 HOLE MNT.MICRO MK3



TE Part #ASL606-05PA-HE PLUG ASSY. AS MICRO MK3. TE Part #ASU603-05SD-HE PLUG ASSY ASU 5 WAY

Documents

Product Drawings PLUG BOOT TERMIN'N TYPE 6

English

Datasheets & Catalog Pages AS Micro Xtra Lite HE English

Autosport Interconnection Solutions

English