### DEUTSCH | DEUTSCH AS Standard

TE Internal #: AS612-04PN DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code

View on TE.com >



### Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Wire Number of Positions: 4 Sealable: Yes Shell Plating Material: Black Zinc Shell Base Material: Aluminum Alloy

## Features

## **Product Type Features**

Product Type

Assembly Type

Connector

Electrical Connector

 $\Lambda/i$  to  $\Lambda/i$ 

Connector System	Wire-to-Wire
Sealable	Yes
Circular Connector Type	Plug
Shell Type	Metal
Configuration Features	
Factory Installed Backshell	No
Keying	Key Polarization N
Number of Positions	4
Contacts Preloaded	No
Body Features	
Environmental Protection	With
Feedthrough Type	No
Environmental Protection Type	Sealed
Entry Style	Rear Insertion
Shell Plating Material	Black Zinc

DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code



Shell Base Material	Aluminum Alloy
Circular Connector Insulation Material Type	Hard Dielectric/Silicone
Hermetically Sealed	No
Contact Features	
Contact Quantity (Size 16)	4
Contact Layout Arrangement	12 – 4
Circular Connector Contact Type	Pin
Mechanical Attachment	
Mating Retention Type	Coupling Ring
Mating Alignment	With
Polarization Code	Ν
Mating Alignment Type	Keyed
Mating Retention	With
Housing Features	
Circular Connector Shell Size	12
Dimensions	
Assembly Length	33.5 mm

1110 0120	Wi	re	Size
-----------	----	----	------

16 AWG

## Usage Conditions

Fluid Resistance	Immersible
IP Dust Sealing Level	6
IP Water Sealing Level	7
Operating Temperature Range	-55 – 175 °C
Operation/Application	
Durability Rating	500 Cycles
Other	
Field Serviceable	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions

**C** For support call+1 800 522 6752

DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code



China RoHS 2 Directive MIIT Order No 32, 2016 EU REACH Regulation (EC) No. 1907/2006

Halogen Content

Solder Process Capability

Restricted Materials Above Threshold Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (.4% in Shell alloy) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. Low Halogen - Br, Cl, F, I < 900 ppm per

homogenous material. Also BFR/CFR/PVC Free

Reflow solder capable to 245°C

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## **Compatible Parts**

TE Part # ZPF00000000000865 057-0461-11

Also in the Series | DEUTSCH AS Standard

DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code





# Customers Also Bought





TE Part #AS012-04SN



TE Part #AS014-35SN



TE Part #AS608-35PN



TE Part #AS616-08PN

TE Part #AS008-35SN RECEPT.2 HOLE MNT.TYPE 0

#### RECEPT.2 HOLE MNT.TYPE 0

#### RECEPT.2 HOLE MTG TYPE 0



## Documents

Product Drawings PLUG BOOT TERMIN'N TYPE 6

English

Datasheets & Catalog Pages AS Micro Xtra Lite HE

English

Autosport Interconnection Solutions

English

**C** For support call+1 800 522 6752

DEUTSCH AS Standard, Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Black Zinc, Aluminum Alloy, N Polarization Code

