

ASDD106-09PN-HE ✓ ACTIVE

DEUTSCH | DEUTSCH ASDD

TE Internal #: ASDD106-09PN-HE

Standard Circular Connectors, Wire-to-Wire, 9 Position, Black Zinc, Aluminum Alloy, N Polarization Code, Hard Dielectric/Silicone, DEUTSCH ASDD

[View on TE.com >](#)



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: **Wire-to-Wire**

Number of Positions: **9**

Shell Plating Material: **Black Zinc**

Shell Base Material: **Aluminum Alloy**

Polarization Code: **N**

Features

Product Type Features

Product Type	Connector Assembly
Assembly Type	Electrical Connector
Connector System	Wire-to-Wire
Circular Connector Type	Receptacle
Shell Type	Metal

Configuration Features

Factory Installed Backshell	No
Keying	Keyway Polarization N
Number of Positions	9
Contacts Preloaded	No

Body Features

Environmental Protection	With
Feedthrough Type	No
Environmental Protection Type	Sealed
Entry Style	Rear Insertion
Shell Plating Material	Black Zinc
Shell Base Material	Aluminum Alloy



Circular Connector Insulation Material Type	Hard Dielectric/Silicone
---	--------------------------

Hermetically Sealed	No
---------------------	----

Contact Features

Contact Layout Arrangement	6 – 9
----------------------------	-------

Circular Connector Contact Type	Pin
---------------------------------	-----

Mechanical Attachment

Mating Retention Type	Bayonet Peg
-----------------------	-------------

Mating Alignment	With
------------------	------

Polarization Code	N
-------------------	---

Mating Alignment Type	Keyed
-----------------------	-------

Mating Retention	With
------------------	------

Housing Features

Circular Connector Shell Size	6
-------------------------------	---

Dimensions

Assembly Length	20.25 mm
-----------------	----------

Wire Size	24 AWG
-----------	--------

Usage Conditions

Fluid Resistance	Immersible
------------------	------------

IP Dust Sealing Level	6
-----------------------	---

IP Water Sealing Level	7
------------------------	---

Operating Temperature Range	-55 – 170 °C
-----------------------------	--------------

Operation/Application

Durability Rating	500 Cycles
-------------------	------------

Other

Field Serviceable	Yes
-------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC	Compliant with Exemptions
-----------------------------	---------------------------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	
--	--



Current ECHA Candidate List: JAN 2023
 (233)
 Candidate List Declared Against: JUN 2020
 (209)
 SVHC > Threshold:
 Pb (1.2% in Contact)


Article Safe Usage Statements:
 Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Reflow solder capable to 245°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | DEUTSCH ASDD



Customers Also Bought



TE Part #ASDD106-09SA-HE
INLINE RECEPT ASSY. ASDD 9 WAY.




TE Part #AS610-35PN
PLUG BOOT TERMINN TYPE 6



TE Part #ASDD606-09PN-HE
PLUG ASSEMBLY ASL 9-WAY



TE Part #ASDD106-09SN-HE
INLINE RECEPT ASSY ASDD 9 WAY



TE Part #1304773001
55M0424-28-2/6



TE Part #AS608-35SN
PLUG BOOT TERMINN TYPE 6



TE Part #AS620-16SN
PLUG BOOT TERMIN TYPE 6



TE Part #ASDD606-09SN-HE
PLUG ASSEMBLY ASDD 9 WAY



TE Part #ASHD622-24320SN016
PLUG ASSY.ASHD. 24320 PLANFORM.
16MM CRI



TE Part #604946-31
PIN CONTACT.#22. AS MODULAR.

Documents

Product Drawings

[INLINE RECEPT ASSY. ASDD 9 WAY.](#)

English

Datasheets & Catalog Pages

[AS Micro Xtra Lite HE](#)

English