

## **NEVER OUTMATCHED**™




\*Shown W/ Optional 50-4720 Side Work Table

## MOBILE COMBINATION BRAKE LATHE B17 SHOWN

Switching from resurfacing brake discs to drums takes merely seconds with the new Quick-Pivot cutting head. The power plant of the B17 is a guiet DC motor which provides smooth operation across a wide of range of discs & drums. The B17 is equipped with our most advanced electronics package which tracks the number of rotors and drums machined. All of that and it's mounted on a mobile heavy duty tool cabinet to safely store all your necessary adapters and accessories. You just can't beat the B17's quality, precision and innovation!

- RESURFACES BRAKE DRUMS AND DISCS to exceed OEM specs for surface finish in one pass.
- QUICK-PIVOT CUTTING HEAD No changing tooling here! Switch from drums to rotors in seconds.
- NO TOOLS TO SET-UP Levers, buttons, and knobs all operated by hand means no searching for tools.
- MOBILE TOOL CABINET stores all accessories and allows for easy relocation of lathe.
- ADAPTERS AND ACCESSORIES INCLUDED for all passenger vehicles and light trucks.
- ELECTRONIC CONTROL With full DC servo control of feed & speed, there are no belts to change ever.





\*Shown with optional 50-4280 Dust Containment System

## STANDARD FEATURES

Quick-Pivot Cutting Head ·····	One lever design allows technician to pivot between drum and disc operations
Mobile Tool Cabinet ·····	Safely store and organize all the necessary adapters and accessories for easy movement
Plug-in, Variable Speed DC Motor	Clean, smooth power for quiet operation & superior surface finishes
New Version 2.0 Electronics	Keep track of the number of discs & drums cut & has preset maintenance alerts
One Pass Finish Technology · · · · · · · · · · · · · · · · · · ·	DC feed motors with 11 speeds for the smoothest finishes
LED Arbor Ring Light & Task Light·····	Brightest lighting of any bench lathe improves tech safety and efficiency
2 Yr Parts & Labor Warranty ·····	Machine rotors day in and day out with peace of mind (maintenance & abuse not covered)

**BENEFIT** 

## **B17 SPECIFICATIONS**

Max Rotor Thickness ·······2.25" / 57mm
Max Rotor Face Width3.50" / 90mm
Max Rotor Diameter19.50" / 495mm
Max Drum Diameter26.40" / 670mm
Max Drum Depth 5.90" / 150mm
Feed Rate

Brake Type ·····Rotor and Drum
Spindle Speeds ·······Variable 100, 140, 180 RPM
<b>Motor</b> 750W Peak
Spindle BearingsTaper Roller
Double Taper ArborYes





