

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ADHERE MONOMER

Product code: HDPRO – AM01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: For professional use only. To be mixed with appropriate acrylic polymer in the making of artificial nail enhancements. PC39: Cosmetics, personal care products.

1.3. Details of the supplier of the safety data sheet

Company name: Hazel Dixon Nails Ltd

Unit 4, Faraday Place, Thetford, Norfolk, IP24 3RG

Tel: 44 7494 470 168

Email: hazeldixonnails@yahoo.co.uk

1.4. Emergency telephone number

Emergency Tel: +31 (0) 40 -2307559 (Office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: STOT SE 3: H335; Eye Irrit. 2: H319; Flam. Liq. 2: H225; Skin Irrit. 2: H315; Skin Sens. 1: H317

Most important adverse effects: Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation.

2.2. Label elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapor.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

[cont...]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 2

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark



Signal words: Danger

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instruction on this label).

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHYL METHACRYLATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
202-597-5	97-63-2	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317	>75%

HYDROXY PROPYL METHACRYLATE

248-666-3	27813-02-1	-	Eye Irrit. 2: H319; Skin Sens. 1: H317	10-25%
-----------	------------	---	--	--------

GLYCEROL DIMETHACRYLATE

-	1830-78-0	-	STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-5%
---	-----------	---	---	------

TETRA ETHYLENE GLYCOL DIMETHACRYLATE

-	109-17-1	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; STOT SE 3: H335	1-5%
---	----------	---	---	------

[cont...]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 3

N,N-DIMETHYL-P-TOLUIDINE - REACH registered number(s): 01-2119956633-31-0000

202-805-4	99-97-8	-	Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT RE 2: H373; Aquatic Chronic 3: H412	1-5%
-----------	---------	---	--	------

DIPENTAERYTHRITYL HEXAACRYLATE

-	TRADE SECRET	-	Eye Irrit. 2: H319; Skin Sens. 1B: H317; Aquatic Chronic 3: H412	0.1-1%
---	-----------------	---	---	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Immediate / special treatment: Not applicable.

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 4

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from direct sunlight. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

[cont...]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 5

ETHYL METHACRYLATE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	250 mg/m ³	-	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Various

Odour: Characteristic odour

Evaporation rate: Fast

Solubility in water: Slightly soluble

Viscosity: Non-viscous

Boiling point/range°C: 200

Flash point°C: 16.0

Relative density: 0.96

9.2. Other information

Section 10: Stability and reactivity

10.1. Reactivity

Other information: No data available.

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Chemical stability: Stable under normal conditions. Stable at room temperature.

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. Polymerisation may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ETHYL METHACRYLATE

IPR	RAT	LD50	1223	mg/kg
ORL	MUS	LD50	7836	mg/kg
ORL	RAT	LD50	14800	mg/kg

HYDROXY PROPYL METHACRYLATE

ORL	RAT	LD50	11600	mg/kg
-----	-----	------	-------	-------

GLYCEROL DIMETHACRYLATE

ORAL	RAT	OECD423	>2000	mg/kg
------	-----	---------	-------	-------

TETRA ETHYLENE GLYCOL DIMETHACRYLATE

ORAL	RAT	LD50	10837	mg/kg
------	-----	------	-------	-------

N,N-DIMETHYL-P-TOLUIDINE

IPR	MUS	LD50	212	mg/kg
-----	-----	------	-----	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

[cont...]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 7

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

HYDROXY PROPYL METHACRYLATE

GOLDEN IDE	48H EC50	493	mg/l
------------	----------	-----	------

GLYCEROL DIMETHACRYLATE

FISH	96H LC50	43.2	mg/l
------	----------	------	------

N,N-DIMETHYL-P-TOLUIDINE

Daphnia magna	48H LC50	15.259	mg/l
Fish Pimephales promelas	96H LC50	46	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Mobility: Readily absorbed into soil.

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

Other adverse effects: Harmful to aquatic organisms.

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1993

[cont...]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 8

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.
(ETHYL METHACRYLATE MONOMER, HYDROXY PROPYL METHACRYLATE MIXTURE)

14.3. Transport hazard class(es)

14.4. Packing group

Transport class: 3

Packing group: II

14.5. Environmental hazards

14.6. Special precautions for user

Environmentally hazardous: No

Marine pollutant: No

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapor.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H335: May cause respiratory irritation.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems

[final page]

SAFETY DATA SHEET

HD PROFESSIONAL NAIL SYSTEMS
ADHERE MONOMER

Page: 9

understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053