

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 1 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKIN

1.1 Product identifier : Enviro Soak & Remove

Product Code(s) : Solvents

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Cosmetic nail cleansing agent.
Use pattern: Consumers.
No restrictions on use known.

1.3 Details of the supplier of the safety data sheet:

Haigh Industries Inc.

#5 – 8118 North Fraser Way
Burnaby, British Columbia, Canada
V5J 0E5
Email: contact.info@akzentz.com

Telephone : 001-604-278-5851

1.4 Emergency Telephone Number

: 001-352-323-3500 (INFOTRAC - Contract # 103390)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Clear, slightly yellow liquid. Perfumed odour.

Most important hazards: The preparation is classified as dangerous in accordance with Directive 1999/45/EC.

Classification:

R11 - Highly flammable.

Xi - Irritant

R36 - Irritating to eyes.

R66 - Repeated exposure may cause skin dryness or cracking.

R67 - Vapours may cause drowsiness and dizziness.

2.2 Label elements



Highly flammable



Irritant

This product is subject to the EEC Directive for Cosmetics, 76/768/EEC, and its National implementations in the European Union. Refer to these regulations for Ingredient disclosure requirements on the label.

R11 - Highly flammable.

R36 - Irritating to eyes.

R66 - Repeated exposure may cause skin dryness or cracking.

R67 - Vapours may cause drowsiness and dizziness.

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 2 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

- S 2 - Keep out of the reach of children.
- S16 - Keep away from sources of ignition - No smoking.
- S24/25 - Avoid contact with skin and eyes.
- S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S46 - If swallowed, seek medical advice immediately and show this container or label.
- S35 - This material and its container must be disposed of in a safe way.

2.3 Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. May slowly hydrolyze in the presence of water to Methanol and Acetic acid. Methanol is considered to be dangerous. Acetic acid is harmful. Mild respiratory irritant Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

Environmental precautions:

Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

PBT assessment: This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature of the preparation: Mixture - Esters; Alcohol; Natural oils; Fragrances

The following substances shall be indicated according to legislation:

| Chemical name | CAS # | EC No. | Concentration | EU Classification |
|---|--------------|---------------|----------------------|--|
| Methyl acetate | 79-20-9 | 201-185-2 | 65.0 - 75.0 | F - Highly flammable; R11 Xi - Irritant; R36 R66 R67 |
| Dimethyl carbonate | 616-38-6 | 210-478-4 | 15.0 - 25.0 | F - Highly flammable; R11 |
| Benzyl alcohol | 100-51-6 | 202-859-9 | 5.0 - 10.0 | Xn - Harmful; R20/22 |
| Possible decomposition products in case of hydrolysis are: | | | | |
| Methanol | 67-56-1 | 200-659-6 | Not known. | F - Highly flammable; R11 T - Toxic; R23/24/25 - R39/23/24/25 |
| acetic acid | 64-19-7 | 200-580-7 | Not known. | R10 C - Corrosive; R35 |

Note: May slowly hydrolyze in the presence of water to Methanol and Acetic acid. Acetic acid and Methanol are not intentionally added to this product. Refer to Section 16 for additional ingredients present in this product.

For the full text of the R phrases mentioned in this section, see Section 2 or 16.

SECTION 4. FIRST-AID MEASURES

4.1 Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.
- Inhalation* : If breathed in, move person into fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. When symptoms persist or in all cases of doubt seek medical advice.

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 3 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

- Skin contact* : Remove/Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.
- Eye contact* : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- : Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. Mild respiratory irritant. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). May slowly hydrolyze in the presence of water to Methanol and Acetic acid. Methanol is considered to be dangerous. Acetic acid is harmful.

4.3 Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media* : Carbon dioxide (CO₂); Dry chemical; Alcohol-resistant foam.

- Unsuitable extinguishing media* : Water may cause spattering of hot material and may spread burning.

5.2 Special hazards arising from the substance or mixture

- : Highly flammable. May be ignited by open flame. Vapours are heavier than air and may spread along floors. May slowly hydrolyze in the presence of water to Methanol and Acetic acid. The pressure in sealed containers can increase under the influence of heat. Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; Other unidentified organic compounds.

5.3 Advice for firefighters

- Protective equipment for fire-fighters* : Wear self-contained breathing apparatus and protective suit. Fight fire with normal precautions from a reasonable distance.

- Special fire-fighting procedures* : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

- : Wear suitable protective equipment. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

- : Do not allow material to contaminate ground water system.

6.3 Methods and material for containment and cleaning up

- : Ventilate the area. Prevent further leakage or spillage if safe to do so. Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

6.4 Reference to other sections

- : Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 4 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

- : Use only in well-ventilated areas. Wear suitable protective equipment. Avoid breathing vapours or mists. Avoid contact with skin, eyes and clothing. Keep away from sources of ignition - No smoking. Ground/Bond container and receiving equipment. Keep away from incompatibles. Keep container tightly closed. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

- : Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Inspect periodically for damage or leaks. Protect against physical damage. Keep out of the reach of children. Keep containers dry and tightly closed to avoid moisture absorption and contamination.

7.3 Specific end use(s)

- : Cosmetics.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

| Exposure Limits: | | | |
|---------------------------|---|----------------------|--|
| Chemical Name | Exposure Limits | Type | Notes |
| acetic acid | 10 ppm (25 mg/m ³) (TWA) | European Union (OEL) | None. |
| | 10 ppm (25 mg/m ³) (TWA) | France (OEL) | None. |
| | 10 ppm (25 mg/m ³) (TWA) | Germany (OEL) | (exposure factor 2) |
| | 10 ppm (25 mg/m ³) (TWA) 15 ppm (37 mg/m ³) (STEL) | Greece (OEL) | None. |
| | 10 ppm (25 mg/m ³) (TWA) 15 ppm (37 mg/m ³) (STEL) | Ireland (OEL) | None. |
| | 15 mg/m ³ (TWA) 30 mg/m ³ (STEL) | Poland (OEL) | None. |
| | 10 ppm (25 mg/m ³) (TWA) 15 ppm (37 mg/m ³) (STEL) | Spain (OEL) | None. |
| Benzyl alcohol | 5 mg/m ³ (TWA) | Bulgaria (OEL) | None. |
| | 10 ppm (45 mg/m ³) (TWA) | Finland (OEL) | None. |
| | 240 mg/m ³ (TWA) | Poland (OEL) | None. |
| Dimethyl carbonate | 20 mg/m ³ (TWA) | Russia (OEL) | (as vapour) |
| Methanol | 200 ppm (260 mg/m ³) (TWA) | European Union (OEL) | Possibility of significant uptake through the skin |
| | 200 ppm (260 mg/m ³) (TWA) 1000 ppm (1300 mg/m ³) (STEL) | France (OEL) | Risk of cutaneous absorption |

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 5 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

| | | | |
|-----------------------|---|---------------------------|---|
| | 200 ppm (270 mg/m ³ (exposure factor 4) (TWA) | Germany (OEL) | Skin notation |
| | 200 ppm (260 mg/m ³) (TWA) 250 ppm (325 mg/m ³) (STEL) | Greece (OEL) | Skin - Potential for cutaneous absorption |
| | 200 ppm (260 mg/m ³) (TWA) | Italy (OEL) | Skin - Potential for cutaneous absorption |
| | 100 mg/m ³ (TWA) 300 mg/m ³ (STEL) | Poland (OEL) | Skin notation |
| | 200 ppm (266 mg/m ³) (TWA) | Spain (OEL) | Skin - Potential for cutaneous absorption |
| | 200 ppm (266 mg/m ³) (TWA) 250 ppm (333 mg/m ³) (STEL) | The United Kingdom (WELs) | Potential for cutaneous absorption |
| Methyl acetate | 200 ppm (610 mg/m ³) (TWA) 250 ppm (760 mg/m ³) (STEL) | France (OEL) | Risk of cutaneous absorption |
| | 200 ppm (610 mg/m ³) (TWA) | Germany (OEL) | (exposure factor 4) |
| | 250 mg/m ³ (TWA) 600 mg/m ³ (STEL) | Poland (OEL) | None. |
| | 200 ppm (616 mg/m ³) (TWA) 250 ppm (770 mg/m ³) (STEL) | Spain (OEL) | None. |
| | 200 ppm (616 mg/m ³) (TWA) 250 ppm (770 mg/m ³) (STEL) | The United Kingdom (WELs) | None. |

Note: May slowly hydrolyze in the presence of water to Methanol and Acetic acid. Acetic acid and Methanol are not intentionally added to this product. The above exposure limits are provided for safety reasons.

8.2 Exposure controls

Ventilation and engineering measures

- : Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

- : In the case of vapour formation use a respirator with an approved filter. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Skin protection

- : Gloves impervious to the material are recommended. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it. Wear sufficient clothing to prevent skin contact.

Eye / face protection

- : Chemical splash goggles are recommended. See also EN 166.

Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location.

General hygiene considerations

- : Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 6 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|-----------------------------------|--|
| Appearance | : Clear, slightly yellow liquid. |
| Odour | : Perfumed odour. |
| Odour threshold | : No information available. |
| pH | : No information available. |
| Flash point | : 4°C (based on ingredients) |
| Flashpoint (Method) | : Tag closed cup |
| Lower flammable limit (% by vol.) | : No information available. |
| Upper flammable limit (% by vol.) | : No information available. |
| Flammability (solid, gas) | : Not applicable. |
| Auto-ignition temperature | : No information available. |
| Decomposition temperature | : No information available. |
| Oxidizing properties | : None known. |
| Explosive properties | : May be sensitive to static discharge. Not expected to be sensitive to mechanical impact. |

Initial boiling point and boiling range

| | |
|--|-------------------------------|
| | : 70°C (based on ingredients) |
| Melting/Freezing point | : No information available. |
| Relative density | : 0.967 (approximately) |
| Solubility in water | : No information available. |
| Other solubility(ies) | : No information available. |
| Vapour pressure | : No information available. |
| Vapour density | : > 1 (Air = 1.0) |
| Partition coefficient: n-octanol/water | : No information available. |
| Viscosity | : No information available. |
| Evaporation rate (BuAe = 1) | : 3.62 (approximately) |

9.2 Other Information

| | |
|------------------------------------|------------------------------|
| Volatiles (% by weight) | : No information available. |
| Volatile organic Compounds (VOC's) | : No information available. |
| Other physical/chemical comments | : No additional information. |

SECTION 10. STABILITY AND REACTIVITY

| | |
|---|--|
| 10.1 Reactivity | : Not normally reactive. |
| 10.2 Chemical stability | : Stable under normal conditions. |
| 10.3 Possibility of hazardous reactions | : May slowly hydrolyze in the presence of water to Methanol and Acetic acid. Hazardous polymerization does not occur. |
| 10.4 Conditions to avoid | : Direct sources of heat. Avoid moisture. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. |

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 7 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

10.5 Incompatible materials : Water; Oxidizing agents; Strong bases; Strong acids.

10.6 Hazardous decomposition products

- : Methanol; acetic acid.
- Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; Other unidentified organic compounds.

| |
|--|
| SECTION 11. TOXICOLOGICAL INFORMATION |
|--|

11.1 Information on Toxicological effects:

- Acute toxicity** : According to the classification criteria of the European Union, this product is not considered as being an acutely toxic chemical.
- Irritation** : The product is classified as dangerous in accordance with Directive 1999/45/EC.
Classification:
Xi - Irritant. R36 - Irritating to eyes.
- Corrosivity** : According to the classification criteria of the European Union, this product is not considered as being a corrosive material.
- Sensitisation** : According to the classification criteria of the European Union, this product is not considered as being an allergic respiratory sensitiser.
According to the classification criteria of the European Union, this product is not considered as being an allergic skin sensitiser.
- Mutagenicity** : Contains no ingredient listed as a mutagen.
- Carcinogenicity** : Contains no ingredient listed as a carcinogen
- Reproductive toxicity** : Not expected to have other reproductive effects.
- Repeated dose toxicity** : The preparation is classified as dangerous in accordance with Directive 1999/45/EC.
Classification:
R66 - Repeated exposure may cause skin dryness or cracking.
R67 - Vapours may cause drowsiness and dizziness.
- Toxicological data** : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

| <u>Chemical name</u> | LC₅₀(4hr) <u>inh, rat</u> | LD₅₀ | |
|---|--|--|-------------------------|
| | | <u>(Oral, rat)</u> | <u>(Rabbit, dermal)</u> |
| Methyl acetate | 16 000 - 32 000 ppm (48.5 - 97 mg/L) | 3700 mg/kg (rabbit) | > 5000 mg/kg |
| Dimethyl carbonate | > 5.36 mg/L (vapour) | > 5000 mg/kg | > 2000 mg/kg |
| Benzyl alcohol | > 4.178 mg/L (mist) | 1230 mg/kg | > 2000 mg/kg |
| Possible decomposition products in case of hydrolysis are: | | | |
| Methanol | 64 000 ppm (83.8 mg/L) | 5628 mg/kg The estimated human lethal dose is: 300 - 1000 mg/kg | 15 800 mg/kg |
| acetic acid | 11.4 mg/L 2810 ppm (6.95 mg/L) (mouse) | 3310 mg/kg | 1060 mg/kg |

- Routes of exposure** : Eye contact; Skin contact; Inhalation; Ingestion.

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 8 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Effects of acute exposure : *Inhalation:* Vapours may cause drowsiness and dizziness. Mild respiratory irritant. Inhalation may provoke the following symptoms: Headache; Pain; Nausea; Vomiting; other central nervous effects. Contains Methyl acetate, which is hydrolyzed to Methanol and Acetic acid in the body. Inhalation of methanol vapours may cause substantial visual effects, including irritation, blurred vision, and blindness.

Skin contact: May cause mild skin irritation.

Eye contact: Irritating to eyes. May cause moderate to severe irritation.

Ingestion: May cause irritation of the mucous membranes. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). Contains Methyl acetate, which is hydrolyzed to Methanol and Acetic acid in the body. Swallowing methanol is life threatening.

Potential Chronic Health Effects

: Repeated exposure may cause skin dryness or cracking.
Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

Other important hazards : None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity : No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. May slowly hydrolyze in the presence of water to Methanol and Acetic acid. Contains: Methyl acetate; Dimethyl carbonate; Benzyl alcohol
The acute toxicity of methyl acetate is (OECD):
Toxicity to fish - LC50/96h/Fathead minnows = 320 mg/L
Toxicity to daphnia - EC50/48h/daphnia = 1027 mg/L
Toxicity to algae - EC50/72h/algae = 120 mg/L

The acute toxicity of dimethyl carbonate is (literature):
Toxicity to fish - LC50/96h/Brachydanio rerio = > 100 mg/L
Toxicity to daphnia - EC50/48h/daphnia = > 100 mg/L
Toxicity to algae - EC50/72h/algae = > 100 mg/L

The acute toxicity of benzyl alcohol is (OECD):
Toxicity to fish - LC50/96h/Fathead minnows = 460 mg/L
Toxicity to daphnia - EC50/48h/daphnia = 360 mg/L
Toxicity to algae - EC50/96h/green algae = > 640 mg/L
All other ingredients in these products are not considered acutely toxic for the environment, or are at such low levels they do not affect environmental toxicity.

12.2 Persistence and degradability

: The product itself has not been tested.
The following ingredients are considered to be readily biodegradable: Methyl acetate; Dimethyl carbonate; Benzyl alcohol .

12.3 Bioaccumulation potential

: The product itself has not been tested.
Contains: Methyl acetate; Dimethyl carbonate; Benzyl alcohol .
The log Kow value for Methyl acetate is 0.18, and its Bioconcentration Factor (BCF) is 0.8.
The log Pow value for Dimethyl carbonate is 0.354.
The log Pow value for Benzyl alcohol is 1.1, and its Bioconcentration Factor (BCF) is 0.31.

12.4 Mobility in soil

: The product itself has not been tested.

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 9 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

12.5 Results of PBT and vPvB assessment

: This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Other Adverse Environmental effects

: None known.

Water contaminating class (Germany)

: 1 (self classified)




SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Handling for Disposal : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of Disposal : Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14. TRANSPORTATION INFORMATION

| <i>Regulatory Information</i> | 14.1 UN Number | 14.2 UN proper shipping name | 14.3 Transport hazard class(es) | 14.4 Packing Group | <i>Label</i> |
|--|---|---|--|---------------------------|---|
| ADR/RID | UN1993 | FLAMMABLE LIQUID, N.O.S. (Methyl acetate; Dimethyl carbonate) | 3 | II |  |
| EU ADR/RID Classification Code | F1 - Flammable liquids having a flash-point of or below 60 °C | | | | |
| EU ADR / RID Hazard Identification Number | 33 - highly flammable liquid (flash-point below 23°C) | | | | |
| ADR/RID Additional information | May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. | | | | |
| ICAO/IATA | UN1993 | Flammable liquid, n.o.s. (Methyl acetate; Dimethyl carbonate) | 3 | II |  |
| ICAO/IATA Additional information | Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material. | | | | |
| IMDG | UN1993 | FLAMMABLE LIQUID, N.O.S. (Methyl acetate; Dimethyl carbonate) | 3 | II |  |
| IMDG Additional information | May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. | | | | |

14.5 Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 10 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

14.6 Special precautions for user

- : Keep away from heat, sparks and open flame. - No smoking. Appropriate advice on safety must accompany the package.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- : Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- : 1. Substances presenting a health or environmental hazard within the meaning of Directive 67/548/EEC.
- 2. Classification according to European directive on classification of hazardous preparations 1999/45/EC.
- 3. This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended [*including Regulation (EU) No. 453/2010*].
- 4. In accordance with the legislation of the United Kingdom.
- 5. German legislation on water endangering substances VwVwS (see Section 12).

15.2 Chemical safety assessment

- : A chemical safety assessment has not been carried out by the Manufacturer of this product.

SECTION 16. OTHER INFORMATION

Legend

- : ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS: Chemical Abstract Services
- EC: European Community
- EEC: European Economic Community
- EINECS: European Inventory of Existing Commercial chemical Substances
- EN: European Standard
- EU: European Union
- HSDB: Hazardous Substances Data Bank
- IATA: International Air Transport Association
- IBC: Intermediate Bulk Container
- ICAO: International Civil Aviation Organisation
- IMDG: International Maritime Dangerous Goods
- LC: Lethal Concentration
- LD: Lethal Dose
- OEL: National occupational exposure limits
- RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
- RTECS: Registry of Toxic Effects of Chemical Substances
- SDS: Safety Data Sheet
- STEL: Short Term Exposure Limit
- TWA: Time Weighted Average
- WEL: Workplace Exposure Limit

Information Source

- : 1. Material Safety Data Sheet from manufacturer.
- 2. Canadian Centre for Occupational Health and Safety, CCIInfoWeb Databases, 2014 (Chempendium, RTECs, HSDB, INCHEM).
- 3. European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2014.
- 4. European Chemicals Agency, Classification Legislation, 2014.
- 5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.

Preparation Date (dd/mm/yyyy)

- : 06/03/2014

Enviro Soak & Remove

SDS Preparation Date (dd/mm/yyyy): 06/03/2014

Page 11 of 11

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

- R-Phrases (Full text)**
- : R10 - Flammable.
 - R20/22 - Harmful by inhalation and if swallowed.
 - R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
 - R35 - Causes severe burns.
 - R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
- Refer to section 2 for additional R phrases not listed here.

Other special considerations for handling

- : Provide adequate information, instruction and training for operators. This product is subject to the EEC Directive for Cosmetics, 76/768/EEC, and its National implementations in the European Union. This product may also contain the following chemicals:
 - Aloe Vera Oil - CAS # 85007-69-3
 - Jojoba Oil - CAS # 61789-91-1
 - Fragrance

| | |
|--|--|
| <p><u>Prepared for:</u> Haigh Industries Inc. #5 - 8118 North Fraser Way Burnaby, British Columbia, Canada, V5J 0E5 Telephone: 001-604-278-5851 http://www.haighindustries.com Direct all enquiries to Haigh Industries.</p> |  |
| <p><u>Prepared by:</u> ICC The Compliance Center Inc. http://www.thecompliancecenter.com</p> |  |

DISCLAIMER

This Safety Data Sheet was prepared by Haigh Industries Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Haigh Industries Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Haigh Industries Inc.

END OF DOCUMENT