

# SPRAKITA PRODUCTS

7171 TORBRAM ROAD #42, MISSISSAUGA, ONTARIO L4T 3W4

TEL: 905-678-9117 FAX: 905-678-9452

## SECTION I - PRODUCT INFORMATION

Product Name: **SAFETY BOWL, URINAL  
& BATH CLEANER**

Trade Name: **CERA KLEEN**

Chemical Name: NOT APPLICABLE

Chemical Formula: NOT APPLICABLE

Chemical Family: NOT AVAILABLE

Molecular Weight: NOT APPLICABLE

Product Use: BATHROOM CARE

In case of Emergency Call: 1-613-996-6666 CANUTEC

## SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	APROX. CON. (%)	CAS REGISTRY NUMBER	LD50 (mg/Kg) (route and species)	LC50 (species) (ppm)
CITRIC ACID ANHYDROUS	3 – 7	77-92-9	6730 ORAL RAT	
PHOSPHORIC ACID	10 – 30	007664382	1530 ORAL RAT 2740 DERMAL RABBIT	

## SECTION III - PHYSICAL DATA

Physical State: VISCOUS LIQUID  
(WATER=1)

Specific Gravity: 1.139

Odour Threshold: N/A

Evaporation Rate: N. AV.

Boiling Point: N.AV.

Freezing Point: N.AV

pH: 1 TO 2 (ACIDIC)

Vapour Density: N/A

Vapour Pressure(mmHg): N.AV

% Volatile: N.AV.

Coefficient of Water/Oil Distribution: N/A

Odour and Appearance: GREEN OPAQUE /W GREEN APPLE SCENT

Solubility (in Water): COMPLETELY SOLUBLE

## SECTION IV - FIRE OR EXPLOSION DATA

Flammability: NO

Means of Extinction: WATER, DRY CHEMICAL, CARBON DIOXIDE

Special Procedures: NONE

Upper Flammable Limit: (% VOL.) NOT APPLICABLE

Lower Flammable Limit: (% VOL.) NOT APPLICABLE

CERA KLEEN

Flash Point: (C) NONE

Auto Ignition Temperature: (C) N/A

Explosion Data - Sensitivity to Mechanical Impact: NONE

Explosion Data - Sensitivity to Static Discharge: NONE

Hazardous Combustion Products: NOT APPLICABLE

#### SECTION V - REACTIVITY DATA

Chemical Stability: STABLE.

Incompatibility with Other Substances: ALKALI MATERIALS, BASES

Conditions of Reactivity: NONE.

Hazardous Decomposition Products: NONE KNOWN TO US AT THIS TIME

#### SECTION VI - TOXICOLOGICAL PROPERTIES

##### Route of Entry

Skin Contact **x**   Eye Contact **x**   Inhalation **x**   Ingestion **x**

Effects of Chronic Exposure to Product: PROLONGED EXPOSURE

Effects of Acute Exposure to Product: MAY IRRITATE UPPER RESPIRATORY TRACT.  
PROLONGED SKIN CONTACT MAY CAUSE IRRITATION.  
WILL IRRITATE EYES AND MAY CAUSE BURNING  
SENSATION. MAY CAUSE GASTROINTESTINAL  
DISCOMFORT.

#### SECTION VI - TOXICOLOGICAL PROPERTIES

Exposure Limits (TLV): NOT AVAILABLE.

Irritancy of Product: NON IRRITANT

Toxicological Synergistic Products: NONE KNOWN.

Sensitivity to Product: NOT AVAILABLE

LD50 of Product: NOT AVAILABLE.

LC50 of Product: NOT AVAILABLE.

Carcinogenicity, Reproductive Effects, Mutagenicity and Embryo Toxicity: NO INGREDIENTS ARE LISTED AS CARCINOGENIC BY IARC, NIP OR OSHA. NO KNOWN REPRODUCTIVE, TERATOGENIC OR MUTAGENIC EFFECTS.

#### SECTION VII - PREVENTIVE MEASURES

Personal Protective Equipment : IN THE CASE OF INDIVIDUALS WITH SENSITIVE SKIN,  
GLOVES ARE RECOMMENDED FOR PROLONGED CONTACT.  
Gloves: LATEX GLOVES.

Respiratory: RESPIRATORY PROTECTION IS NOT NORMALLY REQUIRED.

Eye: IF MATERIAL IS GOING TO BE HANDLED IN A MANNER WHERE SPLASHING MAY OCCUR, THE USE OF SAFETY GLASSES IS RECOMMENDED.

Footwear: N/A

Other Equipment: N/A.

Engineering Controls: N/A.

Leak and Spill Procedure: LARGE AMOUNTS SHOULD BE COLLECTED IN CONTAINERS. WASH EXCESS WITH WATER. FLOORS MAY BE SLIPPERY.

Waste Disposal: DISPOSE OF ABSORBED MATERIAL WITH MUNICIPAL GARBAGE. FOR LARGE QUANTITIES CONTACT LOCAL ENVIRONMENTAL AUTHORITIES.

Handling Procedures and Equipment: NONE

Storage Requirements: STORE BETWEEN 5 – 35 C.

Special Shipping Information: NOT REGULATED UNDER TDG.

#### SECTION VIII - FIRST AID MEASURES

Inhalation: INHALATION SHOULD NOT POSE A SERIOUS HEALTH THREAT, HOWEVER, IF AFFECTED BY INHALATION- REMOVE PERSON TO FRESH AIR AND SEEK MEDICAL HELP.

Ingestion: IF SWALLOWED, GIVE CONSCIOUS VICTIM PLENTY OF WATER OR MILK. CONTACT A PHYSICIAN IMMEDIATELY.

Eye Contact: IMMEDIATELY FLUSH EYES WITH LARGE QUANTITIES OF TEPID WATER FOR AT LEAST 15 MINUTES. REMOVE CONTACT LENSES. SEEK MEDICAL HELP.

Skin Contact: WASH WITH SOAP AND WATER. KEEP CONTAMINATED CLOTHING AWAY FROM SKIN. CONTACT PHYSICIAN IF IRRITATION PERSISTS.

#### SECTION IX - PREPARATION INFORMATION

Prepared by: SPRAKITA PRODUCTS

Phone: (905) 678-9117

Date of Preparation: FEBRUARY 11, 2011.

Note: The information supplied in this document is true and accurate to the best of our knowledge; however, SPRAKITA does not guarantee the data, nor does it assume liability or responsibility for any actions or results taken or obtained based on this MSDS.