# **SPRAKITA PRODUCTS**

7171 TORBRAM ROAD #42, MISSISSAUGA, ONTARIO L4T 3W4

TEL: 905-678-9117 FAX: 905-678-9452

## SECTION I - PRODUCT INFORMATION

Product Name: DRAIN OPENERTrade Name: DRAIN OPENERChemical Name: NOT APPLICABLEChemical Formula: NOT APPLICABLE

Chemical Family: NOT APPLICABLE

Molecular Weight: NOT APPLICABLE

Product Use: REFER TO LABEL

In case of Emergency Call: 1-613-996-6666 CANUTEC

## SECTION II - HAZARDOUS INGREDIENTS

| HAZARDOUS<br>INGREDIENTS | APROX.<br>CON.<br>(%) | CAS REGISTRY<br>NUMBER | LD50 (mg/Kg)<br>(route and species) | LC50 (ppm)<br>(species) |
|--------------------------|-----------------------|------------------------|-------------------------------------|-------------------------|
| SULFURIC ACID            | $\overline{60 - 100}$ | 7664-93-9              | 2140                                | 510 mg/m3               |

## SECTION III - PHYSICAL DATA

| Physical State: LIQUID       | Specific Gravity: 1.767        |
|------------------------------|--------------------------------|
| Odour Threshold: N/A         | Evaporation Rate: <1 (nBuAc=1) |
| Boiling Point: 92 - 100 C    | Freezing Point: 0 C            |
| pH: N.AV                     | Vapour Density: N/A            |
| Vapour Pressure(mmHg): 0.001 | % Volatile: <5%                |
|                              |                                |

Coefficient of Water/Oil Distribution:N/A

Odour and Appearance: CLEAR TO AMBER HEAVY LIQUID. SULFUR DIOXIDE ODOUR

Solubility (in Water): COMPLETELY SOLUBLE

### SECTION IV - FIRE OR EXPLOSION DATA

Flammability: NO

Means of Extinction: WATER, DRY CHEMICAL, CARBON DIOXIDE

Special Procedures: RESPIRATORY PROTECTION IS REQUIRED BY FIRE FIGHTING PERSONNEL.

Upper Flammable Limit: (% VOL.) NOT APPLICABLE

Lower Flammable Limit: (% VOL.) NOT APPLICABLE

Flash Point: N/A

Auto Ignition Temperature: (C) N/A

DRAIN OPENER

Explosion Data - Sensitivity to Mechanical Impact: NONE

Explosion Data - Sensitivity to Static Discharge: NONE

Hazardous Combustion Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGENE AND SULPHUR.

#### SECTION V - REACTIVITY DATA

Chemical Stability: STABLE.

Incompatibility with Other Substances: STRONG MINERAL ACIDS, EG.H2S04, OXIDIZERS AND REDUCING AGENTS.

Conditions of Reactivity: NONE

Hazardous Decomposition Products: OXIDES OF CARBON

#### SECTION VI - TOXICOLOGICAL PROPERTIES

#### **Route of Entry**

Skin Contact **x** Eye Contact **x** Inhalation Ingestion **x** 

Effects of Chronic Exposure to Product: INHALATION CAN CASUSE INFLAMMATION OF THE LUNGS, HEADACHE AND DIZZINESS. PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS.

Effects of Acute Exposure to Product: MAY IRRITATE UPPER RESPIRATORY TRACT. PROLONGED SKIN CONTACT MAY CAUSE IRRITATION. WILL IRRITATE EYES AND MAY CAUSE BURNING SENSATION. MAY CAUSE GASTROINTESTINAL DISCOMFORT.

#### SECTION VI - TOXICOLOGICAL PROPERTIES

Exposure Limits (TLV): 25 ppm - SKIN FOR BUTYL CELLOSOLVE

Irritancy of Product: EYE IRRITANT, SKIN IRRITANT.

Toxicological Synergistic Products: NONE KNOWN.

Sensitivity to Product: NONE KNOWN

LD50 of Product: NOT AVAILABLE.

LC50 of Product: NOT AVAILABLE.

Carcinogenicity, Reproductive Effects, Mutagenicity and Embryo Toxicity: FORMALDEHYDE IS PRESENT AT < 0.05%. FORMALDEHYDE IS A SUSPECTED HUMAN CARCINOGEN. NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.

### SECTION VII - PREVENTIVE MEASURES

Personal Protective Equipment: SKIN AND EYE PROTECTION ARE RECCOMENDED BY THE MANUFACTURER.

Gloves: RUBBER

DRAIN OPENER

| Respiratory:  | RESPIRATORY PROTECTION IS NOT NORMALLY REQUIRED.   |  |  |  |
|---|--|--|--|--|
| Eye:  | MATERIAL IS GOING TO BE HANDLED IN A MANNER<br>WHERE SPLASHING MAY OCCUR, THE USE OF SAFETY<br>GLASSES IS RECOMMENDED.         |  |  |  |
| Footwear:   | N/A  |  |  |  |
| Other Equipment:  | N/A  |  |  |  |
| Engineering Controls:   | NATURAL VENTILATION.   |  |  |  |
| Leak and Spill Procedure:   | LARGE AMOUNTS SHOULD BE COLLECTED IN CONTAINERS.<br>PREVENT SPILLS FROM ENTERRING SEWERS/WATERWAYS.<br>FLOORS MAY BE SLIPPERY. |  |  |  |
| Waste Disposal:   | DISPOSE OF ABSORBED MATERIAL WITH MUNICIPAL<br>GARBAGE. FOR LARGE QUANTITIES CONTACT LOCAL<br>ENVIRONMENTAL AUTHORITIES.       |  |  |  |
| Handling Procedures and Equipment: WEAR GLOVES AND GOGGLES. AVOID INHALING VAPOS. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REWEARING. AVOID SKIN AND EYE CONTACT. |  |  |  |  |
| Storage Requirements:   | STORE BETWEEN 5 – 35 C.  |  |  |  |
| Special Shipping Information:   | NOT REGULATED UNDER TDG.   |  |  |  |
| SECTION VIII - FIRST AID MEASURES   |  |  |  |  |
| Inhalation: INHALATION SHOULD NOT POSE A SERIOUS HEALTH THREAT, HOWEVER, IF<br>AFFECTED BY INHALATION- REMOVE PERSON TO FRESH AIR AND SEEK<br>MEDICAL HELP.           |  |  |  |  |
|   |  |  |  |  |

Ingestion: IF SWALLOWED, GIVE CONSCIOUS VICTIM PLENTY OF WATER OR MILK. CONTACT A PHYSICIAN IMMEDIATELY.

Eye Contact: IMMEDIATELY FLUSH EYES WITH LARGE QUANTITIES OF TEPID WATER FOR AT LEAST 15 MINUTES. REMOVE CONTACT LENSES. SEEK MEDICAL HELP.

Skin Contact: WASH WITH SOAP AND WATER. KEEP CONTAMINATED CLOTHING AWAY FROM SKIN. CONTACT PHYSICIAN IF IRRITATION PERSISTS.

## SECTION IX - PREPARATION INFORMATION

Prepared by: SPRAKITA PRODUCTS

Phone: (905) 678-9117

Date of Preparation: FEBRUARY 11, 2011.

Note: The information supplied in this document is true and accurate to the best of our knowledge; however, SPRAKITA does not guarantee the data, nor does it assume liability or responsibility for any actions or results taken or obtained based on this MSDS.