# SPRAKITA PRODUCTS

7171 TORBRAM ROAD #42, MISSISSAUGA, ONTARIO L4T 3W4 TEL: 905-678-9117 FAX: 905-678-9452

## **SECTION I - PRODUCT INFORMATION**

Product Name: LEMON-QUAT GERMICIDAL Trade Name: LEMON-QUAT GERMICIDAL

Chemical Name: NOT APPLICABLE Chemical Formula: NOT APPLICABLE

Chemical Family: WATER BASED Molecular Weight: NOT APPLICABLE

Product Use: GERMICIDAL DETERGENT

In case of Emergency Call: 1-613-996-6666 CANUTEC

## SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	APROX. CON. (%)	CAS REGISTRY NUMBER	LD50 (mg/Kg) (route and species)	LC50 (ppm) (species)
ALKYL PHENOL	5 – 10	9016-45-9	2830	N/A
ETHOXYLATE				
SODIUM	1 - 5	533-96-0	5600 ORAL RAT	N/A
SESQUICARBONATE				
BARDAC 205M	5 - 10	68424-95-3	421	N/A
FORMALDEHYDE	<1.0	50-00-0	270	250

#### SECTION III - PHYSICAL DATA

Physical State: LIQUID Specific Gravity: 0.98 – 1.02

Odour Threshold: N/A Evaporation Rate: N/A

Boiling Point: 100 C Freezing Point: 0 C

pH: 7.0 – 9.0 Vapour Density: N/A

Vapour Pressure(mmHg): N/A % Volatile: 90

Coefficient of Water/Oil Distribution: N/A Odour and Appearance: LEMON ODOR, YELLOW

**COLOUR** 

Solubility (in Water): COMPLETELY SOLUBLE

### SECTION IV - FIRE OR EXPLOSION DATA

Flammability: N/A

Means of Extinction: WATER, DRY CHEMICAL, CARBON DIOXIDE

Special Procedures: RESPIRATORY PROTECTION IS REQUIRED BY FIRE FIGHTING

PERSONNEL.

Upper Flammable Limit: (% VOL.) NOT APPLICABLE

Lower Flammable Limit: (% VOL.) NOT APPLICABLE

Flash Point: N/A

Auto Ignition Temperature: (C) N/A

Explosion Data - Sensitivity to Mechanical Impact: NONE

Explosion Data - Sensitivity to Static Discharge: NONE

Hazardous Combustion Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF

NITROGENE AND SULPHUR.

#### **SECTION V - REACTIVITY DATA**

Chemical Stability: STABLE.

Incompatibility with Other Substances: STRONG MINERAL ACIDS, EG.H2S04, OXIDIZERS AND

REDUCING AGENTS.

Conditions of Reactivity: NONE

Hazardous Decomposition Products: OXIDES OF CARBON

#### **SECTION VI - TOXICOLOGICAL PROPERTIES**

#### **Route of Entry**

Skin Contact **x** Eye Contact **x** Inhalation Ingestion **x** 

Effects of Chronic Exposure to Product: INHALATION CAN CASUSE INFLAMMATION OF THE LUNGS, HEADACHE AND DIZZINESS. PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS.

Effects of Acute Exposure to Product: MAY IRRITATE UPPER RESPIRATORY TRACT. PROLONGED SKIN CONTACT MAY CAUSE IRRITATION. WILL IRRITATE EYES AND MAY CAUSE BURNING SENSATION. MAY CAUSE GASTROINTESTINAL DISCOMFORT.

#### SECTION VI - TOXICOLOGICAL PROPERTIES

Exposure Limits (TLV): 25 ppm – SKIN FOR BUTYL CELLOSOLVE

Irritancy of Product: EYE IRRITANT, SKIN IRRITANT.

Toxicological Synergistic Products: NONE KNOWN.

Sensitivity to Product: NONE KNOWN

LD50 of Product: NOT AVAILABLE.

LC50 of Product: NOT AVAILABLE.

Carcinogenicity, Reproductive Effects, Mutagenicity and Embryo Toxicity: FORMALDEHYDE IS PRESENT AT < 0.05%. FORMALDEHYDE IS A SUSPECTED HUMAN CARCINOGEN. NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.

#### **SECTION VII - PREVENTIVE MEASURES**

Personal Protective Equipment: SKIN AND EYE PROTECTION ARE RECCOMENDED BY THE

MANUFACTURER.

Gloves: RUBBER

Respiratory: RESPIRATORY PROTECTION IS NOT NORMALLY REQUIRED.

Eye: MATERIAL IS GOING TO BE HANDLED IN A MANNER

WHERE SPLASHING MAY OCCUR, THE USE OF SAFETY

GLASSES IS RECOMMENDED.

Footwear: N/A

Other Equipment: N/A

Engineering Controls: NATURAL VENTILATION.

Leak and Spill Procedure: LARGE AMOUNTS SHOULD BE COLLECTED IN CONTAINERS.

PREVENT SPILLS FROM ENTERRING SEWERS/WATERWAYS.

FLOORS MAY BE SLIPPERY.

Waste Disposal: DISPOSE OF ABSORBED MATERIAL WITH MUNICIPAL

GARBAGE. FOR LARGE QUANTITIES CONTACT LOCAL

ENVIRONMENTAL AUTHORITIES.

Handling Procedures and Equipment: WEAR GLOVES AND GOGGLES. AVOID INHALING

VAPOURS. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REWEARING. AVOID SKIN AND

EYE CONTACT.

Storage Requirements: STORE BETWEEN 5 – 35 C.

Special Shipping Information: NOT REGULATED UNDER TDG.

## SECTION VIII - FIRST AID MEASURES

Inhalation: INHALATION SHOULD NOT POSE A SERIOUS HEALTH THREAT, HOWEVER, IF AFFECTED BY INHALATION- REMOVE PERSON TO FRESH AIR AND SEEK

MEDICAL HELP.

Ingestion: IF SWALLOWED, GIVE CONSCIOUS VICTIM PLENTY OF WATER OR MILK.

CONTACT A PHYSICIAN IMMEDIATELY.

Eye Contact: IMMEDIATELY FLUSH EYES WITH LARGE QUANTITIES OF TEPID WATER FOR

AT LEAST 15 MINUTES. REMOVE CONTACT LENSES. SEEK MEDICAL HELP.

Skin Contact: WASH WITH SOAP AND WATER. KEEP CONTAMINATED CLOTHING AWAY

FROM SKIN. CONTACT PHYSICIAN IF IRRITATION PERSISTS.

## SECTION IX - PREPARATION INFORMATION

Prepared by: SPRAKITA PRODUCTS

Phone: (905) 678-9117

Date of Preparation: FEBRUARY 11, 2011.

Note: The information supplied in this document is true and accurate to the best of our knowledge;

however, SPRAKITA does not guarantee the data, nor does it assume liability or responsibility

for any actions or results taken or obtained based on this MSDS.