

Date Reported: 3/13/2024

Sample Details

Product #: 458819
 Product Description: ELMNT Lions Mane (60)
 Lot #: 04424-2
 Date Received: 2/15/2024
 Sample Details:

Customer Information

Customer: ELMNT
 Address: 242 S 400 E
 Spanish Fork, UT 84660

Certificate of Analysis

Chemistry	Method	Specification	Lab Result	Units
Botanicals and Nutraceuticals				
Ashwagandha Extract	WI.QTY.002.01	> 250	250.00	mg/serving
Black Pepper Extract	WI.QTY.002.01	> 10	10.00	mg/serving
Lions Mane Extract	WI.QTY.002.01	> 900	900.00	mg/serving
Rhodiola Root Extract	WI.QTY.002.01	> 200	200.00	mg/serving
Physical				
Serving Size	SNL.MA.210		2.000	Capsule
Color L*a*b*: dE (powder)	ASTM E1164	< 4.03	3.15	
Average Gross Weight	WI.USP.2091.02	854.1 - 945.9	884.10	mg
Average Net Fill Weight	WI.USP.2091.02	719.1 - 810.9	753.10	mg
%RSD	WI.USP.2091.02	< 6	1.6	%
Identity Test By NIR	USP {1119}		Confirmed	
NIR Identity Distance	USP {1119}	< 0.073465	0.027806	
NIR Identity Spectra Residual	USP {1119}	< 0.047965	0.007173	
Appearance	SNL.MA.202	Powder	Powder	
Color	SNL.MA.202	Brown	Brown	
Odor	SNL.MA.202	Characteristic	Characteristic	

Microbiology	Method	Specification	Lab Result	Units
Total Plate Count	AOAC Modified	< 100000	<1000	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 1000	<10	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC Modified	< 10000	<100	cfu/g

Report Approved By



Paulina Munoz
 Quality Manager

*= Please review Client Specifications
 Report Numbers that have been

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results. This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.