

Model Selection List

DS5L1/5C1/5N1/5L/5C/5E/5K/5F match MS6-B3 series motor									
80 flange and below motors									
Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Front outgoing cable		Rear outgoing cable		Transfer cable
					Encoder cable	Power cable	Encoder cable	Power cable	Only support front outgoing cable
0.1	High inertia	MS6H-40CS30B3-20P1	DS5L1/C1/N1-20P1-PTA DS5L/E/C/F/K-20P1-PTA	AC 220V	CP(T)-SE-M-Length	CM(T)-E03A-Length	CP(T)-SF-M-Length	CM(T)-F03A-Length	CPT-PE CMT-PE03 CMBT-PE03
		MS6H-40CM30B3-20P1			CP(T)-SE-BM-Length	CM(T)-E03A-Length	CP(T)-SF-BM-Length	CM(T)-F03A-Length	
		MS6H-40CS30BZ3-20P1			CP(T)-SE-M-Length	CMB(T)-E03A-Length	CP(T)-SF-M-Length	CMB(T)-F03A-Length	
		MS6H-40CM30BZ3-20P1			CP(T)-SE-BM-Length	CMB(T)-E03A-Length	CP(T)-SF-BM-Length	CMB(T)-F03A-Length	
0.2	High inertia	MS6H-60CS30B3-20P2	DS5L1/C1/N1-20P2-PTA DS5L/E/C/F/K-20P2-PTA		CP(T)-SE-M-Length	CM(T)-E05A-Length	CP(T)-SF-M-Length	CM(T)-F05A-Length	CPT-PE CMT-PE05 CMBT-PE05
		MS6H-60CM30B3-20P2			CP(T)-SE-BM-Length	CM(T)-E05A-Length	CP(T)-SF-BM-Length	CM(T)-F05A-Length	
		MS6H-60CS30BZ3-20P2			CP(T)-SE-M-Length	CMB(T)-E05A-Length	CP(T)-SF-M-Length	CMB(T)-F05A-Length	
		MS6H-60CM30BZ3-20P2			CP(T)-SE-BM-Length	CMB(T)-E05A-Length	CP(T)-SF-BM-Length	CMB(T)-F05A-Length	
0.4	Low inertia	MS6S-60CS30B3-20P4	DS5L1/C1/N1-20P4-PTA DS5L/E/C/F/K-20P4-PTA		CP(T)-SE-M-Length	CM(T)-E05A-Length	CP(T)-SF-M-Length	CM(T)-F05A-Length	
		MS6S-60CM30B3-20P4			CP(T)-SE-BM-Length	CM(T)-E05A-Length	CP(T)-SF-BM-Length	CM(T)-F05A-Length	
		MS6S-60CS30BZ3-20P4			CP(T)-SE-M-Length	CMB(T)-E05A-Length	CP(T)-SF-M-Length	CMB(T)-F05A-Length	
		MS6S-60CM30BZ3-20P4			CP(T)-SE-BM-Length	CMB(T)-E05A-Length	CP(T)-SF-BM-Length	CMB(T)-F05A-Length	
	High inertia	MS6H-60CS30B3-20P4			CP(T)-SE-M-Length	CM(T)-E05A-Length	CP(T)-SF-M-Length	CM(T)-F05A-Length	
		MS6H-60CM30B3-20P4			CP(T)-SE-BM-Length	CM(T)-E05A-Length	CP(T)-SF-BM-Length	CM(T)-F05A-Length	
		MS6H-60CS30BZ3-20P4			CP(T)-SE-M-Length	CMB(T)-E05A-Length	CP(T)-SF-M-Length	CMB(T)-F05A-Length	
		MS6H-60CM30BZ3-20P4			CP(T)-SE-BM-Length	CMB(T)-E05A-Length	CP(T)-SF-BM-Length	CMB(T)-F05A-Length	
0.75	Low inertia	MS6S-80CS30B3-20P7	DS5L1/C1/N1-20P7-PTA DS5L/E/C/F/K-20P7-PTA	CP(T)-SE-M-Length	CM(T)-E05A-Length	CP(T)-SF-M-Length	CM(T)-F05A-Length		
		MS6S-80CM30B3-20P7		CP(T)-SE-BM-Length	CM(T)-E05A-Length	CP(T)-SF-BM-Length	CM(T)-F05A-Length		
		MS6S-80CS30BZ3-20P7		CP(T)-SE-M-Length	CMB(T)-E05A-Length	CP(T)-SF-M-Length	CMB(T)-F05A-Length		
		MS6S-80CM30BZ3-20P7		CP(T)-SE-BM-Length	CMB(T)-E05A-Length	CP(T)-SF-BM-Length	CMB(T)-F05A-Length		
	High inertia	MS6H-80CS30B3-20P7		CP(T)-SE-M-Length	CM(T)-E05A-Length	CP(T)-SF-M-Length	CM(T)-F05A-Length		
		MS6H-80CM30B3-20P7		CP(T)-SE-BM-Length	CM(T)-E05A-Length	CP(T)-SF-BM-Length	CM(T)-F05A-Length		
		MS6H-80CS30BZ3-20P7		CP(T)-SE-M-Length	CMB(T)-E05A-Length	CP(T)-SF-M-Length	CMB(T)-F05A-Length		
		MS6H-80CM30BZ3-20P7		CP(T)-SE-BM-Length	CMB(T)-E05A-Length	CP(T)-SF-BM-Length	CMB(T)-F05A-Length		
1	Low inertia	MS6S-80CS30B3-21P0	DS5L1/C1/N1-20P7-PTA DS5L/E/C/F/K-20P7-PTA	CP(T)-SE-M-Length	CM(T)-E05A-Length	CP(T)-SF-M-Length	CM(T)-F05A-Length		
		MS6S-80CM30B3-21P0		CP(T)-SE-BM-Length	CM(T)-E05A-Length	CP(T)-SF-BM-Length	CM(T)-F05A-Length		
		MS6S-80CS30BZ3-21P0		CP(T)-SE-M-Length	CMB(T)-E05A-Length	CP(T)-SF-M-Length	CMB(T)-F05A-Length		
		MS6S-80CM30BZ3-21P0		CP(T)-SE-BM-Length	CMB(T)-E05A-Length	CP(T)-SF-BM-Length	CMB(T)-F05A-Length		
	High inertia	MS6H-80CS30B3-21P0		CP(T)-SE-M-Length	CM(T)-E05A-Length	CP(T)-SF-M-Length	CM(T)-F05A-Length		
		MS6H-80CM30B3-21P0		CP(T)-SE-BM-Length	CM(T)-E05A-Length	CP(T)-SF-BM-Length	CM(T)-F05A-Length		
		MS6H-80CS30BZ3-21P0		CP(T)-SE-M-Length	CMB(T)-E05A-Length	CP(T)-SF-M-Length	CMB(T)-F05A-Length		
		MS6H-80CM30BZ3-21P0		CP(T)-SE-BM-Length	CMB(T)-E05A-Length	CP(T)-SF-BM-Length	CMB(T)-F05A-Length		

* Note: 1. Please select one between front outgoing cable and rear outgoing cable.

2. The connection cable please select one between CMT and CMBT, non-brake model please select CMT, brake model please select CMBT.

Model Selection List

MS6 series

DS5L/5C/5E/5K/5F								
Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Brake cable	Cable accessories package
0.1	High inertia	MS6H-40CS30B1-20P1	DS5L/E/C/F/K-20P1-PTA	AC 220V	CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6H-40CM30B1-20P1			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6H-40CS30BZ1-20P1			CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6H-40CM30BZ1-20P1			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
0.2	High inertia	MS6H-60CS30B1-20P2	DS5L/E/C/F/K-20P2-PTA		CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6H-60CM30B1-20P2			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6H-60CS30BZ1-20P2			CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6H-60CM30BZ1-20P2			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
0.4	Low inertia	MS6S-60CS30B1-20P4	DS5L/E/C/F/K-20P4-PTA		CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6S-60CM30B1-20P4			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6S-60CS30BZ1-20P4			CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6S-60CM30BZ1-20P4			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
	High inertia	MS6H-60CS30B1-20P4			CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6H-60CM30B1-20P4			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4
		MS6H-60CS30BZ1-20P4			CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6H-60CM30BZ1-20P4			CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
0.75	Low inertia	MS6S-80CS20B1-20P7	DS5L/E/C/F/K-20P7-PTA	CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6S-80CM20B1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6S-80CS20BZ1-20P7		CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6S-80CM20BZ1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
	High inertia	MS6H-80CS20B1-20P7		CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6H-80CM20B1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6H-80CS20BZ1-20P7		CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6H-80CM20BZ1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
	Low inertia	MS6S-80CS30B1-20P7		CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6S-80CM30B1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6S-80CS30BZ1-20P7		CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6S-80CM30BZ1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
	High inertia	MS6H-80CS30B1-20P7		CP(T)-SP-M-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6H-80CM30B1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	/	JAM-P9-P4	
		MS6H-80CS30BZ1-20P7		CP(T)-SP-M-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6H-80CM30BZ1-20P7		CP(T)-SP-BM-Length	CM(T)-P07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
0.85	High inertia	MS6H-130CS15B2-20P8	DS5L/E/C/K/F-21P0-PTA	CP(T)-SC-M-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CM15B2-20P8		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CS15BZ2-20P8		CP(T)-SC-M-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6H-130TL15B2-20P8		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130TL15BZ2-20P8		CP(T)-SC-B-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6H-130CS15B2-40P8		CP(T)-SC-M-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CM15B2-40P8		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CS15BZ2-40P8		CP(T)-SC-M-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6H-130CM15BZ2-40P8		CP(T)-SC-B-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6H-130TL15B2-40P8		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130TL15BZ2-40P8		CP(T)-SC-B-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		1.3		High inertia	MS6H-130CS15B2-41P3	DS5E/E/K/F-41P5-PTA	CP(T)-SC-M-Length	CM(T)-L15-Length
MS6H-130CM15B2-41P3	CP(T)-SC-B-Length		CM(T)-L15-Length		/		JAM-C10-L4	
MS6H-130CS15BZ2-41P3	CP(T)-SC-M-Length		CMB(T)-L15-Length		/		JAM-C10-L7	
MS6H-130TL15B2-41P3	CP(T)-SC-B-Length		CM(T)-L15-Length		/		JAM-C10-L4	
MS6H-130TL15BZ2-41P3	CP(T)-SC-B-Length		CMB(T)-L15-Length		/		JAM-C10-L7	
MS6H-130TL15BZ2-41P3	CP(T)-SC-B-Length		CM(T)-L15-Length		/		JAM-C10-L4	
1.5	Low inertia	MS6S-100CS30B2-21P5	DS5E/L/C/F/K-21P5-PTA	CP(T)-SC-M-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6S-100CM30B2-21P5		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6S-100CS30BZ2-21P5		CP(T)-SC-M-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6S-100CM30BZ2-21P5		CP(T)-SC-B-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
	High inertia	MS6H-130CS20B2-21P5		CP(T)-SC-M-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CM20B2-21P5		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CS20BZ2-21P5		CP(T)-SC-M-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6H-130CM20BZ2-21P5		CP(T)-SC-B-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
1.8	High inertia	MS6H-130CS15B2-21P8	DS5E/L/C/F/K-22P6-PTA	CP(T)-SC-M-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CM15B2-21P8		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		MS6H-130CS15BZ2-21P8		CP(T)-SC-M-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6H-130CM15BZ2-21P8		CP(T)-SC-B-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
		MS6H-130TL15B2-21P8		CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
		DS5E/C/K/F-41P5-PTA	MS6H-130CS15B2-41P8	CP(T)-SC-M-Length	CM(T)-L15-Length	/	JAM-C10-L4	
			MS6H-130CM15B2-41P8	CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	
			MS6H-130CS15BZ2-41P8	CP(T)-SC-M-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
			MS6H-130CM15BZ2-41P8	CP(T)-SC-B-Length	CMB(T)-L15-Length	/	JAM-C10-L7	
			MS6H-130TL15B2-41P8	CP(T)-SC-B-Length	CM(T)-L15-Length	/	JAM-C10-L4	

Model Selection List

DS5L/5C/5E/5K/5F									
Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Cable accessories package		
2.3	High inertia	MS6H-130CS15B2-22P3	DS5E/L/C/F/K-22P6-PTA	AC 220V	CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4		
		MS6H-130CM15B2-22P3			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4		
		MS6H-130CS15BZ2-22P3			CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7		
		MS6H-130CM15BZ2-22P3			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7		
		MS6H-130TL15B2-22P3			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4		
		MS6H-130TL15BZ2-22P3			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7		
		MS6H-130CS15B2-42P3			CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4		
		MS6H-130CM15B2-42P3			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L7		
	High inertia	DS5E/C/F/K-43P0-PTA	MS6H-130CS15BZ2-42P3		CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4		
			MS6H-130CM15BZ2-42P3		CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7		
			MS6H-130CM15BZ2-42P3		CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4		
			MS6H-130TL15B2-42P3		CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7		
			MS6H-130TL15BZ2-42P3		CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4		
			MS6H-180TL15B2-42P3		CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7		
			High inertia		DS5E/C/F-43P0-PTA-H	MS6H-180CS15B2-43P0	CP(T)-SL-M-Length	CM(T)-XL25-Length	JAM-L15-XL4
						MS6H-180CM15B2-43P0	CP(T)-SL-B-Length	CM(T)-XL25-Length	JAM-L15-XL4
MS6H-180CS15BZ2-43P0	CP(T)-SL-M-Length	CMB(T)-XL25-Length		JAM-L15-XL6					
MS6H-180CM15BZ2-43P0	CP(T)-SL-B-Length	CMB(T)-XL25-Length		JAM-L15-XL6					
MS6H-180TL15B2-43P0	CP(T)-SL-B-Length	CM(T)-XL25-Length		JAM-L15-XL4					
MS6H-180TL15BZ2-43P0	CP(T)-SL-B-Length	CMB(T)-XL25-Length		JAM-L15-XL6					
High inertia	DS5E/C/F-45P5-PTA-H	MS6H-180CS15B2-44P4		CP(T)-SL-M-Length		CM(T)-XL60-Length	JAM-L15-XL4		
		MS6H-180CM15B2-44P4		CP(T)-SL-B-Length		CM(T)-XL60-Length	JAM-L15-XL4		
		MS6H-180CS15BZ2-44P4	CP(T)-SL-M-Length	CMB(T)-XL60-Length	JAM-L15-XL6				
		MS6H-180CM15BZ2-44P4	CP(T)-SL-B-Length	CMB(T)-XL60-Length	JAM-L15-XL6				
		MS6H-180TL15B2-44P4	CP(T)-SL-B-Length	CM(T)-XL60-Length	JAM-L15-XL4				
		MS6H-180TL15BZ2-44P4	CP(T)-SL-B-Length	CMB(T)-XL60-Length	JAM-L15-XL6				
		High inertia	DS5E/C/F-45P5-PTA-H	MS6H-180CS15B2-45P5	CP(T)-SL-M-Length	CM(T)-XL60-Length	JAM-L15-XL4		
				MS6H-180CM15B2-45P5	CP(T)-SL-B-Length	CM(T)-XL60-Length	JAM-L15-XL4		
MS6H-180CS15BZ2-45P5	CP(T)-SL-M-Length			CMB(T)-XL60-Length	JAM-L15-XL6				
MS6H-180CM15BZ2-45P5	CP(T)-SL-B-Length			CMB(T)-XL60-Length	JAM-L15-XL6				
MS6H-180TL15B2-45P5	CP(T)-SL-B-Length			CM(T)-XL60-Length	JAM-L15-XL4				
MS6H-180TL15BZ2-45P5	CP(T)-SL-B-Length			CMB(T)-XL60-Length	JAM-L15-XL6				
High inertia	DS5E/C/F-47P5-PTA-H			MS6H-180CS15B2-47P5	CP(T)-SL-M-Length	CM(T)-XL60-Length	JAM-L15-XL4		
				MS6H-180CM15B2-47P5	CP(T)-SL-B-Length	CM(T)-XL60-Length	JAM-L15-XL4		
		MS6H-180CS15BZ2-47P5	CP(T)-SL-M-Length	CMB(T)-XL60-Length	JAM-L15-XL6				
		MS6H-180CM15BZ2-47P5	CP(T)-SL-B-Length	CMB(T)-XL60-Length	JAM-L15-XL6				
		MS6H-180TL15B2-47P5	CP(T)-SL-B-Length	CM(T)-XL60-Length	JAM-L15-XL4				
		MS6H-180TL15BZ2-47P5	CP(T)-SL-B-Length	CMB(T)-XL60-Length	JAM-L15-XL6				
		80 flange and below small aviation plug matching list							
		0.4	Low inertia	MS6S-60CS30B2-20P4	DS5L/E/C/F/K-20P4-PTA	AC 220V	CP(T)-SV-M-Length	CMT-V07-M-Length	JAM-V7-V4
MS6S-60CM30B2-20P4	CP(T)-SV-BM-Length			CMT-V07-M-Length			JAM-V7-V4		
MS6S-60CS30BZ2-20P4	CP(T)-SV-M-Length			CMBT-V07-M-Length			JAM-V7-V6		
MS6S-60CM30BZ2-20P4	CP(T)-SV-BM-Length			CMBT-V07-M-Length			JAM-V7-V6		
High inertia	MS6H-60CS30B2-20P4		CP(T)-SV-M-Length	CMT-V07-M-Length			JAM-V7-V4		
	MS6H-60CM30B2-20P4		CP(T)-SV-BM-Length	CMT-V07-M-Length			JAM-V7-V4		
	MS6H-60CS30BZ2-20P4		CP(T)-SV-M-Length	CMBT-V07-M-Length			JAM-V7-V6		
	MS6H-60CM30BZ2-20P4		CP(T)-SV-BM-Length	CMBT-V07-M-Length			JAM-V7-V6		
0.75	Low inertia	MS6S-80CS20B2-20P7	DS5L/E/C/F/K-20P7-PTA	CP(T)-SV-M-Length	CMT-V07-M-Length		JAM-V7-V4		
		MS6S-80CM20B2-20P7		CP(T)-SV-BM-Length	CMT-V07-M-Length		JAM-V7-V4		
		MS6S-80CS20BZ2-20P7		CP(T)-SV-M-Length	CMBT-V07-M-Length		JAM-V7-V6		
		MS6S-80CM20BZ2-20P7		CP(T)-SV-BM-Length	CMBT-V07-M-Length		JAM-V7-V6		
		High inertia		MS6H-80CS20B2-20P7	CP(T)-SV-M-Length		CMT-V07-M-Length	JAM-V7-V4	
				MS6H-80CM20B2-20P7	CP(T)-SV-BM-Length		CMT-V07-M-Length	JAM-V7-V4	
				MS6H-80CS20BZ2-20P7	CP(T)-SV-M-Length		CMBT-V07-M-Length	JAM-V7-V6	
				MS6H-80CM20BZ2-20P7	CP(T)-SV-BM-Length		CMBT-V07-M-Length	JAM-V7-V6	
	Low inertia	MS6S-80CS30B2-20P7		CP(T)-SV-M-Length	CMT-V07-M-Length	JAM-V7-V4			
		MS6S-80CM30B2-20P7		CP(T)-SV-BM-Length	CMT-V07-M-Length	JAM-V7-V4			
		MS6S-80CS30BZ2-20P7		CP(T)-SV-M-Length	CMBT-V07-M-Length	JAM-V7-V6			
		MS6S-80CM30BZ2-20P7		CP(T)-SV-BM-Length	CMBT-V07-M-Length	JAM-V7-V6			
	High inertia	MS6H-80CS30B2-20P7		CP(T)-SV-M-Length	CMT-V07-M-Length	JAM-V7-V4			
		MS6H-80CM30B2-20P7		CP(T)-SV-BM-Length	CMT-V07-M-Length	JAM-V7-V4			
		MS6H-80CS30BZ2-20P7		CP(T)-SV-M-Length	CMBT-V07-M-Length	JAM-V7-V6			
		MS6H-80CM30BZ2-20P7		CP(T)-SV-BM-Length	CMBT-V07-M-Length	JAM-V7-V6			

Model Selection List

MS5/MS Series

DS5L/5C/5E/5K/5F											
Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Cable accessories package				
0.85	Medium inertia	MS5G-130STE-CS05415B-20P8-S01	DS5E/L/C/F/K-20P7-PTA	AC 220V	CP(T)-SC-M-Length	CM(T)-L15A-Length	JAM-C10-L4				
		MS5G-130STE-CM05415B-20P8-S01			CP(T)-SC-B-Length	CM(T)-L15A-Length	JAM-C10-L4				
		MS5G-130STE-CS05415BZ-20P8-S01			CP(T)-SC-M-Length	CMB(T)-L15A-Length	JAM-C10-L7				
		MS5G-130STE-CM05415BZ-20P8-S01			CP(T)-SC-B-Length	CMB(T)-L15A-Length	JAM-C10-L7				
		MS5G-130STE-TL05415B-20P8-S01			CP(T)-SC-B-Length	CM(T)-L15A-Length	JAM-C10-L4				
1.0	Low inertia	MS5S-110STE-CS03230B-21P0-S01	DS5E/L/C/F/K-21P5-PTA	AC 220V	CP(T)-SL-M-Length	CM(T)-L15-Length	JAM-L15-L4				
		MS5S-110STE-CM03230B-21P0-S01			CP(T)-SL-B-Length	CM(T)-L15-Length	JAM-L15-L4				
		MS5S-110STE-TL03230B-21P0			CP(T)-SL-B-Length	CM(T)-L15-Length	JAM-L15-L4				
1.5	Low inertia	MS5S-110STE-CS04830B-21P5			DS5E/L/C/F/K-21P5-PTA	AC 220V	CP(T)-SL-M-Length	CM(T)-L15-Length	JAM-L15-L4		
		MS5S-110STE-CM04830B-21P5					CP(T)-SL-B-Length	CM(T)-L15-Length	JAM-L15-L4		
		MS5S-110STE-TL04830B-21P5					CP(T)-SL-B-Length	CM(T)-L15-Length	JAM-L15-L4		
	Medium inertia	MS5G-130STE-CS06025B-21P5-S01					DS5E/L/C/F/K-21P5-PTA	AC 220V	CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130STE-CM06025B-21P5-S01							CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130STE-CS06025BZ-21P5-S01							CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7
		MS5G-130STE-CM06025BZ-21P5-S01							CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7
		MS5G-130STE-CS10015B-21P5-S01							CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130STE-CM10015B-21P5-S01							CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130STE-CS07220B-21P5-S01							CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7
		MS5G-130STE-CM07220B-21P5-S01							CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130STE-TL07220B-21P5-S01							CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4
1.8	Medium inertia	MS5G-130STE-CS11515B-21P8-S01	DS5E/L/C/F/K-21P5-PTA	AC 220V	CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CM11515B-21P8-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS11515BZ-21P8-S01			CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-CM11515BZ-21P8-S01			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-TL11515B-21P8-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-TL11515BZ-21P8-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
	Low inertia	MS5S-110STE-TL06030B-21P8			DS5E/L/C/F/K-21P5-PTA	AC 220V	CP(T)-SL-B-Length	CM(T)-L15-Length	JAM-L15-L4		
		MS5S-110STE-CS06030B-21P8					CP(T)-SL-M-Length	CM(T)-L15-Length	JAM-L15-L4		
		MS5S-110STE-CM06030B-21P8					CP(T)-SL-B-Length	CM(T)-L15-Length	JAM-L15-L4		
		MS5G-130STE-CS14615B-22P3-S01					CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4		
		MS5G-130STE-CM14615B-22P3-S01					CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4		
		MS5G-130STE-CS14615BZ-22P3-S01					CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7		
2.3	Medium inertia	MS5G-130STE-CM14615BZ-22P3-S01	DS5E/L/C/F/K-22P3-PTA	AC 220V	CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-TL14615B-22P3-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-TL14615BZ-22P3-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS07730B-22P4-S01			CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CM07730B-22P4-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
2.4	Medium inertia	MS5G-130STE-CS07730BZ-22P4-S01	DS5E/L/C/F/K-22P3-PTA	AC 220V	CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-CM07730BZ-22P4-S01			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-TL07730B-22P4-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-TL07730BZ-22P4-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS10025B-22P6-S01			CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4				
2.6	Medium inertia	MS5G-130STE-CM10025B-22P6-S01	DS5E/L/C/F/K-22P3-PTA	AC 220V	CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS10025BZ-22P6-S01			CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-CM10025BZ-22P6-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-TL10025-22P6-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
1.5	Medium inertia	MS5G-130STE-CS07220B-41P5-S01	DS5E/C/K-41P5-PTA	AC 380V	CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CM07220B-41P5-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS07220BZ-41P5-S01			CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-CM07220BZ-41P5-S01			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-TL07220B-41P5-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-TL07220BZ-41P5-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS11515B-41P8-S01			CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CM11515B-41P8-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS11515BZ-41P8-S01			CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-CM11515BZ-41P8-S01			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7				
1.8	Medium inertia	MS5G-130STE-TL11515B-41P8-S01	DS5E/C/K-41P5-PTA	AC 380V	CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-TL11515BZ-41P8-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4				
		MS5G-130STE-CS11515BZ-41P8-S01			CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7				
		MS5G-130STE-CM11515BZ-41P8-S01			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7				

Model Selection List

DS5L1/5C1/5N1								
Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Brake cable	Cable accessories package
0.1	High inertia	MS6H-40CS30B1-20P1	DS5L1/C1/N1-20P1-PTA	AC 220V	CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6H-40CM30B1-20P1			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6H-40CS30BZ1-20P1			CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6H-40CM30BZ1-20P1			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
0.2	High inertia	MS6H-60CS30B1-20P2	DS5L1/C1/N1-20P2-PTA		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6H-60CM30B1-20P2			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6H-60CS30BZ1-20P2			CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6H-60CM30BZ1-20P2			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
0.4	High inertia	MS6S-60CS30B1-20P4	DS5L1/C1/N1-20P4-PTA		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6S-60CM30B1-20P4			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6S-60CS30BZ1-20P4			CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6S-60CM30BZ1-20P4			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
	High inertia	MS6H-60CS30B1-20P4			CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6H-60CM30B1-20P4			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4
		MS6H-60CS30BZ1-20P4			CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
		MS6H-60CM30BZ1-20P4			CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2
0.75	Low inertia	MS6S-80CS20B1-20P7	DS5L1/C1/N1-20P7-PTA	CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6S-80CM20B1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6S-80CS20BZ1-20P7		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6S-80CM20BZ1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
	High inertia	MS6H-80CS20B1-20P7		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6H-80CM20B1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6H-80CS20BZ1-20P7		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6H-80CM20BZ1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
	High inertia	MS6S-80CS30B1-20P7		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6S-80CM30B1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6S-80CS30BZ1-20P7		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6S-80CM30BZ1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6H-80CS30B1-20P7		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6H-80CM30B1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	/	JAM-P9-P4	
		MS6H-80CS30BZ1-20P7		CP(T)-SP-M -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	
		MS6H-80CM30BZ1-20P7		CP(T)-SP-BM -Length	CM(T)-P07A-M-Length	CB(T)-P03-Length	JAM-P9-P4-P2	

80 flange and below small aviation plug matching list								
Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Brake cable	Cable accessories package
0.4	Low inertia	MS6S-60CS30B2-20P4	DS5L1/C1/N1-20P4-PTA	AC 220V	CP(T)-SV-M -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6S-60CM30B2-20P4			CP(T)-SV-BM -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6S-60CS30BZ2-20P4			CP(T)-SV-M -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
		MS6S-60CM30BZ2-20P4			CP(T)-SV-BM -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
	High inertia	MS6H-60CS30B2-20P4			CP(T)-SV-M -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6H-60CM30B2-20P4			CP(T)-SV-BM -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6H-60CS30BZ2-20P4			CP(T)-SV-M -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
		MS6H-60CM30BZ2-20P4			CP(T)-SV-BM -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
0.75	Low inertia	MS6S-80CS20B2-20P7	DS5L1/C1/N1-20P7-PTA		CP(T)-SV-M -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6S-80CM20B2-20P7			CP(T)-SV-BM -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6S-80CS20BZ2-20P7			CP(T)-SV-M -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
		MS6S-80CM20BZ2-20P7			CP(T)-SV-BM -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
	High inertia	MS6H-80CS20B2-20P7			CP(T)-SV-M -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6H-80CM20B2-20P7			CP(T)-SV-BM -Length	CMT-V07A-M-Length	/	JAM-V7-V4
		MS6H-80CS20BZ2-20P7			CP(T)-SV-M -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
		MS6H-80CM20BZ2-20P7			CP(T)-SV-BM -Length	CMBT-V07A-M-Length	/	JAM-V7-V6
High inertia	MS6S-80CS30B2-20P7	CP(T)-SV-M -Length	CMT-V07A-M-Length	/	JAM-V7-V4			
	MS6S-80CM30B2-20P7	CP(T)-SV-BM -Length	CMT-V07A-M-Length	/	JAM-V7-V4			
	MS6S-80CS30BZ2-20P7	CP(T)-SV-M -Length	CMBT-V07A-M-Length	/	JAM-V7-V6			
	MS6S-80CM30BZ2-20P7	CP(T)-SV-BM -Length	CMBT-V07A-M-Length	/	JAM-V7-V6			

Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Cable accessories package
2.3	Medium inertia	MS5G-130ST-CS14615B-42P3-S01	DS5E/C/F/K-43P0-PTA	AC 380V	CP(T)-SC-M-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130ST-CM14615B-42P3-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130ST-CS14615BZ-42P3-S01			CP(T)-SC-M-Length	CMB(T)-L15-Length	JAM-C10-L7
		MS5G-130ST-CM14615BZ-42P3-S01			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7
		MS5G-130ST-TL14615B-42P3-S01			CP(T)-SC-B-Length	CM(T)-L15-Length	JAM-C10-L4
		MS5G-130ST-TL14615BZ-42P3-S01			CP(T)-SC-B-Length	CMB(T)-L15-Length	JAM-C10-L7
3	/	MS-130ST-TL10030B(Z)-43P0			CP(T)-SL-B-Length	CM(T)-L15-Length	JAM-L15-L4
11	/	MS-220STE-TL70015B□-411P0-XJ	DS5E/C/C1/K1-411P0-PTA		CPT-ZDL-B-Length	CM(T)-D60-Length	/
15	/	MS-220STE-TL96015B□-415P0-XJ	DS5E/C/C1/K1-415P0-PTA		CPT-ZDL-B-Length	CM(T)-D60-Length	/
22	Medium inertia	MS5G-220STE-CS/CM140015B-422P0-S01	DS5E-422P0-PTA		CPT-ZDL-B-Length	CM-D100-Length	/
		MS5G-220STE-TL140015B-422P0-S01			CPT-ZDL-B-Length	CM-D100-Length	/

DS5L1/5C1/5N1							
Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Cable accessories package
0.85	High inertia	MS5G-130STE-CS05415B-20P8-S01	DS5L1/C1/N1-20P7-PTA	AC 220V	CP(T)-SC-M-Length	CM(T)-L15B-Length	
		MS5G-130STE-CM05415B-20P8-S01			CP(T)-SC-B-Length	CM(T)-L15B-Length	
		MS5G-130STE-CS05415BZ-20P8-S01			CP(T)-SC-M-Length	CMB(T)-L15B-Length	
		MS5G-130STE-CM05415BZ-20P8-S01			CP(T)-SC-B-Length	CMB(T)-L15B-Length	
		MS5G-130STE-TL05415B-20P8-S01			CP(T)-SC-B-Length	CM(T)-L15B-Length	
		MS5G-130STE-TL05415BZ-20P8-S01			CP(T)-SC-B-Length	CMB(T)-L15B-Length	

Model Selection List

DM5F matched MS6 motor

Power (kW)	Inertia level	Motor model	Matched driver	Voltage level	Encoder cable	Power cable	Brake cable	Cable accessories package
0.2	High inertia	MS6H-60CS30B1-20P2	DM5F-20P4-2A	AC 220V	CP(T)-SP-M-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6H-60CM30B1-20P2			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6H-60CS30BZ1-20P2			CP(T)-SP-M-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
		MS6H-60CM30BZ1-20P2			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
0.4	Low inertia	MS6S-60CS30B1-20P4	DM5F-20P4/20P7-2A		CP(T)-SP-M-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6S-60CM30B1-20P4			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6S-60CS30BZ1-20P4			CP(T)-SP-M-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
		MS6S-60CM30BZ1-20P4			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
	High inertia	MS6H-60CS30B1-20P4			CP(T)-SP-M-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6H-60CM30B1-20P4			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6H-60CS30BZ1-20P4			CP(T)-SP-M-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
		MS6H-60CM30BZ1-20P4			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
0.75	Low inertia	MS6S-80CS20B1-20P7	DM5F-20P7-2A		CP(T)-SP-M-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6S-80CM20B1-20P7			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6S-80CS20BZ1-20P7			CP(T)-SP-M-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
		MS6S-80CM20BZ1-20P7			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
	High inertia	MS6H-80CS20B1-20P7			CP(T)-SP-M-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6H-80CM20B1-20P7			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
		MS6H-80CS20BZ1-20P7			CP(T)-SP-M-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
		MS6H-80CM20BZ1-20P7			CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
	Low inertia	MS6S-80CS30B1-20P7		CP(T)-SP-M-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4	
		MS6S-80CM30B1-20P7		CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4	
		MS6S-80CS30BZ1-20P7		CP(T)-SP-M-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2	
		MS6S-80CM30BZ1-20P7		CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2	
		High inertia		MS6H-80CS30B1-20P7	CP(T)-SP-M-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
				MS6H-80CM30B1-20P7	CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	/	JAM-P9-P4-P4
				MS6H-80CS30BZ1-20P7	CP(T)-SP-M-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
				MS6H-80CM30BZ1-20P7	CP(T)-SP-BM-Length	CM(T)-PP07-M-Length	CB(T)-P03-Length	JAM-P9-P4-P4-P2
80 flange and below small aviation plug model matching list								
0.2	High inertia	MS6H-60CS30B1-20P2	DM5F-20P4-2A	AC 220V	CP(T)-SV-M-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6H-60CM30B1-20P2			CP(T)-SV-BM-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6H-60CS30BZ1-20P2			/	/	/	JAM-V7-V6-P4
		MS6H-60CM30BZ1-20P2			/	/	/	JAM-V7-V6-P4
0.4	Low inertia	MS6S-60CS30B2-20P4	DM5F-20P4/20P7-2A		CP(T)-SV-M-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6S-60CM30B2-20P4			CP(T)-SV-BM-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6S-60CS30BZ2-20P4			/	/	/	JAM-V7-V6-P4
		MS6S-60CM30BZ2-20P4			/	/	/	JAM-V7-V6-P4
	High inertia	MS6H-60CS30B2-20P4			CP(T)-SV-M-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6H-60CM30B2-20P4			CP(T)-SV-BM-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6H-60CS30BZ2-20P4			/	/	/	JAM-V7-V6-P4
		MS6H-60CM30BZ2-20P4			/	/	/	JAM-V7-V6-P4
0.75	Low inertia	MS6S-80CS20B2-20P7	DM5F-20P7-2A		CP(T)-SV-M-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6S-80CM20B2-20P7			CP(T)-SV-BM-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6S-80CS20BZ2-20P7			/	/	/	JAM-V7-V6-P4
		MS6S-80CM20BZ2-20P7			/	/	/	JAM-V7-V6-P4
	High inertia	MS6H-80CS20B2-20P7			CP(T)-SV-M-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6H-80CM20B2-20P7			CP(T)-SV-BM-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
		MS6H-80CS20BZ2-20P7			/	/	/	JAM-V7-V6-P4
		MS6H-80CM20BZ2-20P7			/	/	/	JAM-V7-V6-P4
	Low inertia	MS6S-80CS30B2-20P7		CP(T)-SV-M-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4	
		MS6S-80CM30B2-20P7		CP(T)-SV-BM-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4	
		MS6S-80CS30BZ2-20P7		/	/	/	JAM-V7-V6-P4	
		MS6S-80CM30BZ2-20P7		/	/	/	JAM-V7-V6-P4	
		High inertia		MS6H-80CS30B2-20P7	CP(T)-SV-M-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
				MS6H-80CM30B2-20P7	CP(T)-SV-BM-Length	CMT-PV07-M-Length	/	JAM-V7-V4-P4
				MS6H-80CS30BZ2-20P7	/	/	/	JAM-V7-V6-P4
				MS6H-80CM30BZ2-20P7	/	/	/	JAM-V7-V6-P4