


# TVI-2M-510

## 2.4 Megapixel 1080P HD 4 In 1 Cameras

### Features

- 1/2.8" 2.4 Megapixel CMOS
- 1080P@25, 1080P@30
- Long Distance, No delay
- Support ICR auto switch
- Support AHD/ CVI/ TVI/ Analog transfer



### Specifications

Camera	
Image Sensor	1/2.8" 2.4 Megapixel CMOS
Effective Pixel	1920(H)×1080(V)
Video Frame Rate	PAL:25fps@1080P NTSC:30fps@1080P
Electronic Shutter	PAL:1/50s~1/100,000s NTSC:1/50s~1/100,000s
Min.Illumination	0.01Lux@F1.2, (0Lux IR on)
OSD	Yes
Synchronization	Internal
TV system	PAL/NTSC
Lens	
Lens	3.7mm
General	
Power Supply	DC12V
Power Consumption	100mA
Working Temperature	-10° C~+50° C

The TVI-2M-510 is a 2.4 Megapixel 1080P HD 4 In 1 Camera that offers high-quality imaging and versatile compatibility. With its 1/2.8" 2.4 Megapixel CMOS image sensor, it captures clear and detailed footage at 1080P resolution and supports a video frame rate of 25fps in PAL and 30fps in NTSC. The camera also features a low minimum illumination of 0.01Lux at F1.2, ensuring visibility even in low-light conditions. It supports ICR auto switch and can be easily integrated into different systems with its AHD/ CVI/ TVI/ Analog transfer capability. The camera comes with a 3.7mm lens and operates on a DC12V power supply, consuming only 100mA of power. With its reliable performance and wide range of features, the TVI-2M-510 is a valuable and useful product for various surveillance applications.