CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Sweet Lyfe
3017 Greene St
Hollywood, FL 33020

Batch #: DVMB0623

Laboratory Number: ATL-14691

Report Issue Date: 8/7/2023

Order Date: 8/1/2023

Analysis Date: 8/1/2023

Sample Description:
Sweet Lyfe x Ugly Monkey Disposable - Sweet Zkittlez

Unit Weight: 5.5g / disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE-25 COUNTS

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3103.650	56.430
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
9S-HHC	<0.009	N/D	N/D
9R-HHC	<0.013	N/D	N/D
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
THC-A	<0.005	339.460	6.172
D9-THCH	<0.006	106.535	1.937
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	136.675	2.485
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

	mg/disposable	%
Max Active THC	32.71	0.27
Max Active CBD	N/D	N/D
Total Active Cannabinoids	3644.57	66.23
Total Cannabinoids	3686.32	67.02

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)