### **Material Safety Data Sheet**

EU Regulation: 2020/878

SECTION 1: IDENTIFICATION OF	THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1 PRODUCT IDENTIFICATION			
PRODUCT NAME	Bergamot, Essential Oil		
BIOLOGICAL DEFINITION	CITRUS BERGAMIA PEEL OIL EXPRESSED IS AN ESSENTIAL OIL EXPRESSED FROM THE EPICARPS OF THE BERGAMOT, CITRUS BERGAMIA RISSO, RUTACEAE.		
INCI NAME	CITRUS BERGAMIA PEEL OIL EXPRESSED		
SYNONYMS & TRADE NAMES	N/A		
CAS-No	89957-91-5 <b>EC No.</b> 289-612-9 <b>EINECS No.</b> 289-612-9		
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET		
COMPANY ADDRESS	Mov Herbs		
EMAIL	Technicalcrew@movherbs.com		
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET		
EMERGENCY CONTACTS			

HERBS

SECTION 2: HAZARDS IDENTIFICATION		
2.1		
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.	
CLASSIFICATION (EU1272/2008)	PHYSICAL HAZARDS: FLAM. LIQ. 3 - H226  NOB HEALTH HAZARDS: ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319  ENVIRONMENTAL HAZARDS: AQUATIC CHRONIC 3 - H412	
2.2 Label Elements	Label in accordance with Regulation (EC) No 1272/2008.	
GHS LABEL	GHS02 GHS07 GHS08	
Signal Word	DANGER.	
Contains	D-LIMONENE	
HAZARDS STATEMENT	H226 FLAMMABLE LIQUID AND VAPOUR. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	
Signal Word	None.	
Precautionary Statements	P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/EQUIPMENT. P242 USE NON-SPARKING TOOLS. P243 TAKE ACTION TO PREVENT STATIC DISCHARGES. P261 AVOID BREATHING VAPOURS/SPRAY. P273 AVOID RELEASE TO THE ENVIRONMENT. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. P302+P352 IF ON SKIN: WASH WITH PLENTY OF WATER. P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P331 DO NOT INDUCE VOMITING. P333+P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P337+P318 IN CASE OF FIRE USE WATER SPRAY, DRY POWDER OR CARBON DIOXIDE TO EXTINGUISH. P391 COLLECT SPILLAGE. P501 DISPOSE OF CONTENTS IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION.	
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P362+P364 TAKE OFF CONTAMINATED CLOTHING. AND WASH IT BEFORE REUSE. P264 WASH HANDS AND EXPOSED SKIN THOROUGHLY AFTER HANDLING.	
	SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3 Other Hazards		
Adverse physio-chemical properties No additional data available.		
Adverse effects on human health	WITH THE PRESENCE OF VARIOUS FUROCOUMARINS THE PRODUCT MAY HAVE PHOTOTOXIC EFFECTS (SKIN).	
PBT OR VPVB ACCORDING TO ANNEX XIII	Not PBT/ vPvB	
SECTION 3: COMPOSITION OF INGREDIEN	TS	
3.1 SUBSTANCES	≤ 41.0% d-Limonene CAS No: 5989-27-5 EC No: 227-813-5 Classification (EC 1272/2008) Flam. Liq. 3 - H226, Asp. Tox. 1 - H304, Skin Irrit. 2 - H315, Skin Sens. 1 - H317, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	

	<b>30.0.0 – 40.0% Linalyl Acetate</b> CAS No: 115-95-7 EC No: 204-116-4 Classification (EC 1272/2008) Skin Irrit. 2 - H315, Skin Sens. 1B - H317, Eye Irrit. 2 - H319
	≤ 18.5% Linalool CAS No: 78-70-6 EC No: 201-134-4 Classification (EC 1272/2008) Skin Irrit. 2 - H315, Skin Sens. 1B - H317, Eye Irrit. 2 - H319
	≤ 10.0% gamma-Terpinene CAS No: 99-85-4 EC No: 202-794-6 Classification (EC 1272/2008) Flam. Liq. 3 — H226, Repr. 2 - H361, Aquatic Chronic 2 - H411
	≤ 10.0% beta-Pinene CAS No: 127-91-3 EC No: 204-872-5 Classification (EC 1272/2008) Flam. Liq. 3 - H226, ASP. Tox. 1 - H304, Skin Irrit. 2 - H315, Skin Sens. 1 - H317, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410
	≤ 3.0% Myrcene CAS No: 123-35-3 EC No: 204-622-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 2 - H411
	≤ 3.0% ALPHA-PINENE CAS NO: 80-56-8 EC NO: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 - H302 (ATE = 500), ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410
	≤ 1.3% CITRAL CAS NO: 5392-40-5 EC NO: 226-394-6 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319
3.2 MIXTURES	N/A

SECTION 4: FIRST AID MEASURES		
4.1 DESCRIPTION OF FIRST AID MEASURES		
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.	
INHALATION	REMOVE FROM EXPOSURE AREA TO FRESH AIR. GET MEDICAL ADVICE/ATTENTION.	
Ingestion	DO NOT INDUCE VOMITING. INGESTION MAY CAUSE NAUSEA AND VOMITING. IMMEDIATELY RINSE MOUTH AND PROVIDE FRESH AIR.  GET MEDICAL ADVICE/ATTENTION.	
SKIN CONTACT	REMOVE CONTAMINATED CLOTHING IMMEDIATELY AND WASH SKIN WITH SOAP AND WATER. GET MEDICAL ADVICE/ATTENTION IF ANY DISCOMFORT CONTINUES.	
EYE CONTACT	MMEDIATELY FLUSH WITH PLENTY OF WATER FOR UP TO 15 MINUTES. REMOVE ANY CONTACT LENSES AND OPEN EYES WIDE APART.  GET MEDICAL ADVICE/ATTENTION. CONTINUE TO RINSE.	
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	NO ADDITIONAL DATA AVAILABLE.	
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.	

SECTION 5: FIRE FIGHTING MEASURES		
5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.	
5.2	A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO	
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR	HEALTH. DO NOT BREATHE IN SMOKE.	
MIXTURE	THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES:	
	Carbon dioxide (CO2), Carbon monoxide (CO), other toxic gases.	
	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER.	
5.3	AVOID INHALATION OF GENERATED FUMES OR VAPOURS. WEAR SELF-CONTAINED BREATHING APPARATUS AND APPROPRIATE	
Advice for fire-fighters	PROTECTIVE CLOTHING.	

6.1 PERSONAL PRECAUTIONS	WEAR PROTECTIVE CLOTHING AS DESCRIBED IN SECTION 8 OF THIS SAFETY DATA SHEET. HANDLE THE PRODUCT USING PROTECTIVE GLOVES RESISTANT TO THE CHEMICALS EXPOSED. AVOID CONTACT WITH SKIN AND INHALATION OF ITS VAPOURS.  MAINTAIN ADEQUATE VENTILATION IN THE WORKING AREA AFTER SPILLING.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.2	Do not discharge into drains, water courses or onto the ground. Dispose of in line with Local authority	
ENVIRONMENTAL PRECAUTIONS	GUIDELINES.	
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.	
6.4 REFERENCES TO OTHER SECTIONS	Refer & consider sections 4, 7, 8, & 13.	

#### **SECTION 7: HANDLING & STORAGE**

### PRECAUTIONS FOR SAFE-HANDLING

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. WEAR PERSONAL PROTECTIVE EQUIPMENT. DO NOT BREATHE VAPOURS OR Spray mist. Use only in area provided with adequate ventilation. Keep away from heat, sparks and open flame. USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING EQUIPMENT. USE ONLY NON-SPARKING TOOLS. TAKE NECESSARY ACTION TO AVOID STATIC DISCHARGE AS THIS MIGHT CAUSE IGNITION OF VAPOURS.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.

7.3 SPECIFIC END USE(S)

SUITABLE FOR USE IN COSMETICS, FLAVOURS, FRAGRANCES AND PROFESSIONAL APPLICATIONS ONLY.

#### **SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION**

**CONTROL PARAMETERS** 

NO ADDITIONAL DATA AVAILABLE.









EYE PROTECTION	Wear protective gloves/Eye protection/face protection.	
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
RESPIRATORY EQUIPMENT	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. B) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. C) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.	
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
Engineering Measures	Provide adequate ventilation or respiratory protection.	
Skin Protection	WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT.  WORK CLOTHING WORN BY PERSONNEL SHOULD BE LAUNDERED REGULARLY.  AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY THAT HAVE BEEN EXPOSED MUST BE WASHED THOROUGHLY.	
Personal Protection	AVOID INHALATION OF THE PRODUCT, AVOID CONTACT WITH SKIN AND EYES, USE OF CHEMICAL RESISTANT CLOTHING IS RECOMMENDED WHEN HANDLING.	
Other Protection	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.	
Process Conditions	45 Ensure area is well ventilated. Avoid vapour inhalation. Safety shower & Eye Bath.	
ENVIROMENTAL EXPOSURE CONTROLS	CONTROLS AVOID DISCHARGING INTO DRAINAGE WATER, ONLY ELIMINATE BY AUTHORISED COMPANIES.	

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES		
9.1 PHYSICAL & CHEMICAL PROPERTIES		
Appearance	LIQUID	
Colour	YELLOW — GREEN - BROWNISH	
Odour	CHARACTERISTIC	
RELATIVE DENSITY @ 20°C	APPROX. 0.877 @ 20°C	
FLASH POINT (°C)	APPROX. 58°C	
REFRACTIVE INDEX @ 20 °C APPROX. 1.465 @ 20 °C		
SOLUBILITY IN WATER @ 20 °C INSOLUBLE IN WATER		
9.2 OTHER INFORMATION	NO ADDITIONAL DATA AVAILABLE.	
9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES	NO DATA.	
9.2.2 OTHER SAFETY CHARACTERISTICS	NO DATA.	
SECTION 10: STABILITY & REACTIVITY		
10.1 REACTIVITY	Presents no significant reactivity hazards. Stable under normal temperature conditions and recommended use.	
10.2 CHEMICAL STABILITY	STABLE UNDER THE RECOMMENDED HANDLING AND STORAGE CONDITIONS IN SECTION 7.	
10.3 Possibility of hazardous reactions	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.	
10.4 CONDITIONS TO AVOID	KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. PREVENT STORING THE PRODUCT IN OPEN CONTAINERS FOR LONG PERIODS TO PREVENT PRODUCT DETERIORATION.	
10.5 INCOMPATIBLE MATERIALS	AVOID CONTACT WITH STRONG ACIDS, ALKALIS OR OXIDISING AGENTS.	
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE.  THERMAL DECOMPOSITION MAY RELEASE/FORM OXIDES OF CARBON (CARBON MONOXIDE, CARBON DIOXIDE) AND OTHER TOXIC GASES.	

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 TOXICOLOGICAL EFFECTS	
Acute Toxicity	NOT CLASSIFIED.
SKIN IRRITATION	Causes skin irritation (H315).
EYE DAMAGE OR IRRITATION	Causes serious eye irritation.
RESPIRATORY OR SKIN SENSITIVITY	May cause an allergic skin reaction (H317).
GERM CELL MUTAGENICITY	NOT CLASSIFIED.
CARCINOGENICITY	NOT CLASSIFIED.
REPRODUCTIVE TOXICITY	THE PRODUCT CONTAINS ≤ 10.0% GAMMA-TERPINENE (REPR. 2 - H361). HOWEVER, BASED ON REACH DATA, BERGAMOT OIL IS NOT CLASSIFIED WITH REGARD TO TOXICITY TO REPRODUCTION.

STOT – SINGLE EXPOSURE	NOT CLASSIFIED.
STOT - REPEATED EXPOSURE	NOT CLASSIFIED.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS (H304).
11.2 INFORMATION ON OTHER HAZARDS	NO DATA.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY	BASED ON REACH DATA BERGAMOT OIL IS CONSIDERED HAZARDOUS TO THE AQUATIC ENVIRONMENT AND CLASSIFIED AS AQUATIC CHRONIC 3 H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
12.2 PERSISTENCE & DEGRADABILITY	READILY BIODEGRADABLE.
12.3 BIO- ACCUMULATIVE POTENTIAL	NO ADDITIONAL DATA AVAILABLE.
12.4 Mobility in soil	Prevent contamination of soil, ground and surface water.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO ADDITIONAL DATA AVAILABLE.
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
12.6 ENDOCRINE DISRUPTING PROPERTIES	No Data.
12.7 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS.  WASTE:  WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS.  RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY.  DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT.  SOILED PACKAGING:  EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER.  DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.

# HERBS

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
	ROAD: UN 1197
UN Number	SEA: UN 1197
	AIR: UN 1197
14.2 UN Shipping Name	Extracts, Liquid; Extracts, Liquid (peta-Pinene) Marine Pollutant
	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID.
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID  ADR/RID—CLASS 3  ADR CLASSIFICATION CODE — F1  SPECIAL PROVISIONS — 601  LIMITED QUANTITIES — 51  EXPECTED QUANTITIES — E1  EMERGENCY ACTION CODE — 3Y  TUNNEL RESTRICTION CODE — D/E

	IMDG IMDG – CLASS 3 SPECIAL PROVISIONS – 601 LIMITED QUANTITIES – 5L EXPECTED QUANTITIES – E1 IMDG EMS – F-E, S-D STOWAGE AND HANDLING – CATEGORY A
	ICAO/IATA ICAO/IATA— CLASS 3 IATA PROPER SHIPPING NAME - EXTRACTS, AROMATIC, LIQUID EXPECTED QUANTITIES — E1
	TRANSPORT LABELS:  FLAMMABLE  3
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 ENVIROMENTAL HAZARDS	Environmentally Hazardous Substance/Marine Pollutant.
14.6 SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6-8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	ERBS
EU DIRECTIVES	REGULATION (EC) NO 2020/878 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 <sup>th</sup> December 2006. Concerning the registration, evaluation, authorization & restriction of chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing council regulation (EEC) NO793/93 & commission regulation (EC) NO1488/94 as well as council directive 76/769/EEC & commission directive 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (including amendments).
STATUTORY INSTRUMENTS	The Chemicals (Hazard Information & Packaging for Supply Regulations 2009 (S.I.2009 No 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2	Assessment has not been carried out as this is a non-hazardous material according to
CHEMICAL SAFETY ASSESSMENT	ARTICLE 31 OF REACH 1907/2006.

#### **SECTION 16: OTHER INFORMATION**

	H226 FLAMMABLE LIQUID AND VAPOUR.
Hazard and/ or Precautionary Statements in full	H302 HARMFUL IF SWALLOWED.
	H304 May be fatal if SWALLOWED AND ENTERS AIRWAYS.
	H315 Causes skin irritation.
	H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
	H319 CAUSES SERIOUS EYE IRRITATION.
	H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.
	H400 VERY TOXIC TO AQUATIC LIFE.
	H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	*THE CLP CALCULATION CLASSIFICATION INCLUDES:
Other Information	H361 REP. 2
	H400 AQUATIC ACUTE 1
	H410 AQUATIC CHRONIC 1
	HOWEVER, PRODUCT HAS BEEN CLASSIFIED ACCORDING TO REACH DATA:
	NOT CLASSIFIED AS TOXIC TO REPRODUCTION REP.2
	CLASSIFIED AS AQUATIC CHRONIC 3 AND NOT AQUATIC ACUTE 1, AQUATIC CHRONIC 1
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN
	AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
Trem Card	TRANSPORT EMERGENCY CARD.

## HERBS

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 <sup>TH</sup> APRIL 2018	Data Launch
13/09/2021	Review
JANUARY 2023	REVIEW