

## Material Safety Data Sheet

EU Regulation: 2020/878

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME		EUCALYPTUS GLOBULUS, ESSENTIAL OIL			
BIOLOGICAL DEFINITION		EUCALYPTUS GLOBULUS LEAF OIL IS THE VOLATILE OIL OBTAINED FROM THE FRESH LEAVES OF THE EUCALUPTUS, <i>EUCALYPTUS GLOBULUS</i>			
INCI NAME		EUCALYPTUS GLOBULUS LEAF OIL			
SYNONYMS & TRADE NAMES		-			
INTERNAL PRODUCT CODE					
CAS-No	8000-48-4/ 84625-32-1	EC No.	283-406-2	EINECS No.	283-406-2
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS		MOV HERBS			
EMAIL		TECHNICALCREW@MOVHERBS.COM			
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS					

HERBS

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.

#### CLASSIFICATION (67/548/EEC)

NO ADDITIONAL DATA AVAILABLE.

#### CLASSIFICATION (EU1272/2008)

ASPIRATION HAZARD CATEGORY 1 - (H304)  
SKIN CORROSION/IRRITATION CATEGORY 2 - (H315)  
SKIN SENSITIZATION CATEGORY 1B - (H317)  
CHRONIC AQUATIC TOXICITY CATEGORY 2 - (H411)  
FLAMMABLE LIQUIDS CATEGORY 3 - (H226)

### 2.2

#### LABEL ELEMENTS

LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.

#### GHS LABEL



#### SIGNAL WORD

DANGER..

#### CONTAINS

EUCALYPTOL, L-LIMONENE, GAMMA-TERPINENE, PARA-CYMENE

#### HAZARDS STATEMENT

H304 - MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS  
H315 - CAUSES SKIN IRRITATION  
H317 - MAY CAUSE AN ALLERGIC SKIN REACTION  
H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS  
H226 - FLAMMABLE LIQUID AND VAPOR  
EUH208 - CONTAINS L-LIMONENE, ALPHA-PINENE, TERPINOLENE, BETA-PINENE, LINALOOL MAY PRODUCE AN ALLERGIC REACTION.

#### PRECAUTIONARY STATEMENTS

P280 - WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION  
P210 - KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING  
P370 + P378 - IN CASE OF FIRE: USE DRY CHEMICAL, CO2, WATER SPRAY OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH  
P301 + P310 - IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR  
P331 - DO NOT INDUCE VOMITING  
P302 + P352 - IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER  
P333 + P313 - IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION  
P273 - AVOID RELEASE TO THE ENVIRONMENT  
P501 - DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL, REGIONAL, NATIONAL, AND INTERNATIONAL REGULATIONS AS APPLICABLE

**SUPPLEMENTARY PRECAUTIONARY STATEMENTS**

P264 WASH CONTAMINATED SKIN THOROUGHLY AFTER HANDLING.  
P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.  
P362+P364 TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE.  
PP403+P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.  
P501 DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH NATIONAL REGULATIONS.

**SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.****2.3  
OTHER HAZARDS****ADVERSE PHYSIO-CHEMICAL PROPERTIES**

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES CLASSIFIED AS PBT OR VPVB.

**ADVERSE EFFECTS ON HUMAN HEALTH**

FLAMMABLE LIQUID AND VAPOUR.

**PBT OR VPVB ACCORDING TO ANNEX XIII**

THE LIQUID MAY BE IRRITATING TO SKIN. FATAL IF SWALLOWED. MAY CAUSE SKIN SENSITISATION OR ALLERGIC REACTIONS IN SENSITIVE INDIVIDUALS.

**SECTION 3: COMPOSITION OF INGREDIENTS****3.1  
SUBSTANCES**

<b>80.0% - &lt;90.0% EUCALYPTOL</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 470-82-6</b> SKIN IRRIT. 3 (H316) (EFAA) ACUTE TOX. 5 (H303)(EFAA) FLAM. LIQ. 3 (H226)(EFAA) SKIN SENS. 1B (H317) (EFAA)
<b>1.0% - &lt;10.0% L-LIMONENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 5989-54-8</b> FLAM. LIQ. 3 (H226) SKIN IRRIT. 2 (H315) SKIN SENS. 1B (H317) ASP. TOX. 1 (H304) AQUATIC ACUTE 1 (H400) AQUATIC CHRONIC 3 (H412)
<b>1.0% - &lt;10.0% GAMMA-TERPINENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 99-85-4</b> REP. 2 (H361), FLAM. LIQ. 3, ASPIR. HAZ. 1 (H304), ACUTE TOX 5 (H303), SKIN IRRIT. 3 (H316)
<b>1.0% - &lt;10.0% PARA-CYMENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 99-87-6</b> REP TOX. 2 (H361), AQUATIC ACUTE 2 (H401), SKIN IRRIT. 3 (H316), AQUATIC CHRONIC 2 (H411), ASP. TOX. 1 (H304), ACUTE TOX. 5 (H303), FLAM. LIQ. 3 (H226)
<b>1.0% - &lt;10.0% ALPHA-PINENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 80-56-8</b> ACUTE AQUATIC 1 (H400) (EFAA) CHRONIC AQUATIC 1 (H410) (EFAA) ACUTE TOX. 4 (H302) (EFAA) SKIN SENS. 1B (H317) (EFAA) SKIN IRRIT. 2 (H315) (EFAA) ASP. TOX. 1 (H304) (EFAA) FLAM. LIQ. 3 (H226)(EFAA)
<b>0.1% - &lt;1.0% ALPHA-PHELLANDRENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 99-83-2</b> FLAM. LIQ. 3 (H226) ASP. TOX. 1 (H304) AQUATIC CHRONIC 1 (H410) AQUATIC ACUTE 1 (H400)
<b>0.1% - &lt;1.0% MYRCENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 123-35-3</b> EYE IRRIT. 2 (H319) (EFAA) SKIN IRRIT. 2 (H315) (EFAA) ASP. TOX. 1 (H304) (EFAA) FLAM. LIQUID 3 (H226) (EFAA) ACUTE AQUATIC 1 (H400) (EFAA) CHRONIC AQUATIC 2 (H411) (EFAA)
<b>0.1% - &lt;1.0% TERPINOLENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 586-62-9</b> AQUATIC ACUTE 1 (H400) (EFAA) AQUATIC CHRONIC 1 (H410) (EFAA) ASP. TOX. 1 (H304) (EFAA) ACUTE TOX. 5 (H303)(EFAA) FLAM. LIQ. 4 (H227)(EFAA) SKIN IRRIT. 3 (H316) (EFAA) SKIN SENS. 1 (H317) (EFAA)
<b>0.1% - &lt;1.0% BETA-PINENE</b> CLASSIFICATION (EC 1272/2008)	<b>CAS No.: 127-91-3</b> ACUTE AQUATIC 1 (H400) (EFAA) CHRONIC AQUATIC 1 (H410) (EFAA) SKIN SENS. 1 (H317) (EFAA) SKIN IRRIT. 2 (H315) (EFAA) ASP. TOX. 1 (H304) (EFAA) FLAM. LIQ. 3 (H226)(EFAA)

	<b>0.1% - &lt;1.0% TRANS BETA-OCIMENE CAS No.: 3779-61-1</b> CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 (H303) (EFA) ASP. TOX. 1 (H304) (EFA) SKIN IRRIT. 2 (H315) (EFA) ACUTE AQUATIC 1 (H400) (EFA) CHRONIC AQUATIC 2 (H411) (EFA) FLAM. LIQ. 3 (H226) (EFA)
	<b>0.1% - &lt;1.0% LINALOOL CAS No.: 78-70-6</b> CLASSIFICATION (EC 1272/2008) AQUATIC ACUTE 3 (H402) (EFA) EYE IRRIT. 2 (H319) (EFA) SKIN IRRIT. 2 (H315) (EFA) ACUTE TOX. 5 (H303)(EFA) FLAM. LIQ. 4 (H227)(EFA) SKIN SENS. 1B (H317) (EFA)

## SECTION 4: FIRST AID MEASURES

<b>4.1</b> <b>DESCRIPTION OF FIRST AID MEASURES</b>	
<b>GENERAL INFORMATION</b>	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. IMMEDIATE MEDICAL ATTENTION IS REQUIRED.
<b>INHALATION</b>	ASPIRATION INTO LUNGS CAN PRODUCE SEVERE LUNG DAMAGE. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION IMMEDIATELY. REMOVE TO FRESH AIR. AVOID DIRECT CONTACT WITH SKIN. USE BARRIER TO GIVE MOUTH-TO-MOUTH RESUSCITATION. IF BREATHING IS DIFFICULT, (TRAINED PERSONNEL SHOULD) GIVE OXYGEN. GET IMMEDIATE MEDICAL ATTENTION. DELAYED PULMONARY EDEMA MAY OCCUR.
<b>INGESTION</b>	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. DO NOT INDUCE VOMITING. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION. RINSE MOUTH. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET IMMEDIATE MEDICAL ATTENTION.
<b>SKIN CONTACT</b>	WASH OFF IMMEDIATELY WITH SOAP AND PLENTY OF WATER WHILE REMOVING ALL CONTAMINATED CLOTHES AND SHOES. MAY CAUSE AN ALLERGIC SKIN REACTION. IN THE CASE OF SKIN IRRITATION OR ALLERGIC REACTIONS SEE A PHYSICIAN.
<b>EYE CONTACT</b>	RINSE IMMEDIATELY WITH PLENTY OF WATER, ALSO UNDER THE EYELIDS, FOR AT LEAST 15 MINUTES. KEEP EYE WIDE OPEN WHILE RINSING. DO NOT RUB AFFECTED AREA. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS.
<b>4.2</b> MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	ITCHING, RASHES, HIVES, DIFFICULTY IN BREATHING, COUGHING AND/ OR WHEEZING, DIZZINESS. MAY CAUSE REDNESS AND TEARING OF THE EYES. BURNING SENSATION.
<b>4.3</b> <b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED</b>	MAY CAUSE SENSITIZATION IN SUSCEPTIBLE PERSONS. TREAT SYMPTOMATICALLY. BECAUSE OF THE DANGER OF ASPIRATION, EMESIS OR GASTRIC LAVAGE SHOULD NOT BE EMPLOYED UNLESS THE RISK IS JUSTIFIED BY THE PRESENCE OF ADDITIONAL TOXIC SUBSTANCES.

## SECTION 5: FIRE FIGHTING MEASURES

<b>5.1</b> <b>EXTINGUISHING MATERIAL</b>	SUITABLE EXTINGUISHING MEDIA: CARBON DIOXIDE (CO <sub>2</sub> ), DRY CHEMICAL, FOAM, WATER SPRAY. UNSUITABLE EXTINGUISHING MEDIA: DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS WILL SPREAD THE FIRE.
<b>5.2</b> <b>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	RISK OF IGNITION. KEEP PRODUCT AND EMPTY CONTAINER AWAY FROM HEAT AND SOURCES OF IGNITION. IN THE EVENT OF FIRE, COOL TANKS WITH WATER SPRAY. FIRE RESIDUES AND CONTAMINATED FIRE EXTINGUISHING WATER MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS. PRODUCT IS OR CONTAINS A SENSITIZER. MAY CAUSE SENSITIZATION BY SKIN CONTACT.
<b>HAZARDOUS COMBUSTION PRODUCTS</b>	VOLATILE ORGANIC COMPOUNDS
<b>5.3</b> <b>ADVICE FOR FIRE-FIGHTERS</b>	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. .

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1</b> <b>PERSONAL PRECAUTIONS</b>	EVACUATE PERSONNEL TO SAFE AREAS. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. SEE SECTION 8 FOR MORE INFORMATION. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. ENSURE ADEQUATE VENTILATION. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ELIMINATE ALL IGNITION SOURCES (NO SMOKING, FLARES, SPARKS OR FLAMES IN IMMEDIATE AREA). PAY ATTENTION TO FLASHBACK. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES. ALL EQUIPMENT USED WHEN HANDLING THE PRODUCT MUST BE GROUNDED. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL.
<b>6.2</b> <b>ENVIRONMENTAL PRECAUTIONS</b>	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
<b>6.3</b> <b>METHODS &amp; MATERIAL FOR CONTAINMENT AND CLEANING UP</b>	STOP LEAK IF YOU CAN DO IT WITHOUT RISK. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. A VAPOR SUPPRESSING FOAM MAY BE USED TO REDUCE VAPORS. DIKE FAR AHEAD OF SPILL TO COLLECT RUNOFF WATER. KEEP OUT OF DRAINS, SEWERS, DITCHES AND WATERWAYS. ABSORB WITH EARTH, SAND OR OTHER NON-COMBUSTIBLE MATERIAL AND TRANSFER TO CONTAINERS FOR LATER

	TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES. DAM UP. SOAK UP WITH INERT ABSORBENT MATERIAL. PICK UP AND TRANSFER TO PROPERLY LABELED CONTAINERS.
<b>6.4</b> REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTIONS 8 & 13.
<b>SECTION 7: HANDLING &amp; STORAGE</b>	
<b>7.1</b> PRECAUTIONS FOR SAFE-HANDLING	<p>USE PERSONAL PROTECTION EQUIPMENT. AVOID BREATHING VAPORS OR MISTS. KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. USE GROUNDING AND BONDING CONNECTION WHEN TRANSFERRING THIS MATERIAL TO PREVENT STATIC DISCHARGE, FIRE OR EXPLOSION. USE WITH LOCAL EXHAUST VENTILATION. USE SPARK-PROOF TOOLS AND EXPLOSION-PROOF EQUIPMENT. KEEP IN AN AREA EQUIPPED WITH SPRINKLERS. USE ACCORDING TO PACKAGE LABEL INSTRUCTIONS. HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE. REMOVE CONTAMINATED CLOTHING AND SHOES.</p> <p>DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE. REGULAR CLEANING OF EQUIPMENT, WORK AREA AND CLOTHING IS RECOMMENDED. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT. WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.</p>
<b>7.2</b> CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINERS TIGHTLY CLOSED IN A DRY, COOL AND WELL-VENTILATED PLACE. KEEP AWAY FROM HEAT, SPARKS, FLAME AND OTHER SOURCES OF IGNITION (I.E., PILOT LIGHTS, ELECTRIC MOTORS AND STATIC ELECTRICITY). KEEP IN PROPERLY LABELED CONTAINERS. DO NOT STORE NEAR COMBUSTIBLE MATERIALS. KEEP IN AN AREA EQUIPPED WITH SPRINKLERS. STORE IN ACCORDANCE WITH THE PARTICULAR NATIONAL REGULATIONS. STORE IN ACCORDANCE WITH LOCAL REGULATIONS. STORE LOCKED UP. KEEP OUT OF THE REACH OF CHILDREN. STORE AWAY FROM OTHER MATERIALS.
<b>7.3</b> SPECIFIC END USE(S)	NO ADDITIONAL DATA AVAILABLE.
<b>SECTION 8: EXPOSURE CONTROLS &amp; PERSONAL PROTECTION</b>	

HERBS

## 8.1 CONTROL PARAMETERS

Chemical name para-Cymene 99-87-6	Cyprus -	Czech Republic -	Denmark TWA: 25 ppm TWA: 135 mg/m³	Estonia STEL: 35 ppm STEL: 190 mg/m³ TWA: 25 ppm TWA: 140 mg/m³	Finland -
alpha-Pinene 80-56-8	-	-	-	STEL: 50 ppm STEL: 300 mg/m³ TWA: 25 ppm TWA: 150 mg/m³	-
Myrcene 123-35-3	-	-	-	STEL: 500 mg/m³ TWA: 350 mg/m³	-
beta-Pinene 127-91-3	-	-	-	STEL: 50 ppm STEL: 300 mg/m³ TWA: 25 ppm TWA: 150 mg/m³	-
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
l-Limonene 5989-54-8	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
gamma-Terpinene 99-85-4	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
para-Cymene 99-87-6	TWA: 150 mg/m³ TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
alpha-Pinene 80-56-8	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
alpha-Phellandrene 99-83-2	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
Myrcene 123-35-3	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
Terpinolene 586-62-9	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
beta-Pinene 127-91-3	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
trans beta-OCimene 3779-61-1	TWA: 1000 mg/m³ STEL: 1500 mg/m³	-	-	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
para-Cymene 99-87-6	-	-	-	TWA: 10 mg/m³	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
l-Limonene 5989-54-8	-	-	-	TWA: 25 ppm TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³	-
alpha-Pinene 80-56-8	-	-	-	TWA: 25 ppm TWA: 140 mg/m³ Skin STEL: 37.5 ppm STEL: 175 mg/m³	-
Myrcene 123-35-3	-	-	-	TWA: 40 ppm TWA: 275 mg/m³ STEL: 60 ppm STEL: 343.75 mg/m³	-
beta-Pinene 127-91-3	-	-	-	TWA: 25 ppm TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³	-
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
alpha-Pinene	TWA: 20 ppm	-	-	-	TWA: 20 ppm
80-56-8					TWA: 113 mg/m³
Myrcene 123-35-3	-	TWA: 700 mg/m³ STEL: 1000 mg/m³	-	-	-
beta-Pinene 127-91-3	TWA: 20 ppm	-	-	-	TWA: 20 ppm TWA: 113 mg/m³
Chemical name	Sweden		Switzerland		United Kingdom
alpha-Pinene 80-56-8	-		Skin STEL: 40 ppm STEL: 224 mg/m³ TWA: 20 ppm TWA: 112 mg/m³		-
beta-Pinene 127-91-3	-		Skin STEL: 40 ppm STEL: 224 mg/m³ TWA: 20 ppm TWA: 112 mg/m³		-

THIS PRODUCT, AS SUPPLIED, DOES NOT CONTAIN ANY HAZARDOUS MATERIALS WITH BIOLOGICAL LIMITS ESTABLISHED BY THE REGION SPECIFIC REGULATORY BODIES.

	<p>DERIVED NO EFFECT LEVEL (DNEL) WORKERS.  DERMAL 1 MG/KG BW/DAY  INHALATION 3.52 MG/M<sup>3</sup></p> <p>DERIVED NO EFFECT LEVEL (DNEL) GENERAL POPULATION.  ORAL 0.5 MG/KG BW/DAY  DERMAL 0.5 MG/KG BW/DAY  INHALATION 0.87 MG/M<sup>3</sup></p> <p>PREDICTED NO EFFECT CONCENTRATION (PNEC)  FRESH WATER 2.04 µG/L  SEA WATER 0.204 µG/L  SEA SEDIMENT 0.066 MG/KG SEDIMENT DW  SOIL 0.134 MG/KG SOIL DW  IMPACT ON SEWAGE TREATMENT 10 MG/L</p>
--	--

## 8.2

### EXPOSURE CONTROLS



<p><b>EYE PROTECTION</b></p>	<p>WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)</p>
<p><b>HAND PROTECTION</b></p>	<p>AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.</p>
<p><b>RESPIRATORY EQUIPMENT</b></p>	<p>GENERALLY UNNECESSARY IN A WELL VENTILATED AREA. IF VENTILATION IS INSUFFICIENT, RESPIRATORY PROTECTION MUST BE WORN.</p>
<p><b>HYGIENE MEASURES</b></p>	<p>GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.</p>
<p><b>ENGINEERING MEASURES</b></p>	<p>PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION.</p>
<p><b>SKIN PROTECTION</b></p>	<p>WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.</p>
<p><b>PERSONAL PROTECTION</b></p>	<p>AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE PERSONAL PROTECTION ACCORDING TO DIRECTIVE 89/686/EEC.</p>
<p><b>OTHER PROTECTION</b></p>	<p>WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.</p>
<p><b>PROCESS CONDITIONS</b></p>	<p>ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER &amp; EYE BATH.</p>
<p><b>ENVIROMENTAL EXPOSURE CONTROLS</b></p>	<p>AVOID DISCHARGING INTO DRAINAGE WATER.</p>

## SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

<p><b>9.1</b> PHYSICAL &amp; CHEMICAL PROPERTIES</p>	
<p><b>APPEARANCE</b></p>	<p>LIQUID</p>
<p><b>COLOUR</b></p>	<p>COLOURLESS - PALE YELLOW</p>
<p><b>ODOUR</b></p>	<p>CHARACTERISTIC</p>
<p><b>RELATIVE DENSITY @ 20°C</b></p>	<p>APPROX. 0.927 @ 20°C</p>
<p><b>FLASH POINT (°C)</b></p>	<p>46°C PMCC (PENSKEY-MARTENS CLOSED CUP).</p>
<p><b>SOLUBILITY IN WATER @ 20 °C</b></p>	<p>NO DATA</p>
<p><b>9.2</b> OTHER INFORMATION</p>	

<b>9.2.1</b> INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES	NO DATA.
<b>9.2.2</b> OTHER SAFETY CHARACTERISTICS	MELTING POINT (°C) = < -20°C BOILING POINT (°C) = 153 - 184°C VAPOUR PRESSURE = 0.351 PA @ 25°C AUTO-IGNITION TEMPERATURE (°C) = 270°C

## SECTION 10: STABILITY & REACTIVITY

<b>10.1</b> REACTIVITY	THE SUBSTANCE IS STABLE UNDER NORMAL STORAGE AND HANDLING CONDITIONS
<b>10.2</b> CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C). STABLE UNDER NORMAL CONDITIONS.
<b>10.3</b> POSSIBILITY OF HAZARDOUS REACTIONS	NONE UNDER NORMAL PROCESSING.
<b>10.4</b> CONDITIONS TO AVOID	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C. AVOID HEAT, FLAMES AND OTHER SOURCES OF IGNITION.
<b>10.5</b> INCOMPATIBLE MATERIALS	AVOID CONTACT WITH STRONG ACIDS, ALKALIS OR OXIDISING AGENTS.
<b>10.6</b> HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

## SECTION 11: TOXICOLOGICAL INFORMATION

11.1

TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

Oral LD503,320 mg/kg

Dermal LD50>5,000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Eucalyptol	= 2480 mg/kg ( Rat )	-	-
l-Limonene	Memo	>5,000 mg/kg	-
gamma-Terpinene	3,850 mg/kg (Rat)	-	-
para-Cymene	4,750 mg/kg (Rat)	>5,000 mg/kg (Rabbit)	>9.7 mg/L (Rat) 5hr
alpha-Pinene	500mg/kg (Rat)	> 5000 mg/kg ( Rat )	-
alpha-Phellandrene	= 5700 mg/kg ( Rat )	-	-
Myrcene	> 5 g/kg ( Rat )	> 5 g/kg ( Rabbit )	-
Terpinolene	3,775mg/kg	-	-

beta-Pinene	= 4700 mg/kg ( Rat ) > 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Linalool	= 2790 mg/kg ( Rat )	= 2000 mg/kg ( Rabbit ) = 5610 mg/kg ( Rat )	>20mg/L

SKIN IRRITATION

CAUSES SKIN IRRITATION.

EYE DAMAGE OR IRRITATION

NOT CLASSIFIED.

RESPIRATORY OR SKIN SENSITIVITY

SKIN — MAY CAUSE AN ALLERGIC SKIN REACTION.

GERM CELL MUTAGENICITY

NOT CLASSIFIED.

CARCINOGENICITY

NOT CLASSIFIED.

REPRODUCTIVE TOXICITY

GAMMA-TERPINENE REP. 2

PARA-CYME REP. 2

STOT — SINGLE EXPOSURE

ORAL.


STOT — REPEATED EXPOSURE

NOT CLASSIFIED.



ASPIRATION HAZARD		MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.				
11.2 INFORMATION ON OTHER HAZARDS		NO DATA.				
SECTION 12: ECOLOGICAL INFORMATION						
12.1 TOXICITY	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.					
	Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	
	Eucalyptol	-	96 HR LC50 for freshwater fish - 57 mg/L (Oncorhynchus mykiss)	-	48hr EC50/LC50 - 100 mg/L (Daphnia magna)	
	l-Limonene	-	96hr LC50 - 0.71 mg/L (Pimephales promelas)	-	48hr LC50/LC50 - 0.36 mg/L (Daphnia magna)	
	para-Cymene	-	96hr LC50 - 48 mg/L (Cyprinodon variegatus)	-	72hr ErC50 - 4.03 mg/L, NOErC - 1.4 mg/L (Scenedesmus capricornutum)	
	alpha-Pinene	-	0.28: 96 h Pimephales promelas mg/L LC50 static	-	41: 48 h Daphnia magna mg/L LC50	
	Linalool	88.3: 96 h Desmodesmus subspicatus mg/L EC50	96hr LC50 - 27.8mg/L (Salmo gairdneri)	-	48hr EC50 - 59mg/L (Daphnia magna)	
12.2 PERSISTENCE & DEGRADABILITY		NO DATA.				
12.3 BIO- ACCUMULATIVE POTENTIAL		NO DATA.				
12.4 MOBILITY IN SOIL		NO DATA				
12.5 RESULTS OF PBT & VPVB ASSESSMENT		NO DATA.				
12.6 ENDOCRINE DISRUPTING PROPERTIES		NO DATA.				
12.7 OTHER ADVERSE EFFECTS		NO DATA.				
SECTION 13: DISPOSAL INFORMATION						
13.1 WASTE TREATMENT METHODS		DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS. <b>WASTE:</b> WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT. <b>SOILED PACKAGING:</b> EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.  EMPTY CONTAINERS POSE A POTENTIAL FIRE AND EXPLOSION HAZARD. DO NOT CUT, PUNCTURE OR WELD				

	CONTAINERS.
--	-------------

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
UN NUMBER	ROAD: 1197 SEA: 1197 AIR: 1197
14.2 UN SHIPPING NAME	IMDG: EXTRACTS, LIQUID (ALPHA-PINENE) MARINE POLLUTANT ADR, RID, ADN: EXTRACTS, LIQUID ICAO TI: EXTRACTS, LIQUID
14.3 TRANSPORT HAZARD CLASS(ES)	<b>ADR</b> 14.1 UN NUMBER OR ID NUMBER 1197 14.2 UN PROPER SHIPPING NAME EXTRACTS, AROMATIC, LIQUID 14.3 TRANSPORT HAZARD CLASS(ES) 3 14.4 PACKING GROUP III 14.5 ENVIRONMENTAL HAZARD YES 14.6 SPECIAL PRECAUTIONS FOR USER SPECIAL PROVISIONS 601 CLASSIFICATION CODE F1 TUNNEL RESTRICTION CODE (D/E)  <b>RID</b> 14.1 UN/ID NO 1197 14.2 UN PROPER SHIPPING NAME EXTRACTS, AROMATIC, LIQUID 14.3 TRANSPORT HAZARD CLASS(ES) 3 14.4 PACKING GROUP III 14.5 ENVIRONMENTAL HAZARD YES 14.6 SPECIAL PRECAUTIONS FOR USER SPECIAL PROVISIONS NONE  <b>IMDG</b> 14.1 UN NUMBER OR ID NUMBER 1197 14.2 UN PROPER SHIPPING NAME EXTRACTS, AROMATIC, LIQUID 14.3 TRANSPORT HAZARD CLASS(ES) 3 14.4 PACKING GROUP III 14.5 ENVIRONMENTAL HAZARD YES 14.6 SPECIAL PRECAUTIONS FOR USER SPECIAL PROVISIONS 223, 944, 955 EmS-No F-E, S-D 14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS  <b>IATA</b> 14.1 UN NUMBER OR ID NUMBER 1197 14.2 UN PROPER SHIPPING NAME EXTRACTS, AROMATIC, LIQUID 14.3 TRANSPORT HAZARD CLASS(ES) 3 14.4 PACKING GROUP III 14.5 ENVIRONMENTAL HAZARD YES 14.6 SPECIAL PRECAUTIONS FOR USER SPECIAL PROVISIONS A3 ERG CODE 3L  TRANSPORT LABELS 

<b>14.4</b> <b>PACKING GROUP</b>	ADR/RID/ADN PACKING GROUP: III IMDG PACKING GROUP: III ICAO PACKING GROUP: III
<b>14.5</b> <b>ENVIRONMENTAL HAZARDS</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT 
<b>14.6</b> <b>SPECIAL PRECAUTIONS FOR USER</b>	SEE SECTIONS 6 – 8.
<b>14.7</b> <b>TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 &amp; THE IBC CODE.</b>	NOT APPLICABLE.
<b>SECTION 15: REGULATORY INFORMATION</b>	
<b>15.1</b> <b>PRODUCT SPECIFIC SAFETY, HEALTH &amp; ENVIRONMENTAL REGULATIONS &amp; LEGISLATION</b>	
<b>EU DIRECTIVES</b>	REGULATION (EC) No 2020/878 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 <sup>TH</sup> DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) No793/93 & COMMISSION REGULATION (EC) No1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
<b>STATUTORY INSTRUMENTS</b>	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 No 716).
<b>APPROVED CODE OF PRACTICE</b>	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
<b>GUIDANCE NOTES</b>	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
<b>15.2</b> <b>CHEMICAL SAFETY ASSESSMENT</b>	THIS PRODUCT DOES NOT CONTAIN SUBSTANCES SUBJECT TO AUTHORIZATION (REGULATION (EC) No. 1907/2006 (REACH), ANNEX XIV) THIS PRODUCT DOES NOT CONTAIN SUBSTANCES SUBJECT TO RESTRICTION (REGULATION (EC) No. 1907/2006 (REACH), ANNEX XVII)

<b>SECTION 16: OTHER INFORMATION</b>	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H226 - FLAMMABLE LIQUID AND VAPOR H227 - COMBUSTIBLE LIQUID H302 - HARMFUL IF SWALLOWED H303 - MAY BE HARMFUL IF SWALLOWED H304 - MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS H315 - CAUSES SKIN IRRITATION H316 - CAUSES MILD SKIN IRRITATION H317 - MAY CAUSE AN ALLERGIC SKIN REACTION H319 - CAUSES SERIOUS EYE IRRITATION H361 - SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD H400 - VERY TOXIC TO AQUATIC LIFE H401 - TOXIC TO AQUATIC LIFE H402 - HARMFUL TO AQUATIC LIFE H410 - VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

OTHER INFORMATION	TWA TWA (TIME-WEIGHTED AVERAGE) STEL STEL (SHORT TERM EXPOSURE LIMIT) CEILING MAXIMUM LIMIT VALUE * SKIN DESIGNATION + SENSITIZERS
<b>TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.</b>	
<b>ABBREVIATIONS &amp; ACRONYMS:</b>	
<b>MSDS</b>	MATERIAL SAFETY DATA SHEET.
<b>INCI</b>	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
<b>CAS</b>	CHEMICAL ABSTRACT SERVICE.
<b>IMDG</b>	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
<b>ADR</b>	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
<b>RID</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
<b>ICAO</b>	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
<b>ADN</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
<b>GHS</b>	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
<b>TREM CARD</b>	TRANSPORT EMERGENCY CARD.
<b>STOT</b>	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 <sup>TH</sup> APRIL 2018	DATA LAUNCH
FEBRUARY 2021	REVIEW
26/08/2021	AMENDMENT OF ALPHA – TERPINEOL CAS NUMBER.
21/11/2022	AMENDMENT OF SEC. 2 - 14
22/12/2022	AMENDMENT OF I-LIMONENE CLP.
DECEMBER 2022	EU REGULATION CHANGED
27/03/2023	CHANGED UN NUMBER

HERBS