## Material Safety Data Sheet

EU Regulation: 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING			
1.1 PRODUCT IDENTIFICATION			
Product Name	Pine Sylvestris, Essential Oil		
BIOLOGICAL DEFINITION	PINUS SYLVESTRIS LEAF OIL IS THE VOLATILE OIL OBTAINED FROM THE NEEDLES OF THE SCOTCH PINE, PINUS SYLVESTRIS L., PINACEAE.		
INCI NAME	Pinus Sylvestris Leaf Oil		
Synonyms & Trade Names	-		
INTERNAL PRODUCT CODE			
CAS-NO	8023-99-2 / 84012-35-1         EC No.         281-679-2         EINECS No.         281-679-2		
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET			
COMPANY ADDRESS	Mov Herbs		
EMAIL	TEHNICALCREW@MOVHERBS.COM		
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET		
EMERGENCY CONTACTS			

HERBS

1 LASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (EU1272/2008)	PHYSICAL HAZARDS: FLAM. LIQ. 3 - H226 HEALTH HAZARDS: ASP. TOX. 1 - H304, SKIN IRRIT. 2 – H315, SKIN SENS. 1B - H317	
2 ABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.	
GHS LABEL	GHS02 GHS07 GHS08 GHS09	
Signal Word	DANGER.	
Contains	ALPHA-PINENE, BETA-PINENE, D-LIMONENE, DELTA-3-CARENE, MYRCENE	
HAZARDS STATEMENT	H226 FLAMMABLE LIQUID AND VAPOUR. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.	
PRECAUTIONARY STATEMENTS	P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P261 Avoid breathing vapour/ spray. P273 Avoid Release to the environment.	
Supplementary Precautionary Statements	P233 KEEP CONTAINER TIGHTLY CLOSED. P240 GROUND AND BOND CONTAINER AND RECEIVING EQUIPMENT. P241 USE EXPLOSION-PROOF ELECTRICAL EQUIPMENT. P242 USE NON-SPARKING TOOLS. P243 TAKE ACTION TO PREVENT STATIC DISCHARGES. P264 WASH CONTAMINATED SKIN THOROUGHLY AFTER HANDLING. P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P302+P352 IF ON SKIN: WASH WITH PLENTY OF WATER.	
2.3	SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
DTHER HAZARDS		
Adverse physio-chemical properties	Flammable liquid and vapour.	
Adverse effects on human health	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION.	
PBT OR VPVB ACCORDING TO ANNEX XIII	NO ADDITIONAL DATA AVAILABLE.	

	<b>30 - 60% ALPHA-PINENE</b> CAS NO: 80-56-8 EC NO: 201-291-9	
3.2 SUBSTANCES	CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 H302, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410	
	<b>3 - 25% BETA-PINENE</b> CAS No: 127-91-3 EC No: 204-872-5	
	CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410	
	<b>4 - 15% D-LIMONENE</b> CAS NO: 5989-27-5 EC No: 227-813-5	
	CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 H304, SKIN IRRIT 2 – H315, SKIN SENS. 1 – H317 AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410	
	<b>2 - 20% delta-3-Carene</b> CAS No: 13466-78-9 EC No: 236-719-3	
	CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC CHRONIC 3 - H412	
	1.5 – 10% Myrcene         CAS No: 123-35-3         EC No: 204-322-5           CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 2 - H411	
	≤ 7.5% CAMPHENE CAS No: 79-92-5 EC No: 201-234-8 CLASSIFICATION (EC 1272/2008) FLAM. Sol. 1 – H228, Eye IRRIT 2 – H319, AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC – H410	
	<b>≤ 4% ALPHA-TERPINOLENE</b> CAS No: 586-62-9 EC No: 209-578-0	
	CLASSIFICATION (EC 1272/2008) ASP. TOX. 1 - H304, SKIN SENS. 1B - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410	

SECTION 4: FIRST AID MEASURES		
4.1 Description of First Aid Measures		
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.	
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.	
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.	
Skin Contact	SKIN CONTACT REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS	
EYE CONTACT	ACT FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.	
4.2 Most important symptoms & effects (Acute & Delayed)	OBSERVE RISK OF ASPIRATION IF VOMITING OCCURS	
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.	

SECTION 5: FIRE FIGHTING MEASURES		
SECTION 5: FIRE FIGHTING MEASURES		
5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.	
5.2		
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES	
MIXTURE		
5.3	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:	
Advice for fire-fighters	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.	
SECTION 6: ACCIDENTAL RELEASE MEASUR	ES	
	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE	
6.1	EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN,	
PERSONAL PRECAUTIONS	EYES AND CLOTHING.	
6.2	Do not discharge into drains, water courses or onto the ground. Dispose of in line with Local authority	
ENVIRONMENTAL PRECAUTIONS	GUIDELINES.	
	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN	
METHODS & MATERIAL FOR CONTAINMENT AND CLEANING	SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.	
6.4	REFER & CONSIDER SECTIONS 4, 7, 8 & 13.	
REFERENCES TO OTHER SECTIONS		
SECTION 7: HANDLING & STORAGE		
SECTION 7: HANDLING & STORAGE		
	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND	
7.1	HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD	
PRECAUTIONS FOR SAFE-HANDLING	MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR	
	SMOKE WHEN USING THIS PRODUCT.	
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF	
INCOMPATIBILITIES	IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.	
7.3	SUITABLE FOR COSMETIC, FRAGRANCE AND PROFESSIONAL USE ONLY.	
SPECIFIC END USE(S)	·	
SECTION 8: EXPOSURE CONTROLS &	HERBS	
Personal Protection		
	Alpha-Pinene (CAS No: 80-56-8)	
	DNEL	
	Workers - Inhalation; Long term systemic effects: $3.8 \text{ Mg/m}^3$	
	WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.54 BW/DAY, MG/KG	
	GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 0.67 MG/M <sup>3</sup>	
	GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.19 MG/KG, BW/DAY	
	GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.19 MG/KG, BW/DAY PNEC	
	- Fresh water; Short term 0.606 mg/l	
	- FRESH WATER, INTERMITTENT RELEASE; 3.03 MG/L	
8.1	- MARINE WATER; SHORT TERM 0.061 MG/L	
CONTROL PARAMETERS	- INTERMITTENT RELEASE, MARINE WATER; 0.303 MG/L	
	- STP; SHORT TERM 0.2 MG/L	
	- SEDIMENT (FRESH WATER); SHORT TERM 157 MG/KG	
	- SEDIMENT (MARINE WATER); SHORT TERM 15.7 MG/KG	
	- SOIL; SHORT TERM 31.7 MG/KG Reta Piniene (CAS No. 127 01 2)	
	BETA-PINENE (CAS No: 127-91-3) DNEL	
	Workers - Inhalation; Long term systemic effects: 5.69 mg/m <sup>3</sup>	
	Workers - Dermal; Long term systemic effects: 0.8 bw/day, mg/kg	
	GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1 MG/M <sup>3</sup>	
	GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.3 MG/KG, BW/DAY	

General population - Oral; LONG TERM SYSTEMIC EFFECTS: 0.3 BW/DAY, MG/KG PNEC - Reselt Watter, Short TERM 0.1 MG/L SEDIMENT (PREMAS, FREM VATER), SOUT TERM 0.337 MG/KG - SEDIMENT (PREMA 23.6 MG/L SEDIMENT (MARINE WATER), SNORT TERM 0.337 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM 0.347 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM 0.044 MG/L - SEDIMENT (MARINE WATER), SNORT TERM 0.04 MG/KG - SOU; SNORT TERM 0.048 MG/L - SEDIMENT (MARINE WATER), SNORT TERM 0.048 MG/KG WYRCENE(CS No: 123-35-3) DNEL WORKERS - DEMAL; LONG TERM SYSTEMC EFFECTS: 0.83 MG/KG WORKES - INHALATION; LONG TERM SYSTEMC EFFECTS: 0.42 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM 0.14 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM 0.14 MG/KG - STP), SOULATION - DEMAL; LONG TERM SYSTEMC EFFECTS: 0.42 MG/KG - SOULATION - DEMAL; LONG TERM SYSTEMC EFFECTS: 0.42 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM SYSTEMC EFFECTS: 0.42 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM SYSTEMC EFFECTS: 0.42 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM SYSTEMC EFFECTS: 0.42 MG/KG - SEDIMENT (MARINE WATER), SNORT TERM SYSTEMC EFFECTS: 0.42 MG/KG - MERSH ANDERS - DERMAL; LONG TERM SYSTEMC EFFECTS: 0.42 MG/KG - MERSH ANDERS, SNORT TERM SYSTEMC EFFECTS: 0.42 MG/KG - SEDIMALTICALION - INHALATION; LONG TERM SYSTEMC EFFECTS: 0.42 MG/KG - SEDIMALTICALION - INHALATION; LONG TERM SYSTEMC EFFECTS: 0.42 MG/KG - S
- MARINE WATER; SHORT TERM 0.063 MG/L
- STP; SHORT TERM 0.2 MG/L
- Sediment (Fresh water); Short term 14.7 mg/kg - Sediment (Marine water); Short term 14.7 mg/kg

		- Soil; Short term 29.1 mg/kg	
8.2 Exposure Controls			
Eye Protec	TION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
HAND PROTE	ECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
	RESPIRATORY EQUIPMENT	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. B) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. C) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.	
	HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
	ENGINEERING MEASURES	PROVIDE ADEQUATE VENTILATION.	
	SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.	
	PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.	
	OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.	
		ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION, SAFETY SHOWER & EYE BATH.	
		AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.	
SECTION 9: PHYSICAL PROPERTIES	& CHEMICAL		
9.1 Physical & Chemical Propertie	ES		
	APPEARANCE		
	COLOUR	COLOURLESS - PALE YELLOW	
	ODOUR	CHARACTERISTIC.	
		0.865 @ 20°C	
D	FLASH POINT (°C)	37°C	
	LUBILITY IN WATER @ 20 °C	1.472 @ 20°C	
9.2		MELTING POINT (°C): < -20.0	
OTHER INFORMATION		BOILING POINT (°C): 169.4 @ 101.325 KPA	
9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES		NO DATA.	
9.2.2 Other safety characteristics		NO DATA.	
SECTION 10: STABILITY	<b>&amp; REACTIVITY</b>		
10.1 Reactivity		Presents no significant reactivity hazards, by itself or in contact with water. Stable under normal temperature and storage conditions and recommended use.	
10.2 Chemical stability		Stable under suggested storage conditions (<15 $^{\circ}$ C).	

10.3 Possibility of hazardous reactions	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.	
10.4 CONDITIONS TO AVOID	KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES.	
10.5 Incompatible materials	Oxidisers.	
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE. THERMAL DECOMPOSITION MAY RELEASE/FORM OXIDES OF CARBON (CARBON MONOXIDE, CARBON DIOXIDE) AND OTHER TOXIC GASES.	

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 Toxicological effects		
	Αсυτε Τοχιςιτγ	Not classified as acutely toxic. LD50 (Oral) 5000mg/kg (rat) Note: The CLP additivity calculation classifies product as H302 - Harmful if swallowed. Based on the LD50 value product is not acutely toxic.
	SKIN IRRITATION	CAUSES SKIN IRRITATION.
	EYE DAMAGE OR IRRITATION	NOT CLASSIFIED.
Respiratory or skin sensitivity		SKIN – MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY		NOT CLASSIFIED.
CARCINOGENICITY		NOT CLASSIFIED.
Reproductive toxicity		NOT CLASSIFIED.
STOT – SINGLE EXPOSURE		NOT CLASSIFIED.
STOT – REPEATED EXPOSURE		NOT CLASSIFIED.
	ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
11.2 Information on other hazards		NO ADDITIONAL DATA AVAILABLE.

SECTION 12: ECOLOGICAL INFORMATION		
12.1 Toxicity	The CLP additivity calculation classifies product as Aquatic Acute 1; H400 - Very toxic to aquatic life Aquatic Chronic 1; H410 - Very toxic to aquatic life with long lasting effects. However based on REACH data product is classified as Aquatic Chronic 2; H411 - Toxic to aquatic life with long lasting effects.	
12.2 Persistence & degradability	TO BE CONSIDERED AS READILY BIODEGRADABLE BASED ON ITS READY BIODEGRADABILITY. OIL DOES NOT FULFIL THE CRITERIA FOR PERSISTENCE.	
12.3 BIO- ACCUMULATIVE POTENTIAL	NO ADDITIONAL DATA AVAILABLE.	
12.4 Mobility in soil	NO ADDITIONAL DATA AVAILABLE.	
12.5 Results of PBT & VPVB Assessment	NO ADDITIONAL DATA AVAILABLE.	
12.6 ENDOCRINE DISRUPTING PROPERTIES	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.	
12.7 Other adverse effects	NO ADDITIONAL DATA AVAILABLE.	

SECTION 13: DISPOSAL INFORMATION	
13.1 Waste treatment methods	DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS. <b>WASTE:</b> WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT. <b>SOILED PACKAGING:</b> EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.
SECTION 14: TRANSPORT INFORMATION	
14.1 Transport Information	
UN NUMBER	ROAD: 1272 RAIL: 1272 AIR: 1272
14.2 UN SHIPPING NAME	PINE OIL
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: ADR/RID/AND CLASSIFICATION CODE F1 IMDG CLASS: ICAO CLASS/DIVISION: 3 ADR/RID/ADN EXCEPTED QUANTITIES (EQ) E1 LIMITED QUANTITIES (EQ) E1 LIMITED QUANTITIES (EQ) F1 LIMITED QUANTITIES (EQ) E1 LIMITED QUANTITIES (EQ) E1 LIMITED QUANTITIES (EQ) F1 LIMITED F1 CONTENTIES (EQ) F1 CONTENTIES (EQ) F1 CONTENTIE
14.4 Packing Group	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 Enviromental Hazards	Environmentally Hazardous Substance/Marine Pollutant

14.6	SEE SECTIONS 6 - 8.
SPECIAL PRECAUTIONS FOR USER	
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	PACKED AND TRANSFERRED ACCORDING TO TRANSPORT REGULATIONS.
SECTION 15: REGULATORY INFORMATION	
15.1	
PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
	Regulation (EC) No $2020/878$ of the European Parliament and of the council of $18^{\text{th}}$
	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF
	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE
<b>EU D</b> IRECTIVES	
	1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION
	REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION
	DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009
	No 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	Workplace exposure limits EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	-
SECTION 16: OTHER INFORMATION	
Н	H226 FLAMMABLE LIQUID AND VAPOUR. H228 FLAMMABLE SOLID.
	H302 HARMFUL IF SWALLOWED. H304 May be fatal if swallowed and enters airways.
Hazard and/ or Precautionary Statements in full	H315 CAUSES SKIN IRRITATION.
·	H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
	H319 CAUSES SERIOUS EYE IRRITATION. H400 VERY TOXIC TO AQUATIC LIFE.
	H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
Abbreviations & Acronyms: MSDS	MATERIAL SAFETY DATA SHEET.
INCI	
	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	Accord European sur le transport des merchandises Dangereuses par Route (European
	Agreement concerning the international Carriage of Dangerous goods by Road).

RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	Specific Target Organ Toxicity.

## **DOCUMENTATION REVISION**

DATE	CHANGE DESCRIPTION
10 <sup>™</sup> April 2018	Data Launch
2021	Reviewed
DECEMBER 2022	EU REGULATION CHNAGED
JANUARY 2023	REVIEW

