



الترالايت
ULTRALIGHT

LED LIGHT BULB

UTL-14aM250ST | SERIES

2W

MR11 Samsung Bulb Suitable For Indoor Lighting

Benefits

- Polycarbonate Housing.
- Suitable for Different Application.
- Easy to Install.
- Indoor Use.

Features

- From -20° to 40° celsius operating temperature.
- Long Lifespan up to 25000 Hrs.
- Color Rendering Index >80.
- Suitable for indoor Lighting.
- Instant Full Light.
- 100% Mercury Free.
- SMD LED Directional.

Characteristics



SMD Lens

SAMSUNG
LED CHIPS
INSIDE



Instant Full Light



| Technical Operating & Electrical Data

Input Voltage : Frequency	220-240VAC 50/60Hz
Rated Color Rendering Index	80
Beam Angle	36°
Life Span	25000Hrs
Displacment	0.9
Operating Tempreature	-20° to 45°
Switcing Cycels	12500
Protection Class	-


| Mechanical Data

Housing Material	Polycarbonate
Cover Material	Clear semi frosted Glass
Available Colors	White
Light Bulb Base	MR11

| Areas Of Application



Public Indoor



Hospital



Shopping Center




Commercial



WorkPlace



Education Center



| Specifications

Model No	Power	CCT	Luminous	Efficicacy	PF	Current
UTL-14aM250ST	2W	3000K	230Lm	115	0.4	20mA

| Dimensions

No	Model No	Size Cut Out	Length	Width	Height	Weight
1	UTL-14aM250ST	-	36mm	36mm	42mm	15g

