


**BREWER
COWLS**


Brewer Crown Pot Birdguard

- Helps prevent debris, bird and vermin entry
- Guards against birds getting trapped behind gas fire back panels
- Integral raincap reduces rain entry
- Suitable for live or unused chimneys
- Gas model with small mesh to BS5871:2005
- Solid fuel model with larger mesh to BSEN1856-1:2009
- Either model suitable for oil appliances
- Available painted (terracotta, buff or black) or unpainted finish
- Stainless steel models available
- Simple, fast and secure fitting
- Other sizes plus square and special shapes, made to order




Fitting instructions for all Birdguard models

Important: ensure you have the correct model of terminal to match your fuel type and application.



Large mesh suitable for solid fuel & oil



Small mesh suitable for gas & oil

To fit the Birdguard

1. With the Birdguard unpacked (Fig1), straighten the legs.
2. Place the Birdguard into the top section of the chimney pot. Pass the legs through the gaps between the top and bottom sections pot. Lower the Birdguard until the mesh rests on the bottom section of the pot. (Fig 2)
3. **Important:** ensure there is a minimum of 127mm or 5 inches of unobstructed mesh height above the top of the chimney pot and the underside of the raincap (fig3).
4. Bend the legs down the outside face of the chimney. (Fig4)
5. Wrap the stainless steel band around the legs. (Fig4)
6. Position the stainless steel band at a suitable point. Just underneath a moulding or lip is best for a secure fit.
7. Tighten the stainless steel band with a flat bladed screwdriver.
8. Bend bottom of legs back upwards over the stainless steel band and trim if necessary. (Fig5)

Never install the unit with the top of the chimney or any other object positioned inside the central area of the mesh. This area must be kept clear to allow products of combustion to escape.

Fig 1




Fig 2




Fig 3

Raincap

Important




Fig 4




Fig 5



