


CATEGORY A

the design choice



G077_19 G077_18 G077_17 G077_16 G077_15



G077_14 G077_13 G077_12 G077_114 G077_113




G077_112 G077_111 G077_110 G077_11 G077_109


ALESSANDRO BINI - BEL LINO (BL)



G077_19



G077_108 G077_107 G077_106 G077_105 G077_103



G077_100 G077_10 G077_09 G077_08 G077_07

the design choice

ALESSANDRO
BINI
-
BEL LINO (BL)



G077_06




G077_05




G077_04



G077_03



G077_02




G077_01




G077_816




G077_814



G077_791



G077_689




G077_619




G077_555



G077_219



G077_173



G077_115

ALESSANDRO BINI TESSUTI D'ITALIA



BEL LINO

G077

ALTEZZA / WIDTH cm/inch	140 / 55" +/- 2%
COMPOSIZIONE / COMPOSITION	100% LI
PESO / WEIGHT g/mq	450 +/- 2%
LUNG. PEZZE / ROLL LENGTH mtl/ft	25 ca. / 82
MARTINDALE cicli/cycle	>33.500
PILLING	4
RITIRO/SHRINKAGE	+/- 3
USO/USE	rivestimenti / upholstery tendaggi / curtains / decorazioni / decoration

Trattamento antimacchia con nanotecnologie. *Stain Proofing - water repellent.*

LAVAGGIO / CARE



MADE IN ITALY

www.alessandrobini.com

CATEGORY A

the design choice



CA1695-091 CA1695-072 CA1695-071 CA1695-063 CA1695-062



CA1695-061 CA1695-060 CA1695-052 CA1695-051 CA1695-050



CA1695-041 CA1695-040 CA1695-034 CA1695-033 CA1695-032

JAB - ENDLESS (EN)



CA1695-091



CA1695-031 CA1695-030 CA1695-024 CA1695-023 CA1695-022



CA1695-021 CA1695-020

the design choice

ENDLESS



www.qr.jab.de/CA1695/061

The images shown here serve only for illustration purposes. They do not represent binding colour samples. The colour reproduction depends on the relevant plotting device.

® JAB ANSTOETZ GROUP

Product details

Article:	ENDLESS
Brand:	Carlucci
Number:	CA1695/061
Colour variations:	40
Quality:	Upholstery fabric, Knitted, Tabby weave
Material:	Ground material: 100% polyester, Surface : 100% polyester
Instructions:	
Width/Length:	140 cm / 55" ⇄
Martindale:	45000
Design:	Plain

the design choice

CATEGORY A

the design choice



CH1249-998 CH1249-997 CH1249-995 CH1249-994 CH1249-993



CH1249-992 CH1249-991 CH1249-990 CH1249-988 CH1249-939



CH1249-938 CH1249-937 CH1249-936 CH1249-934 CH1249-908


JAB - HOT MADISON (HM)



CH1249-998



CH1249-903 CH1249-898 CH1249-894 CH1249-808 CH1249-729



CH1249-728 CH1249-727 CH1249-725 CH1249-724 CH1249-723

the design choice

JAB
-
HOT
MADISON
(HM)



CH1249-722




CH1249-721



CH1249-720



CH1249-719



CH1249-570



CH1249-566



CH1249-565



CH1249-563



CH1249-553



CH1249-718



CH1249-716



CH1249-715



CH1249-713



CH1249-711



CH1249-552



CH1249-528



CH1249-525



CH1249-524



CH1249-521



CH1249-710



CH1249-709



CH1249-708



CH1249-707




CH1249-705



CH1249-517




CH1249-503




CH1249-499



CH1249-497



CH1249-495



CH1249-704



CH1249-702




CH1249-700



CH1249-695




CH1249-694




CH1249-490




CH1249-479




CH1249-478



CH1249-471



CH1249-469



CH1249-608



CH1249-603




CH1249-573




CH1249-572




CH1249-571



CH1249-424



CH1249-420



CH1249-419



CH1249-410



CH1249-404


JAB
-
HOT
MADISON
(HM)



CH1249-403



CH1249-248



CH1249-234



CH1249-233




CH1249-127



CH1249-126



CH1249-103



CH1249-099



CH1249-098



CH1249-232



CH1249-203



CH1249-196



CH1249-195



CH1249-194



CH1249-097



CH1249-096



CH1249-095



CH1249-094



CH1249-093



CH1249-193



CH1249-192



CH1249-186



CH1249-185



CH1249-182



CH1249-091



CH1249-089



CH1249-087



CH1249-083



CH1249-082



CH1249-181



CH1249-180



CH1249-172



CH1249-171



CH1249-170



CH1249-081



CH1249-080




CH1249-079




CH1249-077




CH1249-076



CH1249-155



CH1249-139



CH1249-135




CH1249-133



CH1249-131



CH1249-075




CH1249-074



CH1249-073




CH1249-072



CH1249-071

JAB
-
HOT
MADISON
(HM)



CH1249-070



CH1249-063




CH1249-062



CH1249-059



CH1249-056



CH1249-055



CH1249-053




CH1249-052



CH1249-050



CH1249-045




CH1249-039




CH1249-038




CH1249-037



CH1249-020



CH1249-013



CH1249-011

15/03/2024, 12:51

Upholstery fabric HOT MADISON REBOOT CH1249/195 | Chivasso

HOT MADISON REBOOT



www.qr.jab.de/CH1249/195

The images shown here serve only for illustration purposes. They do not represent binding colour samples. The colour reproduction depends on the relevant plotting device.

© JAB ANSTOETZ GROUP

Product details


Article:	HOT MADISON REBOOT
Brand:	Chivasso
Number:	CH1249/195
Colour variations:	200
Quality:	Upholstery fabric, Woven, Tabby weave
Material:	63% cotton, 37% linen
Instructions:	
Properties:	Suitable for decoration
Width/Length:	140 cm / 55"
Martindale:	55000
Design:	Plain

CATEGORY A


the design choice



CA7832-272 CA7832-271 CA7832-263 CA7832-262 CA7832-261



CA7832-260 CA7832-233 CA7832-231 CA7832-230 CA7832-196




CA7832-195 CA7832-194 CA7832-192 CA7832-191 CA7832-190

JAB - CITY VELVET (CV)



CA7832-272




CA7832-186 CA7832-184 CA7832-183 CA7832-182 CA7832-181



CA7832-180 CA7832-179 CA7832-174 CA7832-173 CA7832-172

the design choice

JAB
-
CITY VELVET
(CV)



CA7832-171




CA7832-170



CA7832-169



CA7832-167



CA7832-093




CA7832-092



CA7832-091



CA7832-090



CA7832-089



CA7832-166



CA7832-165



CA7832-163




CA7832-161



CA7832-160



CA7832-088



CA7832-087




CA7832-086




CA7832-082



CA7832-081



CA7832-139




CA7832-138




CA7832-137



CA7832-136



CA7832-135



CA7832-080



CA7832-079



CA7832-078



CA7832-077



CA7832-076



CA7832-134




CA7832-133



CA7832-132




CA7832-130




CA7832-127



CA7832-075



CA7832-074




CA7832-073




CA7832-072



CA7832-071




CA7832-126



CA7832-122




CA7832-120



CA7832-099



CA7832-096



CA7832-070



CA7832-069



CA7832-068



CA7832-067



CA7832-066


JAB
-
CITY VELVET
(CV)



CA7832-065




CA7832-064



CA7832-063



CA7832-062



CA7832-037



CA7832-035




CA7832-034



CA7832-033




CA7832-031



CA7832-061



CA7832-060



CA7832-059



CA7832-058



CA7832-057



CA7832-030



CA7832-029



CA7832-028



CA7832-027




CA7832-026




CA7832-056



CA7832-055



CA7832-053




CA7832-052



CA7832-051



CA7832-025



CA7832-022



CA7832-020



CA7832-015



CA7832-014



CA7832-050



CA7832-048




CA7832-046




CA7832-045



CA7832-044



CA7832-013



CA7832-012



CA7832-011



CA7832-010



CA7832-043



CA7832-042



CA7832-041



CA7832-039



CA7832-038

the design choice

CITY VELVET RELOADED



www.qr.jab.de/CA7832/051

The images shown here serve only for illustration purposes. They do not represent binding colour samples. The colour reproduction depends on the relevant plotting device.

® JAB ANSTOETZ GROUP

Product details

Article:	CITY VELVET RELOADED
Brand:	Carlucci
Number:	CA7832/051
Colour variations:	150
Quality:	Upholstery fabric, Woven, Velvet
Material:	pile: 100% polyester, Ground material: 100% polyester
Instructions:	
Properties:	Suitable for decoration
Width/Length:	140 cm / 55"
Martindale:	100000
Design:	Plain

the design choice

CATEGORY A

the design choice



C0996

C0982

C0973

C0962

C0954



C0942

C0933

C0923

C0912

C0906



C0873

C0866

C0852

C0842

C0836

KVADRAT - REMIX 3 (RE)



C0996



C0823

C0816

C0796

C0783

C0773



C0762

C0753

C0743

C0733

C0722

the design choice

KVADRAT
-
REMIX 3 (RE)



C0716



C0692



C0686



C0682



C0362



C0356



C0346



C0326



C0296



C0672



C0662




C0653



C0643



C0632



C0286



C0276



C0266



C0252



C0242



C0612



C0606




C0566



C0543




C0536




C0233



C0223



C0196



C0183



C0173



C0516



C0452



C0443



C0433



C0422



C0163



C0152



C0143




C0136




C0133



C0412



C0406



C0393



C0383




C0373



C0126



C0123



C0113



Remix 3

Abrasion

Approx. 100.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 4, EN ISO 12945

Seam slippage

Seam parallel to warp: 5.0 mm parallel to weft: 3.0 mm
EN ISO 13 936-2 180 Newton

Lightfastness

Note 5-7 ISO 105-B02

Fastness to rubbing

Dry note 4-5 ISO 105-X12
Wet note 3-5 ISO 105-X12

Absorption

0.55/Class D (flat), 0.80/Class B (waved) EN ISO 354

Airflow

465 Pa s/m EN 29053

Flame resistance

AS/NZS 1530.3
AS/NZS 3837 class 2
ASTM E84 Class A Unadhered
ASTM E84 Class A Adhered
BS 5852 crib 5 with treatment *
BS 5852 part 1
EN 1021-1/2
EN 13501 B-s2, d0 wrapped, with treatment *
GB 50222 B1 with treatment (Chinese) *
IMO FTP Code 2010 Part 7 with treatment *
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
ÖNORM B1/Q1
SN 198 898 5.3 with treatment *
UNI 9175 1IM
US Cal. Bull. 117-2013

Free from added flame retardant chemicals as standard

** To pass this test flame retardant treatment is necessary. We are looking into more environmentally friendly alternatives but for now, the external finisher may use a treatment containing halogen-based flame retardants*

Remix 3

Design: Giulio Ridolfo


Type: Upholstery
Composition: 90% new wool, 10% nylon
Yarn type: Worsted
Binding: Plain
Width: Approx. 140 cm, 55 inches
Weight: Approx. 420 g/lin.m, 13.6 oz/ly

Colour difference may occur

Cleaning: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see kvadrat.dk

More info: Care and maintenance kvadrat.dk



ACT Guidelines Woven fabrics

Flammability

US Cal. Bull. 117-2013

Dry & Wet Crocking

Dry Crocking: Grade 4,5
Wet Crocking: Grade 4.5

Colour Fastness to Light

Grade 4.0 minimum 40 hours

Physical properties

Pilling Class 4
Breaking Strength warp 132 / weft 138 lbs.
Seam Slippage warp 126.5 / weft 130 lbs.

Abrasion

100.000 cycles Martindale – High Traffic / Public Spaces

Benefits of wool

Wool is a renewable resource
Wool is very comfortable because of its ability to absorb/give off humidity
Wool is flame retardant
Wool is biodegradable
Wool is naturally soil resistant
Wool ages with grace

Quality benefits

Complies with Möbelfakta
Very good abrasion
Good lightfastness
Flame retardant

Environmental benefits

EU Ecolabel compliant
No content of PFCs or 'PFAS'
REACH compliant
California Proposition 65 list compliant
LBC Red list compliant
Healthier Hospitals compliant

Green building certificates

Greenguard Gold: Low chemical emission
Environmental Product Declaration (EPD): 3rd Party Verified. ISO 14025 & EN 15804. Developed in accordance with the European standard EN 15804+A2.
Health Product Declaration (HPD): Declaring textile content and substance

Country of origin

United Kingdom

Launch

2007

Warranty

10 years. See terms and conditions on kvadrat.dk

Kvadrat packaging and cardboard is recyclable. Cardboard material is FSC certified and / or contains recycled content.

For further information
kvadrat.dk

kvadrat

kvadrat

the design choice

CATEGORY A

the design choice



1008310 1008356 1008316 1008326 1008336



1008346 1008306 1008458 1008452 1008303



1008315 1008323 1008305 1008455 1008461


NEVOTEX - EROS (ER)



1008310



1008456 1008460 1008459 1008453 1008454



1008331 1008341 1008301 1008321 1008311

the design choice

NEVOTEX
-
EROS (ER)



1008381



1008351



1008371



1008391



1008383



1008332



1008352



1008322



1008457



1008312




1008302



1008342




1008327




1008317




1008347



1008307



1008337



1008304



Eros

Eros is our best seller which periodically gets its color scheme updated. The latest colors we call Eros Trend. Eros is a furniture quality but is also used for curtain as it is double-sided.

Uses:

Accessories, Contract Upholstery, Curtains and Drapery, Upholstery

Width:	140 cm ±2 cm	Colour fastness to rubbing - wet:	4-5 (ISO 105-X12)
Composition:	50% Acrylic, 28% TEXT. POLYEST, 13% Polyester, 9% VISCOSE	Color Fastness To Light:	5 (ISO 105-B02)
Weight (g/m ²):	400 ± 5 %	Seam slippage Warp:	3,0 mm (ISO 13936-2)
Roll length (m):	40	Seam slippage Weft:	2,5 mm (ISO 13936-2)
Type:	Yarn dyed	Tensile strength Warp:	1900 N (ISO 13934-1)
Oeko-Tex Certificate No:	1505024	Tensile strength Weft:	800 N (ISO 13934-1)
Fire test:	BS 5852-1 Source 0, Cal TB 117, EN 1021-1, NFPA 260	Tear strength warp:	80 N (ISO 13937-3)
Martindale:	50000 (ISO 12947-2)	Tear Strength weft:	50 N (ISO 13937-3)
Change of colour:	4-5	Sound absorption:	Klass D, αw 0,45 (ISO 354)
Pilling:	4-5, 2000 Cycles (ISO 12945-2)	Dimensional change Warp:	1 %
Colour fastness to rubbing - dry:	4-5 (ISO 105-X12)	Dimensional change Weft:	2 %



the design choice

CATEGORY A

the design choice

NEVOTEX - MARLON (MA)



1021801



1021801




1021802




1021803




1021804



1021805




1021806




1021807




1021808



1021809



1021810



1021811

Marlon

MARLON is a durable boucle fabric with a lot of texture, which in combination with warm colored tones gives a retro feel. Boucle is woven into twisted yarn, where small loops are formed and gives the yarn its knotty texture. The main distinguishing feature of a boucle fabric is precisely the rough surface structure. The fabric is suitable for furniture and decoration, is produced from recycled materials during minimal water consumption.

The fabric is sold in cut lengths or in rolls of 30m.

Uses:

Accessories, Boat and Caravan, Contract Upholstery, Curtains and Drapery, Upholstery, Bed Covering

Width:	140 cm ±2 cm	Pilling:	4, 2000 Cycles (ISO 12945-2)
Composition:	70% Recycled Olefin, 30% Polyester	Colour fastness to rubbing - dry:	4 (ISO 105-X12)
Weight (g/m ²):	685	Colour fastness to rubbing - wet:	3-4 (ISO 105-X12)
Roll length (m):	30	Seam slippage Warp:	2,5 mm (ISO 13936-2)
Type:	Yarn dyed	Seam slippage Weft:	3,1 mm (ISO 13936-2)
Oeko-Tex Certificate No:	2106125	Tensile strength Warp:	2002 N (ISO 13934-1)
Eco-Label Certificate No:	BE/016/003	Tensile strength Weft:	1112 N (ISO 13934-1)
GRS Certificate No:	USB TEX2701-GRS-2023-01	Tear strength warp:	137 N (ISO 13937-3)
Fire test:	BS 5852-1 Source 0, Cal TB 117, EN 1021-1, NFPA 260	Tear strength weft:	458 N (ISO 13937-3)
Martindale:	70000 (ISO 12947-2)	Dimensional change Warp:	- 2 %
Change of colour:	4-5	Dimensional change Weft:	- 2 %




the design choice

CATEGORY A

the design choice



1061088 1061016 1061026 1061017 1061037



1061036 1061046 1061006 1061005 1061083




1061082 1061031 1061084 1061021 1061001

NEVOTEX - MEGAN (ME)



1061088




1061061 1061089 1061081 1061090 1061013



1061085 1061086 1061087 1061043 1061003

the design choice

NEVOTEX
-
MEGAN (ME)



1061032




1061023



1061022



1061033



1061091




1061012



1061052




1061042




1061002




1061092




1061027



1061007



1061047



1061004



Megan

Megan is a velvet in a sparkling color scheme. High, straight standing piles in a durable quality for all types of environments.

Uses:

Accessories, Boat and Caravan, Contract Upholstery, Curtains and Drapery, Upholstery

Width:	142 cm ±2 cm	Pilling:	4-5 (ISO 12945-2)
Composition:	100% Polyester	Colour fastness to rubbing - dry:	4-5 (ISO 105-X12)
Weight (g/m ²):	450	Colour fastness to rubbing - wet:	4-5 (ISO 105-X12)
Roll length (m):	35	Color Fastness To Light:	6 (ISO 105-B02)
Type:	Piece Dyed	Dimensional change Warp:	- 0.7 % (ISO 5077)
Oeko-Tex Certificate No:	13.HCN.35063	Dimensional change Weft:	- 0.3 % (ISO 5077)
Fire test:	BS 5852-1 Source 0 & 1, Cal TB 117, EN 1021-1 & 2, IMO 2010 FTP Code part 8	Colour fastness to water wash:	ISO 105-C10
Martindale:	170000 (ISO 12947-2)	Staining, multi-fibre :	4-5
		Change of colour:	4-5




the design choice

CATEGORY A

the design choice



1038810 1039005 1038826 1038816 1038836




1039007 1038806 1039008 1039014 1039025



1039013 1039011 1038831 1039012 1039026

NEVOTEX - WOOLY (WO)



1038810




1039010 1039009 1039002 1039003 1039001




1038813 1039004 1039027 1039029 1039028

the design choice

NEVOTEX
-
WOOLY (WO)



1038803



1038823




1039032




1039021




1038817



1038807



1038847



1038804



1038844



1039030



1039024



1039031



1039018



1039019



1038822




1039022



1039015



1038841



1038801




1039016




1038811



1038881




1038871



1039023




1038861




1038891



1039017



1038802



1038842

Wooly

Wooly is woven from recycled wool. It can be leftover materials from clothing manufacturing or other wool products that have been recycled. Each kilogram of pure new wool produces 9 kg of carbon dioxide. Processing 1 kilogram of recycled wool generates only 0.5 kg of carbon dioxide. Positive environmental impact thanks to less water consumption, energy and lower CO2 impact. Wooly is certified according to Global Recycled Standard (GRS).

The wool is not dyed with water. By combining yarn from recycled clothing in different colors the textiles get their shades

Uses:

Accessories, Contract Upholstery, Curtains and Drapery, Upholstery, Bed Covering

Width:	150 cm ±2 cm	Seam slippage Weft:	3,5 mm (ISO 13936-2)
Composition:	70% Recycled wool, 25% Polyamide, 5% Other fibers	Tensile strength Warp:	511 N
Weight (g/m ²):	400	Tensile strength Weft:	301,4 N
Roll length (m):	40	Tear strength warp:	43 N
Type:	Yard Dyed	Tear Strength weft:	28,9 N
GRS Certificate No:	CU1049784GRS-2023-00050154	Sound absorption:	Klass C, aw 0,70 (ISO 354)
Fire test:	BS 5852-1 Source 0 & 1, Cal TB 117, EN 1021-1 & 2, EN 13773	Dimensional change Warp:	- 1,14 %
Martindale:	150000 (ISO 12947-2)	Dimensional change Weft:	- 0,67 %
Pilling:	4 (ISO 12945-2)	Colour fastness to waterspotting:	ISO 105-E16
Colour fastness to rubbing - dry:	5 (ISO 105-X12)	Change of colour :	4-5
Colour fastness to rubbing - wet:	4-5 (ISO 105-X12)	Colour fastness to perspiration:	ISO 105-E04
Color Fastness To Light:	6 (ISO 105-B02)	Staining, multi-fibre:	4
Seam slippage Warp:	2,8 mm (ISO 13936-2)	Change of colour:	4-5
		Colour fastness to water:	4-5 (ISO 105-E01)

Our wool fabrics Wooly, Wooly Wide, Margrethe and Lillehammer, are finished with no water consuming dyeing process. Colors are selected and different shades are mixed to reach the final color. Minor color deviations must be considered as a character of these qualities.



the design choice

CATEGORY A

ROMO - LINARA (LI) - ALL COLOURS [HERE](#)



VIEW ALL 386 COLOURS [HERE](#)

ROMO



NEW

Linara Husk









2494/532

Description

Sample Size: 17cm x 13 cm
Sample Price: £0.75

Product Info

Technical Information

Composition: 63% CO 37% LI
Width: 140 cms (55.1 ")
Martindale: 36.000 Severe Domestic
Wyzenbeek: 100.000
After Care:      
Usage:  
Fire Ratings: FR Treatments Available
FR Version Available (B2494/532)
[View Fire Ratings](#)
Sample Size: 17cm x 13 cm

Product Information

Colour: Husk
Design Style: Plain / Solid
Fabric Type: Plain / Textured Weave
Cotton / Cotton blend
Linen / Linen Blend
Performance: Washable

CATEGORY B

the design choice



1025001 1025015 1025011 1025012 1025009



1025010 1025005 1025008 1025016 1025013



1025007 1025017 1025014 1025006 1025002

NEVOTEX - BARNUM (BA)




1025001



1025003

the design choice




Barnum

Barnum is a retro-inspired bouclé that broadcasts vibes from the 70's. Bouclé is alongside velvet the hottest trend at the international furniture fairs.

Uses:

Accessories, Contract Upholstery, Upholstery

Width:	140 cm ±2 cm	Colour fastness to rubbing - wet:	4-5 (ISO 105-X12)
Composition:	45% Cotton, 19% VISCOSE, 15% Wool, 13% Acrylic, 8% Polyamide	Color Fastness To Light:	5 (ISO 105-B02)
Weight (g/m ²):	680	Seam slippage Warp:	7,1 mm (ISO 13936-2)
Roll length (m):	25	Seam slippage Weft:	9,8 mm (ISO 13936-2)
Type:	Yarn dyed	Tensile strength Warp:	540 N (ISO 13934-2)
Oeko-Tex Certificate No:	21CX00014	Tensile strength Weft:	640 N (ISO 13934-2)
Fire test:	BS 5852-1 Source 0 & 1, Cal TB 117	Tear strength warp:	N.D (ISO 13937-3)
Martindale:	60000 (ISO 12947-2)	Tear Strength weft:	194,5 N (ISO 13937-3)
Pilling:	4 (ISO 12945-2)	Dimensional change Warp:	- 4,8 %
Colour fastness to rubbing - dry:	4-5 (ISO 105-X12)	Dimensional change Weft:	- 3,1 %




the design choice

CATEGORY B


the design choice



CH3056-031 CH3056-095 CH3056-033 CH3056-036 CH3056-038



CH3056-037 CH3056-062 CH3056-034 CH3056-020 CH3056-041




CH3056-053 CH3056-063 CH3056-064 CH3056-074 CH3056-083


JAB - BE MINE (BM)



CH3056-031




CH3056-090 CH3056-099 CH3056-010 CH3056-032 CH3056-011



CH3056-021 CH3056-022 CH3056-023 CH3056-024 CH3056-025

the design choice


JAB
-
BE MINE (BM)




CH3056-026



CH3056-027



CH3056-028



CH3056-030



CH3056-051



CH3056-080




CH3056-035



CH3056-040



CH3056-050




CH3056-052




CH3056-060




CH3056-061



CH3056-065



CH3056-066



CH3056-070




CH3056-071



CH3056-072




CH3056-073




CH3056-075



CH3056-081



CH3056-082



CH3056-091




CH3056-092



CH3056-093




CH3056-094



CH3056-012

the design choice

BE MINE



www.qr.jab.de/CH3056/031

The images shown here serve only for illustration purposes. They do not represent binding colour samples. The colour reproduction depends on the relevant plotting device.

® JAB ANSTOETZ GROUP

Product details

Article:	BE MINE
Brand:	Chivasso
Number:	CH3056/031
Colour variations:	51
Quality:	Upholstery fabric, Woven, Velvet
Material:	pile: 100% polyester, Ground material: 100% polyester
Instructions:	
Width/Length:	140 cm / 55"
Martindale:	100000
Design:	Plain

the design choice

CATEGORY B

the design choice



7757-26 7757-25 7757-24 7757-17 7757-23




7757-22 7757-19 7757-20 7757-21 7757-16



7757-32 7757-27 7757-35 7757-31 7757-30

ROMO - RUSKIN (RU)



7757-26



7757-28 7757-29 7757-40 7757-41 7757-14



7757-09 7757-06 7757-08 7757-04 7757-72

the design choice

ROMO
-
RUSKIN (RU)



7757-74



7757-63



7757-62



7757-73




7757-43



7757-64



7757-36



7757-03



7757-01



7757-61



7757-76



7757-75



7757-59



7757-60



7757-42



7757-02



7757-51



7757-10



7757-56



7757-18



7757-55



7757-70



7757-69



7757-71




7757-48



7757-11



7757-12



7757-57



7757-53



7757-68



7757-67



7757-66



7757-65



7757-46



7757-49




7757-13



7757-15



7757-07



7757-50



7757-45



7757-47



7757-33



7757-44



7757-05



7757-54



7757-52



7757-58

ROMO



Ruskin Pistachio

7757/26

Textured Plain
Collection: Ruskin

Description

Perfect for upholstery this versatile fabric portrays a natural quality with an element of textural luxury. A blend of viscose, linen and wool creates a beautiful movement of colour and gives the fabric its textured appearance.

Sample Size: 17cm x 13 cm
Sample Price: £0.75

Please check stock availability

Product Info

Technical Information

Composition: 70% VI 15% LI 10% WO 5% PA

Width: 140 cms (55.1 ")

Martindale: 60,000 Severe Contract

Wyzenbeek: 35,000

After Care:     

Usage:  

Fire Ratings: FR Treatments Available
[View Fire Ratings](#)

Sample Size: 17cm x 13 cm

Product Information

Colour: Pistachio

Design Style: Plain / Solid

Fabric Type: Plain / Textured Weave



the design choice

CATEGORY C

ALESSANDRO BINI
TESSUTI D'ITALIA



CASENTINO COLLECTION TALLA

G143

ALTEZZA / WIDTH cm/inch	140/55" +/- 3%
COMPOSIZIONE / COMPOSITION	100%LI
LUNG. PEZZE / ROLL LENGTH mtl/ft	25 ca. /82
PESO / WEIGHT g/mq	880 +/- 3%
MARTINDALE cicli/cycle	>20.000
PILLING	4/5
USO/USE	rivestimenti / upholstery tendaggi / curtains - decorazioni / decoration

ALESSANDRO BINI - TALLA (TA)



G143_01

LAVAGGIO / CARE




MADE IN ITALY

www.alessandrobini.com

CATEGORY C

the design choice



C0196

C0194

C0192

C0190

C0170



C0166

C0164

C0160

C0154

C0152



C0122

C0116

C0114

C0112

C0110

KVADRAT - MOLLY 2 (MO)



C0196

the design choice



Molly 2

Abrasion

Approx. 75.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 3-4, EN ISO 12945

Seam slippage

Various results depending on construction
EN ISO 13 936-2 180 Newton

Snagging

Note 1 (Note 1-4, 1 best note) ICI Test method FAB 29, Tumble-Box

Lightfastness

Note 4-7 ISO 105-B02

Fastness to rubbing

Dry note 4-5 ISO 105-X12
Wet note 4-5 ISO 105-X12

Flame resistance

BS 5852 crib 5 with treatment *
BS 5852 part 1
EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
ÖNORM B1/Q1
SN 198 898 5.3 with treatment *
UNI 9175 1IM
US Cal. Bull. 117-2013

Free from added flame retardant chemicals as standard

** To pass this test flame retardant treatment is necessary.*

We are looking into more environmentally friendly alternatives but for now, the external finisher may use a treatment containing halogen-based flame retardants

Molly 2

Design: Åsa Päsön

Type: Upholstery

Composition: 100% new wool

Yarn type: Worsted

Binding: Plain variants

Width: Approx. 140 cm, 55 inches

Weight: Approx. 690 g/lin.m, 22 oz/ly

Repeat: None

Colour difference will occur

Cleaning: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see kvadrat.dk

More info: Care and maintenance kvadrat.dk



10 year warranty




kvadrat

the design choice

CATEGORY C

the design choice



C0980

C0968

C0960

C0944

C0907



C0890

C0850

C0840

C0810

C0773



C0764

C0763

C0754

C0753

C0750

KVADRAT - HALLINGDAL 65 (HA)



C0980



C0733

C0723

C0702

C0694

C0687



C0680

C0674


C0660

C0657

C0600

the design choice

KVADRAT
-
HALLINGDAL
65 (HA)



C0596




C0590




C0573




C0563




C0143




C0130



C0126




C0123



C0116



C0547



C0526




C0457




C0420



C0407




C0113




C0110



C0103



C0100




C0390




C0376




C0370



C0368




C0350



C0270



C0227




C0224



C0220



C0200




C0190




C0180



C0173



C0166



C0153

the design choice



Hallingdal 65

Abrasion

Approx. 100.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 3-4, EN ISO 12945

Seam slippage

Seam parallel to warp: 4.5 mm parallel to weft: 4.0 mm
EN ISO 13 936-2 180 Newton

Snagging

Grade 1, ICI Testmethod FAB 29, Tumble-Box

Lightfastness

Note 5-7 ISO 105-B02

Fastness to rubbing

Dry note 4-5 ISO 105-X12
Wet note 3-5 ISO 105-X12

Absorption

0.45/Class D (flat), 0.70/Class C (waved) EN ISO 354

Airflow

182 Pa s/m EN 29053

Flame resistance

AS/NZS 1530.3
AS/NZS 3837 class 2
ASTM E84 Class A Adhered
ASTM E84 Class B Unadhered
BS 5852 Crib 5
BS 5852 part 1
EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
ÖNORM B1/Q1
SN 198 898 5.3 with treatment *
UNI 9175 1IM
US Cal. Bull. 117-2013

Free from added flame retardant chemicals as standard

** To pass this test flame retardant treatment is necessary.
We are looking into more environmentally friendly alternatives but for now, the external finisher may use a treatment containing halogen-based flame retardants*

Hallingdal 65

Design: Nanna Ditzel

Type: Upholstery

Composition: 70% new wool, 30% viscose

Yarn type: Woolen

Binding: Plain

Width: Approx. 130 cm, 51 inches

Weight: Approx. 795 g/lin.m, 25.6 oz/ly

Repeat: None


Foreign fibers may occur in light colours

Colour difference may occur

Cleaning: Vacuum clean frequently, ideally every week.
Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see kvadrat.dk

More info: Care and maintenance kvadrat.dk



10 year warranty



kvadrat

the design choice

CATEGORY C

the design choice



C0982 C0952 C0942 C0823 C0792




C0772 C0722 C0692 C0652 C0632



C0612 C0582 C0552 C0543 C0533


KVADRAT - HARALD 3 (HR)



C0982




C0512 C0443 C0432 C0423 C0382



C0343 C0283 C0242 C0233 C0212

the design choice

KVADRAT
-
HARALD 3
(HR)




C0192




C0182



C0143



C0133



C0123

KVADRAT/RAF SIMONS



HARALD 3

Design: Raf Simons
Type: Upholstery
Composition: 100% cotton
Yarn type: Combed
Binding: Velour, V-binding
Width: Approx. 140 cm, 55 inches
Weight: Approx. 520 g/lin.m, 16.8 oz/ly
Repeat: None
Foreign fibres may occur in light colours

Cleaning: Vacuum clean frequently, ideally every week.
Remove stains as soon as they occur, with clean warm water or sparkling water. No ironing only steaming. Steaming might be necessary to remove pressure marks. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see kvadrat.dk

More info: Care and maintenance kvadrat.dk



10 year warranty

Abrasion

Approx. 100.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 4-5, EN ISO 12945

Seam slippage

Seam parallel to warp: 2.5 mm parallel to weft: 3.0 mm
EN ISO 13 936-2 180 Newton

Lightfastness

Note 4-7 ISO 105-B02

Fastness to rubbing

Dry note 4-5 ISO 105-X12
Wet note 3-5 ISO 105-X12

Absorption

0.50/Class D (flat), 0.65/Class C (waved) EN ISO 354

Airflow

2809 Pa s/m EN 29053

CATEGORY C

the design choice




41599

41590

41573

41580

41575



41589

41585

41586

41584

41576



41581


41594

41579

41578

41598

SØRENSEN LEATHER - ULTRA (UL)



41599



41574

41571

41572

41566

41570



41569

41568

41567

the design choice

ULTRA

Technical Report

Size:	3.5–4.5 m ²
Thickness:	0.9–1.1 mm
Leather type:	Protected
Origin:	Non-EU

		Requirements	Our test
Colour fastness to light:	BS EN ISO 105-B02	≥ BWS 5	Pass
Colour fastness to rubbing*:	BS EN ISO 11640		
	Dry 500 rubs	≥4	Pass
	Wet 250 rubs	≥3-4	Pass
	Perspiration 80 rubs	≥3-4	Pass
Finish adhesion:	BS EN ISO 11644	≥2N/10mm	Pass
Tearing strength:	BS EN ISO 3377-1	>20N	Pass
Flexing resistance:	BS EN ISO 5402	50,000 cycles	Pass
Cigarette + match EU:	BS EN 1021-1 and 2		Pass
Flammability:	TB 117-2013		Pass

*Reflecting test results on the leather surface

Colour fastness to light: The colour of the leather will become lighter over time. The light fastness index suggests how soon this will take place and is measured on a scale from 1 to 8 (1 = lowest and 8 = highest)

Colour fastness to rubbing is measured on a scale from 1 to 5 (1 = lowest and 5 = highest)

Technical specifications on the shade card are guidelines only. The information may change due to changes in production. Check our website for the most up-to-date technical details at www.sorensenleather.com

PCP: According to EU Council Directive 76/769/EEC

AZO dyes: According to EU Council Directive 76/769/EEC

Chrome VI: Our leather does not contain chrome VI

REACH: According to European Community Regulation on chemicals and their safe use (EC 1907/2006)

Our ULTRA collection has passed a special testing of TVOC (Total Volatile Organic Compounds) called ANSI/BIFMA M7.1-2011 (R2016)



the design choice

CATEGORY D



001

003

004

005

006



007

008

DEDAR - KARAKORUM (KA)



001

the design choice


KARAKORUM

col. 1 ivory


A bouclé that intertwines wool and viscose in an uneven texture of loops and curls, inspired by precious astrakhan furs. With its soft and bulky hand-feel, this fabric is ideal for upholstery destined for an intensive use.

Specification

Code	00T1701100001
Composition	42% Wool33% Viscose24% Cotton1% Polyamide
Weight	1040 g/ml
Width	130 cm
Made in	Belgium
Usage	Upholstery
Cfa	Yes
Martindale	40000



CATEGORY D



004

001


002

003

006



007



009



010

DEDAR - NIMBUS (ND)



004

the design choice


NIMBUS

col. 4 nude

This warm and resistant wool bouclé is full of spontaneity and softness. The delicate colour palette, including natural tones and darker shades, enhances the intrinsic nature of wool.


Specification

Code	00T2100700004
Composition	70% Wool15% Cotton10% Polyamide5% Polyester
Weight	1040 g/ml
Width	140 cm
Made in	Italy
Usage	Upholstery
Cfa	Yes
Martindale	40000




CATEGORY D


the design choice



C0022 C0021 C0020 C0019 C0018



C0017 C0016 C0015 C0014 C0013



C0012 C0011 C0010 C0009 C0008


SAHCO - MOSS (MC)



C0022




C0007 C0006 C0005 C0004 C0003



C0002 C0001

the design choice



Moss

Type: Upholstery

Composition: 52% cotton, 14% acrylic, 6% linen, 3% nylon, 3% polyester, 2% viscose

Yarn type: Staple / Filament

Binding: Jacquard

Width: Approx. 138 cm, 54 inches

Weight: Approx. 1030 g/lin.m, 30 oz/ly

Repeat: None

Colour difference will occur

Cleaning: Vacuum clean frequently, ideally every week.

Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary.

Extraction cleaning might dissolve water based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see www.kvadrat.dk/en/sahco



10 year warranty



Abrasion

Approx. 50.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 4-5, EN ISO 12945

Seam slippage

Seam parallel to warp: 4.5 mm parallel to weft: 4.5 mm
EN ISO 13 936-2 180 Newton

Lightfastness

Note 5-7 ISO 105-B02

Fastness to rubbing

Dry note 4-5 ISO 105-X12

Wet note 4-5 ISO 105-X12

Flame resistance

AS/NZS 3837 class 2

BS 5852 Crib 5 with treatment *

BS 5852 Part 1

EN 1021-1/2

IMO FTP Code 2010 Part 8

US Cal. Bull. 117-2013 with FR treatment (AB 2998 compliant)

** To pass this test flame retardant treatment is necessary.*

We are looking into more environmental friendly alternatives but for now the external finisher may use a treatment containing halogen based flame retardants.

CATEGORY D

the design choice



C0023 C0022 C0021 C0020 C0019



C0018 C0017 C0016 C0015 C0014




C0013 C0012 C0011 C0010 C0009

SAHCO - NABIS (NA)



C0023



C0008 C0007 C0006 C0005 C0004



C0003 C0002 C0001

the design choice

SAHCO

1831



Nabis

Type: Upholstery

Composition: 48% cotton, 30% viscose, 22% polyester

Yarn type: Staple / Filament

Binding: Chenille / Twill

Width: Approx. 140 cm, 55 inches

Weight: Approx. 890 g/lin.m, 29 oz/ly

Repeat: None

Colour difference may occur

Cleaning: Vacuum clean frequently, ideally every week.

Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see www.kvadrat.dk/en/sahco



2 year warranty



Abrasion

Approx. 40.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 5, EN ISO 12945

Seam slippage

Seam parallel to warp: 2.0 mm, parallel to weft: 2.5 mm
EN ISO 13 936-2 180 Newton

Lightfastness

Note 6 ISO 105-B02

Fastness to rubbing

Dry note 4-5 ISO 105-X12

Wet note 3-5 ISO 105-X12

Flame resistance

BS 5852 Crib 5 with treatment *

EN 1021-1/2

IMO FTP Code 2010 Part 8

US Cal. Bull. 117-2013 with Cal. 117 compliant interliner

** To pass this test flame retardant treatment is necessary. We are looking into more environmental friendly alternatives but for now the external finisher may use a treatment containing halogen based flame retardants.*

the design choice

CATEGORY E

the design choice



001




002

DEDAR
MILANO

ATLAS

col. 1 avorio

With its rigorous yet uneven appearance, Atlas expresses itself through an intermingling of wool and cotton yarns. The material itself conveys and defines the character of this fabric, ideal for upholstery applications.



DEDAR - ATLAS (AT)



001

Specification

Code	00T1901400001
Composition	72% Wool27% Cotton1% Polyamide
Weight	890 g/ml
Width	128 cm
Made in	Belgium
Usage	Upholstery
Cfa	Yes
Martindale	26000



001

002

the design choice

CATEGORY E

the design choice



4058-19 4058-18 4058-17 4058-16 4058-15



4058-14 4058-13 4058-12 4058-11 4058-10



4058-09 4058-08 4058-07 4058-06 4058-05

MANUEL CANOVAS - ROMA (RO)



4058-19




4058-04 4058-03 4058-02 4058-01

the design choice

MANUEL CANOVAS


ROMA



Code	M4058-01
Colour	Ivoire
Repeat	H 1cm approx
Width	140cm approx
Composition	100% Cotton
Fire Code	√BM
Care Code	☒☒☒☒☒☒
Pattern Book	Roma
Use	Curtains, Upholstery

CATEGORY F

the design choice



1555




2884



3132



3213



3629



4219



4325



5352-1



6326



8162



8881



9823-1

ASTRID - MONS (MS)



1555


the design choice



MONS

Mons is a strong bouclé fabric for upholstery on single width with a lot of structure. The soft wool bouclé yarn together with a heavy linen warp gives the fabric an exciting contrasting effect and an elegant retro feel. Available in several saturated colours and earthy tones.


Please be aware that screen colours, printer colours and fabric dye batches may vary.

ARTICLE:	Mons
BINDING:	Basket weave
DYEING:	Yarn dyed
MAIN USE:	Upholstery, decoration
NUMBER OF COLOURS:	12
COMPOSITION:	71% Linen 13,5% Wool 9,5% Viscos 6% Polyester
WIDTH:	147 cm
WEIGHT:	1050 gr/m ²
MARTINDALE:	30.000
PILLING:	4
SHRINKAGE AFTER WASHING:	Ca. 3%
COLOUR FASTNESS TO ARTIFICIAL LIGHT:	4-5
COLOUR FASTNESS TO WASHING:	4
FLAME RETARDANT:	No
ENVIRONMENT:	Produced in Belgium. Complies with REACH regulation and Oeko-tex.
CARE:	

CATEGORY F



3220-2



8280



9890

ASTRID - VELVET BABY MOHAIR (VU)



3220-2

the design choice


the design choice



VELVET BABY MOHAIR

A thick and smooth velvet with a lustre and very soft touch. With it's high durability this velvet is a perfect choice for upholstery that will last a long time.

Please be aware that screen colours, printer colours and fabric dye batches may all vary.

ARTICLE:	Velvet Baby Mohair
DYEING:	Piece dyed
MAIN USE:	Upholstery, decoration
NUMBER OF COLOURS:	3
COMPOSITION PILE:	100% Wool Mohair
COMPOSITION BACKING:	62% Wool Mohair 38% Cotton
WIDTH:	135 cm
WEIGHT:	870 gr/m ²
MARTINDALE:	>50.000
FLAME RETARDANT:	Yes (Cigarette and match test)
ENVIRONMENT:	Produced in Italy. Complies with REACH regulation.
CARE:	

Technical specifications are subject to change without prior notice, updated results are available on www.astrid.se

CATEGORY F

the design choice



C0981

C0971

C0921

C0791

C0771



C0761

C0691

C0671

C0661

C0651



C0621

C0471

C0461

C0391

C0361

KVADRAT - BYRAM (BY)



C0981



C0191

C0171

C0161

C0131

the design choice

KVADRAT / RAF SIMONS



BYRAM

Design: Raf Simons

Type: Upholstery

Composition: 100% kids mohair (pile), cotton base

Yarn type: Worsted, combed

Binding: W-pile

Width: Approx. 140 cm, 55 inches

Weight: Approx. 890 g/lin.m, 28.7 oz/ly

Repeat: None

Foreign fibers may occur in light colours

Cleaning: Vacuum clean frequently, ideally every week.

Remove stains as soon as they occur, with clean warm water or sparkling water. No ironing only steaming.


Steaming might be necessary to remove pressure marks.

Extraction clean when necessary.

Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see kvadrat.dk

More info: Care and maintenance kvadrat.dk



10 year warranty



Abrasion

Approx. 70.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 4-5, EN ISO 12945

Seam slippage

Seam parallel to warp: 3.0 mm parallel to weft: 3.5 mm
EN ISO 13 936-2 180 Newton

Lightfastness

Note 4-7 ISO 105-B02
661: note 3-4

Fastness to rubbing

Dry note 3-5 ISO 105-X12
Wet note 3-5 ISO 105-X12

Absorption

100 mm airgap
0.75/Class C (flat), 0.95/Class A (waved) EN ISO 354

Airflow

1522 Pa s/m EN 29053

the design choice

CATEGORY F

the design choice



30259



30258



30255



30257



30254



30256



30260



30253



30251




30252



30250

SØRENSEN LEATHER - ROYAL NUBUCK (RN)



30259

the design choice

ROYAL NUBUCK

Technical Report

Size:	5.0–5.5 m ²		
Thickness:	1.4–1.6 mm		
		Requirements	Our test
Colour fastness to light:	DIN EN ISO 105-B02	≥3	3-4
Colour fastness to rubbing*:	DIN EN ISO 11640		
	Dry 50 rubs	≥3	3-4
	Wet 20 rubs	≥3	3
	Perspiration 20 rubs	≥3	3
Tearing load:	BS EN ISO 3377-1	>20N	96N
Cigarette + match:	BS EN 1021-1 and 2		non-ignition
Flammability test:	CA TB 117 - 2013		non-ignition

*Reflecting test results on the leather surface

Colour fastness to light: The colour of the leather will become lighter over time. The light fastness index suggests how soon this will take place and is measured on a scale from 1 to 8 (1 = lowest and 8 = highest)

Colour fastness to rubbing is measured on a scale from 1 to 5 (1 = lowest and 5 = highest)


Technical specifications on the shade card are guidelines only. The information may change due to changes in production. Check our website for the most up-to-date technical details at www.sorensenleather.com

PCP: According to EU Council Directive 76/769/EEC

AZO dyes: According to EU Council Directive 76/769/EEC

Chrome VI: Our leather does not contain chrome VI

REACH: According to European Community Regulation on chemicals and their safe use (EC 1907/2006)



the design choice

CATEGORY F

the design choice



K5266/10 K5266/12 K5266/11 K5266/05 K5266/23



K5266/21 K5266/20 K5266/03 K5266/02 K5266/22




K5266/18 K5266/14 K5266/27 K5266/25 K5266/07

KIRKBY DESIGN - REST (RE)



K5266/10



K5266/06 K5266/04 K5266/26 K5266/08 K5266/16



K5266/13 K5266/15 K5266/28 K5266/01 K5266/09

the design choice

KIRKBY
DESIGN
-
REST (RE)



K5266/19



K5266/24




K5266/29



K5266/17

kirkbydesign



Description

Sample Size: 17cm x 13 cm
Sample Price: £0.75

Product Info

Technical Information

Composition: 63% WM 37% CO
Pile: 100% Mohair

Width: 138 cms (54.3 ")

Martindale: 100,000 Severe Contract

Wyzenbeek: 100,000

After Care:

Usage:

Fire Ratings: [View Fire Ratings](#)

Sample Size: 17cm x 13 cm

Product Information

Colour: Putty

Design Style: Plain / Solid

Fabric Type: Velvet

Environmental: Reach
PFAS Free

