according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

CRAFTING EXCELLENCE

Item number/ Trade name Version/ Issue date:

**Black Candle Liquid Dye** 

3 / 03/23/2018

Print date Page 11/10/2023 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Item number/ Trade name Black Candle Liquid Dye

UFI 12318-01-16

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use Coloration of hydrocarbons, waxes, oils and fats

### 1.3 Details of the supplier of the safety data sheet

Company/undertaking identification

Name: Imperial Supply Ltd.

Address: Common Lane, Industrial

Estate, Kenilworth, CV8 2EL,

United Kingdom

E-mail:

support@craftovator.co.uk

# SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

---

# 2.2 Label elements

Signal word ---

Nature of Hazard ---

**Hazard statements** no hazard labelling required

Safety precautions --Hazard components for labelling

Special provisions concerning the labelling of certain mixtures

---

#### 2.3 Other hazards

---

### **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Mixture of solvents, colouring agents and additives

#### 3.2 Mixtures

### Hazardous ingredients

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

CRAFTING EXCELLENCE

Item number/ Trade name Version/ Issue date:

**Black Candle Liquid Dye** 

3 / 03/23/2018

Print date Page 11/10/2023 2 of

---

### **SECTION 4: First aid measures**

4.1 Description of first aid measures

General information If you feel unwell, seek medical advice.

In case of inhalation Move victim to fresh air. Seek medical aid in case of troubles.

In case of skin contact Remove residues with soap and water.

After eye contact Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding

eyelids apart. Seek medical attention if irritation persists.

After swallowing Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek

medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No data available

4.3 Indication of any immediate medical attention and special treatment needed

Information to physician No data available

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media extinguishing powder , foam water spray jet , Water spray jet , Carbon dioxide.

Extinguishing media which must not be used for safety reasons

Full water jet

5.2 Special hazards arising from the substance or mixture

Possible combustion products carbon monoxide and carbon dioxide, Nitrogen oxides (NOx) May form dangerous

gases and vapours in case of fire. Vapours can form explosive mixtures with

air..

**5.3 Advice for firefighters** 

Special protective equipment Wear self-contained breathing apparatus.

for firefighters

Additional information Do not allow water used to extinguish fire to enter drains, ground or waterways.

Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the

authorities.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

Black Candle Liquid Dye

Item number/ Trade name Black Candle Liquid Dye Print date 11/10/2023

Version/ Issue date: 3 / 03/23/2018 Page 3 of 8

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid the formation of aerosol. Wear suitable protective clothing. Keep away from sources of ignition - No smoking. Do not breathe vapour/aerosol. Do not breathe vapours. Avoid contact with skin, eyes, and clothing. Immediately remove all contaminated clothing.

#### **6.2 environmental precautions**

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Clean polluted areas with a standard domestic detergent.

### **6.4 Reference to other sections**

refer to section 13 Personal protection equipment: see section 8, Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advices on safe handling Avoid contact with eyes and skin. Do not breathe vapours. When using do not eat,

drink, smoke, sniff. Make sure there is sufficient air exchange and / or that

working rooms are air suctioned.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms Keep away from sources of ignition and heat. Store in a cool dry place. Store in

and containers a well-ventilated place. Keep container tightly closed. Protect from direct

sunlight.

Storage class 11

### 7.3 Specific end use(s)

General use Coloration of hydrocarbons, waxes, oils and fats

### **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

---

# **Exposure limit values: components**

White mineral oil (petroleum)

The state of the s						
State	Туре	Value	Unit	Text		
CHE	TWA	5,00	mg/m³	-		
DEU	TWA	5,00	mg/m³	AGS/ DFG		
DEU	ST = short-term exposure limit (STEL)	20,00	mg/m³	AGS/ DFG		
ROU	TWA	5,00	mg/m³	-		
ROU	ST = short-term exposure limit (STEL)	10,00	mg/m³	-		

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

Regulation (LC) No. 1907/2000 (NEACH) and Regulation (LO) No 2020/07

Item number/ Trade name

**Black Candle Liquid Dye** 

Version/ Issue date: 3 / 03/23/2018

Print date

11/10/2023

Page 4 of

**8.2 Exposure controls** 

Hand protection

measures

Respiratory protection With correct and proper use, and under normal conditions, breathing protection

is not required. If vapours form, use respiratory protection. Provide good

ventilation and/or an exhaust system in the work area. When aerosols and vapours

form wear filter apparatus type A (= against vapours of organic substances).

Wear suitable gloves, - according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part

13

Eye protection Goggles according to EN 166.

Body protection Wear suitable protective clothing and shoes.

General protection and hygiene Keep away from food and drinks. When using do not eat, drink or smoke. Wash

hands before breaks and after work. Wash contaminated clothing prior to re-use.

## **SECTION 9: Physical and chemical properties**

### 9.1 information on basic physical and chemical properties

Form liquid
Colour black
Odour characteristic
Important health, safety and environmental information

	min	max			
Melting point/freezing point	< 20 °C				
Initial boiling point and boiling range	> 170 °C				
Flammability					
Explosion limits					
Flash point/flash point range	> 170 °C				
Ignition temperature					
PH					
Viscosity	1100 mPa.s				
	0 m <sup>2</sup> /s				
Solubility					
Partition coefficient: n-octanol/water					
Vapour pressure					
Density and/or relative density				not determined	
Relative vapour density					
Bulk density					
Flow time 4mm (DIN)					
Water solubility	Product is difficult to dissolve in water.				

### 9.2 Other information

\_\_\_

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

CRAFTING EXCELLENCE

Item number/ Trade name Version/ Issue date:

**Black Candle Liquid Dye** 

3 / 03/23/2018

Print date Page 11/10/2023 5 of 8

### **SECTION 10: Stability and reactivity**

**10.1 Reactivity** Non-reactive

**10.2 Chemical stability** stable Product is stable under normal storage conditions.

**10.3 Possibility of hazardous reactions** none

**10.4 Conditions to avoid**No adverse effects known to this day, when properly handled. Avoid the formation

of aerosol. Vapours/aerosols should be exhausted directly at the point of

origin.

**10.5 Incompatible materials** none strong acids and bases, strong oxidizing agents.

**10.6 Hazardous decomposition products** Hazardous vapours may form during fires. In case of fire may be liberated:

Nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **General remarks**

No toxicological tests were conducted with the mixture.

#### 11.2 Information on other hazards

Endocrine disrupting properties No data available Further details No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity No data available

### 12.2 Persistence and degradability

Evaluation text No data available
Degree of elimination No data available
Analytical method No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

# 12.6 Endocrine disrupting properties

No data available

# 12.7 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

Item number/ Trade name Version/ Issue date:

**Black Candle Liquid Dye** 

3 / 03/23/2018

Print date Page 11/10/2023

je **6** of

### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

**Product** 

Recommendation Dispose of waste according to applicable legislation. Discharge into the

environment must be avoided.

**Package** 

Recommendation Dispose of waste according to applicable legislation. Non-contaminated packages

may be recycled. Handle contaminated packages in the same way as the substance

itself.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR, IATA, IMDG ---

### 14.2 UN proper shipping name

Product designation: ADR/RID --Proper shipping name: IATA-DGR --Proper shipping name: IMDG ---

### 14.3 Transport hazard class(es)

Class ADR/RID --Classification code --ADR/RID

Class IATA-DGR --Subrisk IATA-DGR ---

14.4 Packing group

Class IMDG Subrisk IMDG

ADR, IATA, IMDG No packaging for dangerous goods required

14.5 Environmental hazards

Marine Pollutant - IMDG ---EmS ---Stowage and segregation ---

#### 14.6 Special precautions for user

---

# 14.7 Maritime transport in bulk according to IMO instruments

Additional information

EQ --Limited quantities --Special Provisions --Tunnel restriction --Transport category --Kemmler-number ---

No dangerous good in sense of these transport regulations.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

Item number/ Trade name Version/ Issue date:

**Black Candle Liquid Dye** 

3 / 03/23/2018

Print date Page **11/10/2023 7** of

### **SECTION 15: Regulatory information**

# $\underline{\textbf{15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture}$

### **National regulations**

**Germany** 

Storage class 11
Water Hazard Class 1
Incident regulation ---

Information on working limitations 
No special measures are required.

### 15.2 Chemical Safety Assessment

Chemical Safety Assessment No substance safety evaluation was conducted with the mixture/ substance.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Craftovator® Studio.

CRAFTING EXCELLENC

Item number/ Trade name Version/ Issue date:

**Black Candle Liquid Dye** 

3 / 03/23/2018

Print date Page 11/10/2023 8 of 8

#### **SECTION 16: Other information**

#### **Hazard statements (CLP)**

Reason of change

General revision

#### **Abbreviations**

--- no data, not determined or not applicable

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No. 1907/2006)

OECD Organisation for Economic Co-operation and Development

LD50 Median lethal dose

LC50 Median lethal concentration EC50 Median effective dose

IC50 Median inhibitory concentration VCI Verband der chemischen Industrie

CAS Chemical Abstract Service

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

NLP No Longer Polymers

CLP Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging

EG European Union

WGK water hazard class (according to AwSV, Appendix 1 (5.2))

AGW Occupational Exposure Limit

ADR Accord Européen relatif au transport international des marchandises dangereuses par route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

REGIEMENT CONCERNANT LE transport international ferroviaire des machandises dangereuses (Regulation on

the international carriage of dangerous goods by rail)

IATA International Air Transport Association IMDG International Martime Dangerous Goods

MARPOL International Convention for the Prevention of Pollution From Ships (MARine POLlution)

EmS Emergency Schedules

PBT persistent, bioaccumulative and toxic vPvB very persistent and very bioaccumulative