

Imperial Supply Ltd. Common Lane, Industrial Estate, Kenilworth, CV8 2EL, United Kingdom Tel: +44 1926 291009 support@craftovator.co.uk

According to Regulation(EU) 2015/830

Date of issue: 07.09.2021 - Version: EU_EN/2 - Print date: February 2022

Material Safety Data Sheet

1.IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Indentifier

Trade name : Indigo Water Soluble Dye

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent
Uses advised against : not known

Details of the supplier of the safety

data sheet

Supplier/Manufacturer: Craftovator

Studio

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified Additional information : not available

Label elements

GHS label elements : not applicable
Hazard pictogram(s) : not applicable
Signal word(s) : not applicable
Hazard statement(s) : not applicable
Precautionary statement(s) : not applicable
Other hazards : not known

3.COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization:

CAS NO. Description

860-22-0 the disodium salt of 2-(1,3-dihydro-3-oxo-

5 -sulfo -2H - indol -2 -ylidene) - 2 ,3 - dihydro -3 - oxo -1H - indole -5 -sulfonic acid

Identification number(s)

EINECS Number: 212 - 728 - 8

Color Index: 73015

Additional information: Molecular Formula: C₁₆H₈N₂Na₂O₈S₂





Imperial Supply Ltd. Common Lane, Industrial Estate, Kenilworth, CV8 2EL, United Kingdom Tel: +44 1926 291009

support@craftovator.co.uk

According to Regulation(EU) 2015/830

Date of issue: 07.09.2021 - Version: EU_EN/2 - Print date: February 2022

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest

Skin contact : wash affected skin with plenty of water

Eye contact : if contact with eyes directly, flush with gently flowing fresh water

thoroughly; If eye irritation persists, get medical advice/attention

Ingestion : if ingested, wash out mouth with water, drink milk or egg white

Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed

Actue : none

Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased

difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay

b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical

Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated

Advice for firefighters : fire fighters should wear complete protective clothing including

selfcontained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emgergency procedures

Personal precautions : do not breathe dust

Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact

In case of emergency : a self contained breathing apparatus and suitable protective clothing should

be worn in fire conditions

Environmental precautions : do not allow to enter drains, sewers or watercourses

Methods and material for

Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment

for collecting spilt materials, where practicable

Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



Imperial Supply Ltd.
Common Lane, Industrial
Estate, Kenilworth, CV8 2EL,
United Kingdom
Tel: +44 1926 291009
support@craftovator.co.uk

According to Regulation(EU) 2015/830

Date of issue: 07.09.2021 - Version: EU EN/2 - Print date: February 2022

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s): not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good

occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls :provide adequate ventilation to ensure that the occupational exposure limit is not

exceeded. Isolate the dispersive process step away from other operations. This can be

achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during

handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection :apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls: avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder
Colour : Blue
Odour : odourless
pH : 6.5-8.5

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 1.0g/cm3

Bulk density : not applicable

Vapour pressure : not applicable

Solubility (in water) : 160-220 g/L(25 °C)

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Imperial Supply Ltd. Common Lane, Industrial Estate, Kenilworth, CV8 2EL, United Kingdom Tel: +44 1926 291009 support@craftovator.co.uk

According to Regulation(EU) 2015/830

Date of issue: 07.09.2021 - Version: EU_EN/2 - Print date: February 2022

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc;

lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potentiall : no data

Mobility in soil : not applicable
Results of PBT and vPvB assessment : : not applicable
Other adverse effects : : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Imperial Supply Ltd. Common Lane, Industrial Estate, Kenilworth, CV8 2EL, United Kingdom Tel: +44 1926 291009 support@craftovator.co.uk

According to Regulation(EU) 2015/830

Date of issue: 07.09.2021 - Version: EU_EN/2 - Print date: February 2022

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15.REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental regulations/legislations specific for the

substance or mixture :not available

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001 Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Candida albicans

Craftovator Studio

Imperial Supply Ltd.
Common Lane, Industrial
Estate, Kenilworth, CV8 2EL,
United Kingdom
Tel: +44 1926 291009
support@craftovator.co.uk

Absent in 1 g

TECHNICAL DATA SHEET

Product name :	Indigo Water Soluble Dye	
Date :	01.10.2022	

	CHARACTERISTICS		RANGE
Physical properties			
Characteristics			Indigo
Chemical composition			
Pure dye content			85.0-100.0 %
Chemical characterization:			
CAS NO. Description			
860-22-0	the disodium salt of 2-(1,3-dihydro-3-oxo-		ydro -3- oxo -
5 -sulfo -2H - indol -2 -yli	dene) – 2 3 – dihydro	-3 – 0x0 –1H – indole	-5 -sulfonic acid
Identification number(s)			
EINECS Number: 212 – 728	- 8		
Color Index:73015			
Additional information : Mol	ecular Formula: C16H8N	12Na2O8S2	
Heavy metals			
As	< 3 ppm	Pb	< 10 ppm
Mn	< 50 ppm		
Microbial purity			
Total viable Aerobic count			< 100
E. Coli			Absent in 1 g
Pseudomonas aeruginosa			Absent in 1 g
Staphylococcus aureus			Absent in 1 g
Salmonella species			



Imperial Supply Ltd. Common Lane, Industrial Estate, Kenilworth, CV8 2EL, United Kingdom

Tel: +44 1926 291009 support@craftovator.co.uk

Certificate of Analysis

Product Code: Indigo Water Soluble Dye Supplier/Manufacturer: Craftovator

Studio

Shelf Life: 5 Years

NO.	TESTS	Batch Value	
1	Pure dye content	89.80%	
2	Lead(MG/KG)	<10	
3	Arsenic(MG/KG)	<3	
4	Barium(MG/KG)	< 500	

It is hereby confirmed that the delivered goods have been examed and they are in accordance with our confirmation of order