

SDS – Kerasoy Pillar Blend 4120

Information

1. Identification of the Substance/Preparation and the Company/Undertaking

1.1 Product identifier:

Product name:	Kerasoy Pillar
REACH registered name:	Not determined
REACH registered No:	Not determined
CAS Number:	Not determined

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Sectors of Use:- SU3, SU5, SU7, SU8, SU10, SU11, SU12, SU17, SU19
specially formulated for the manufacture of Pillar Candles

1.3 Details of the supplier of the safety data sheet:

Imperial Supply Ltd.
Common Lane, Industrial
Estate, Kenilworth, CV8 2EL,
United Kingdom
Tel: +44 1926 291009

Email address: support@craftovator.co.uk

2. Hazards Identification

2.1 Classification of the Substance or Mixture:

Does not contain any components which are hazardous according to DSD [67/548/EC] or CLP Regulation 1272/2008/EC

2.2 Label Elements:

Does not require a hazard warning label in accordance with DSD [67/548/EC] or CLP Regulation 1272/2008/EC

2.3 Other Hazards:

- **PBT:** This product is not identified as a PBT / vPvB substance
- Hot liquid may cause thermal burns.

3. Composition

3.1 Substances: N/A

3.2 Mixtures: Saturated and unsaturated vegetable lipids predominantly containing triglycerides, diglycerides and monoglycerides

CAS-No:	Substance Name	Mass % Range	EC Number	REACH Reg No
-	-	-	-	-
-	-	-	-	-

There are no ingredients present which, within current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section in accordance with Regulation (EC) No. 1272/2008

4. First aid measures

4.1 Description of First Aid Measures

General Information: Remove contaminated / saturated clothing immediately. In case of accident or illness seek medical advice immediately.

Inhalation: Remove the affected person to fresh air, keep warm and rest. If recovery is not rapid, obtain medical attention

Skin Contact: Wash the affected parts of the body with soap and water. No emergency measures are necessary but if adverse skin effects follow, refer for medical attention.

Eye Contact: Flush eyes immediately with fresh water for at least 5 minutes while holding the eyelids open. No emergency measures are necessary but if adverse eye effects follow, refer for medical attention.

Ingestion: Do not induce vomiting. No emergency measures are needed but if adverse health effects follow or large amounts are swallowed, refer for medical attention.

Self-Protection of First Aider: First aider, pay attention to self-protection.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: Over-heated oil can produce fumes which may be irritant when breathed in.

Skin Contact: May cause slight irritation to skin.

Ingestion: No known significant effects or critical hazards

Eye Contact: May cause slight irritation to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

In contact with or splashed by hot liquid:

Skin Contact Cool the skin immediately with cool water. Treat burns according to their severity. Obtain medical attention. Never try to remove the material with solvents.

Contact with eyes Cool the area immediately with cold water. Seek advice of an ophthalmologist.

Specific Treatment: First Aider, decontamination, treatment of symptoms.

Notes to doctor: Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media: Foam, dry chemical, carbon dioxide, water mist.

5.2 Special hazards arising from the substance or mixture: Slight flammability hazard when exposed to heat or flame. During a fire, toxic gases (carbon monoxide, nitrous gases) may be generated by thermal decomposition or combustion.

5.3 Advice for firefighters: Only suitably trained personnel should attempt to tackle fires. Do not stay in the danger zone without respiratory protective equipment and protective clothing.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Surfaces may become slippery after spillage.

6.2 Environmental precautions: Water may be used to flush spills away from sources of ignition. Do not allow the product to enter public drainage system or open water courses.

6.3 Methods and material for containment and cleaning up: Use Sand or active clay to absorb spilled substance and remove to containers for disposal

6.4 Reference to other Sections: See sections 8 and 13

7. Handling and storage

7.1 Precautions for safe handling: Avoid skin contact. Avoid inhalation of vapour, mist or fumes. Do not wear contaminated clothing. Avoid contact with the eyes – wear chemical protective goggles when handling the product. Protective clothing such as impervious gloves should be worn if skin contact is anticipated. Protective clothing should be regularly inspected and maintained, discard oil saturated leather articles. The use of barrier and after work creams may be beneficial. Wash hands after working with the material.

7.2 Conditions for safe storage, including any incompatibilities: Keep containers tightly closed. Avoid heat and sources of ignition. Store in original containers or in other mild steel or high density polyethylene containers which are closable and clearly labelled. Clean up any spilled material immediately

7.3 Specific end use(s): This material is formulated for various uses.

8. Exposure Controls/Personal Protection

8.1 Control Parameters: None specified under normal working conditions. However in all circumstances exposure should be kept as low as reasonably possible by good ventilation and safe working practices.

DNEL Values: - No Data Available

PNEC Values: - No Data Available

8.2 Exposure Controls:

Appropriate engineering measures: Facilities storing or utilising this material should be equipped with an eyewash facility.

Respiratory protection: Inhalation of the vapour, fumes or mists should be avoided by safe working practices and good ventilation.

Eye protection: Wear appropriate eye goggles.

Skin protection: No special precautions are needed beyond clean working conditions and safe handling practices. Change heavily contaminated clothing.

Hand protection: Use impervious gloves [conforming to EN374] PVC is suitable for casual contact. If direct contact for more than 2 hours then Neoprene or nitrile gloves recommended.

8.3 Environmental Exposure Controls: See sections 6, 7, 12 and 13

9. Physical and Chemical Properties

9.1 Information on basic chemical and physical properties:

Appearance:	Liquid (at elevated temperature) Cream/White Solid (at ambient temperature)
Odour:	Neutral
Odour threshold:	Not determined
pH:	Neutral
Melting point/ Congealing point:	~47°C
Boiling point/ range:	Initial boiling point >300 °C
Flash Point:	> 150 °C (ASTM D92, COC)
Evaporation Point:	Not determined
Flammability (solid, gas):	May be combustible at high temperature
Explosion Limits:	Not determined
Vapour pressure:	Negligible
Vapour density:	Not determined
Relative density (at 15°C):	0.89 – 0.92
Solubility in water:	<1 mg/l
Solubility in other solvents:	Pet Ether, Ethyl Acetate, Soluble in vegetable oils.
Partition coefficient n-octanol/water:	Not determined
Auto-ignition temperature:	>200 °C
Decomposition temperature:	Not determined
Viscosity (Kinematic, at 100°C):	~8.4 cst
Explosive properties:	Not determined
Oxidizing properties:	Not determined

9.2 Other Information: None

10. Stability and Reactivity

10.1 Reactivity: This product is not reactive under normal storage and handling conditions (see section 7).

10.2 Chemical stability: Under normal storage and handling conditions, this product is stable. May react with strong oxidising agents, especially at high temperatures.

10.3 Possibility of hazardous reactions: No specific hazardous reactions are expected.

10.4 Conditions to avoid: Extremes of temperature (preferably, store between 5 & 39 °C). The product is combustible when heated >300°C.

10.5 Incompatible materials: May react with strong oxidants (e.g. chlorates, peroxides).

10.6 Hazardous decomposition products: Thermal decomposition or incomplete combustion may produce carbon monoxide, nitrous gases and irritating fumes.

11. Toxicological Information

11.1 Information on toxicological effects – CAS No 68334-28-1 Oils, vegetable, hydrogenated

Acute Toxicity

Acute Toxicity (oral)	LD50 >2000mg/kg
Acute Toxicity (dermal)	LD50 >2000mg/kg
Acute Toxicity (inhalation)	Not volatile. It is not likely to be an inhalation hazard at normal ambient temperatures. If overheated, fumes and vapours are irritating to the breathing passages and lungs.

Skin Corrosive / Irritation: Not Irritant

Serious Eye Damage Irritation: Not Irritant

Respiratory Sensitisation: No data available

Skin Sensitisation: Non sensitising OECD 406

Repeated Dose Toxicity: No data available

Mutagenicity: No data available

Carcinogenicity: No data available

Reproductive Toxicity: No data available

12. Ecological Information

12.1 Toxicity: CAS No 68334-28-1 Oils, vegetable, hydrogenated

Environmental Fate:	Not established
Aquatic toxicity (fish):	No data available
Aquatic toxicity (algae):	No data available
Aquatic toxicity (invertebrate):	No data available
Mobility:	Data not available
Biodegradation:	Expected to be fully biodegradable.
Bioaccumulation potential:	Data not available
Other Ecological information:	No other adverse effects are observed. Do not allow uncontrolled leakage of product into the environment.
Results of PBT and vPvB assessment:	This substance does not fulfil the criteria for being classed as a PBT or vPvB substance.

13 Disposal Considerations

13.1 Waste treatment methods: Transport to authorised waste location, or incinerate under controlled conditions (EU Directives 2000/76/EC and 1999/31EC apply). European Waste Catalogue No. 050199/130899.

14. Transport Information

- 14.1 UN number:** Not Classified.
- 14.2 UN Proper shipping name:** Not Classified
- 14.3 Transport Hazard Class(es):** Not Classified
- 14.4 Packing Group:** Not Classified
- 14.5 Environmental Hazards:** None
- 14.6 Special Precautions for user:** None
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:** Not Classified
-

15. regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations	Directive 67/548/EC Regulation [EC] 1272/2008 Regulation [EC] 1907/2006
----------------	-------------------------------------------------------------------------------

15.2 Chemical Safety Assessment: The supplier has not performed a chemical safety assessment of this substance.

16. Other Information

Indication of changes:

- V2.0 - Slight amendment to Congealing Point & Viscosity Specifications
- V3.0 - Slight amendment to Congealing Point Specifications

Abbreviations & Acronyms

PNEC	Predicted No Effect Level
DNEL	Derived No Effect Level
LD50	Median Lethal Dose
LC50	Median Lethal Concentration
CAS No	Chemical Abstract Services number
CLP	Classification Labelling and Packaging Regulation
ES	Exposure Scenario
EC	European Commission
EC No	European Chemical Number – EINECS - ELINCS
ECHA	European Chemical Agency
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances.
OECD	Organisation for Economic Cooperation and Development
DSD	Dangerous Substances Directive.
PBT	Persistent Bio accumulative Toxic
vPvB	very Persistent very Bio accumulative

DISCLAIMER:

The information and recommendations contained herein are, to the best of Craftovator's knowledge and belief, accurate and reliable as of the date issued, but is offered without guarantee or warranty. They relate to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Conditions of use of the material are under the control of the user. Therefore, it is the user's responsibility to satisfy their self as to the suitability and completeness of such information for their own particular use.

Imperial Supply Ltd.
Common Lane, Industrial Estate, Kenilworth,
CV8 2EL, United Kingdom
Tel: +44 1926 291009
support@craftovator.co.uk

KeraSoy Pillar Blend 4120 Allergen Statement

Information

KeraSoy Pillar Blend 4120 is not formulated from or intentionally comes into contact with any of the allergens listed below:

- Cereals containing gluten and derivatives
- Eggs and derivatives
- Peanuts and derivatives
- Milk and dairy products, incl. lactose
- Sesame seed and derivatives
- Celery stalk and leaf
- Lupine and derivatives
- Crustaceans and derivatives
- Fish and derivatives
- Latex
- Nuts and derivatives
- Sulphite at conc. at least 10 ppm
- Charlock and derivatives
- Molluscs and derivatives

It is formulated from materials whose refining history is fully traceable. None of the constituent parts are classed as hazardous. No components present are known carcinogens and comply with the requirements of Class 5 products in IARC Volume 33 section 5.1.

They do not contain or come into contact with any animal or GMO products at any stage of their manufacture. It does not contain residual solvents as per guidelines ICH Q3C (R8)

None of the constituent parts have been tested on animals by ourselves or on our behalf.