Version: 1 (24/09/2019)

ALLERGEN DECLARATION

Substances considered as fragrance allergens according to Cosmetic Regulation (EC) No. 1223/2009, Annex III, reference numbers 67-92.

PETROL FRAGRANCE

Ingredient Name	CAS	Concentration (%)
ALPHA-ISOMETHYL IONONE	127-51-5	n.d.
AMYL CINNAMAL	122-40-7	n.d.
AMYLCINNAMYL ALCOHOL	101-85-9	n.d.
ANISE ALCOHOL	105-13-5	n.d.
BENZYL ALCOHOL	100-51-6	n.d.
BENZYL BENZOATE	120-51-4	0.600%
BENZYL CINNAMATE	103-41-3	n.d.
BENZYL SALICYLATE	118-58-1	n.d.
BUTYLPHENYL METHYLPROPIONAL	80-54-6	n.d.
CINNAMAL	104-55-2	n.d.
CINNAMYL ALCOHOL	104-54-1	n.d.
CITRAL	5392-40-5	n.d.
CITRONELLOL	106-22-9	n.d.
COUMARIN	91-64-5	n.d.
EUGENOL	97-53-0	n.d.
EVERNIA FURFURACEA EXTRACT	90028-67-4, 68648- 41-9, 68917-40-8	n.d.
EVERNIA PRUNASTRI EXTRACT	90028-68-5, 9000- 50-4	n.d.
FARNESOL	4602-84-0	n.d.
GERANIOL	106-24-1	n.d.
HEXYL CINNAMAL	101-86-0	n.d.
HYDROXYCITRONELLAL	107-75-5	n.d.
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	31906-04-4, 51414- 25-6	n.d.
ISOEUGENOL	97-54-1	n.d.
LIMONENE	5989-27-5	n.d.
LINALOOL	78-70-6, 126-91-0	n.d.
METHYL 2-OCTYNOATE	111-12-6	n.d.

(n.d. = not detectable. Detection limit is 10ppm)

This declaration is a result of a calculated analysis of the formulation. These calculated concentrations do not replace chromatographic quantification on individual batches. Please note that the information contained herein is provided in good faith and is, to the best of our current knowledge, true and accurate at the time it is given, and may be subject to change. We are not liable for any damages that may result from the misuse of this data. It is the responsibility of the person(s) placing the finished product on the market to perform their own evaluation including with respect to finished product applications. Any Customer product, marketing or other claims are the Customer's ultimate responsibility.





Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PETROL FRAGRANCE **Product:**

5 Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: PETROL FRAGRANCE (Contains: BENZALDEHYDE, METHYL ANTHRANILATE, P-

CYMENE)

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Imperial Supply Ltd Company name:

Company address:

Common Lane Kenilworth CV8 2EL United Kingdom

info@craftovator.co.uk

Contact:

E-Mail address:

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Eye Damage / Irritation Category 2

Toxic to Reproduction Category 2

Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H319, Causes serious eye irritation.

H361, Suspected of damaging fertility or the unborn child. H412, Harmful to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H319, Causes serious eye irritation.

> H361, Suspected of damaging fertility or the unborn child. H412, Harmful to aquatic life with long lasting effects.

Imperial Supply Ltd, Common Lane, Kenilworth, CV8 2EL



Page 2 (9)

Issue date: 24/09/2019

Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PETROL FRAGRANCE

Version: 5

Supplemental Information:

EUH208, Contains TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES. May produce an

allergic reaction.

Precautionary statements:

P202, Do not handle until all safety precautions have been read and understood.

P264, Wash hands and other contacted skin thoroughly after handling.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308/313, IF exposed or concerned: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Other hazards:

Pictograms:

Hydrocarbon Concentration %: 9.700%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
BENZALDEHYDE	100-52-7	202-860-4	01-2119455540-44-xxxx	10-<20%	ATO 4-ATI 4-EDI 2- STO-SE 3(RI);H302- H319-H332-H335,-
P-CYMENE	99-87-6	202-796-7		5-<10%	FL 3-REP 2-AH 1-EH C2;H226-H304-H361- H411,-
METHYL ANTHRANILATE	134-20-3	205-132-4		1-<5%	EDI 2;H319,-
ETHYL HYDROXYPYRONE	4940-11-8	225-582-5		1-<5%	ATO 4;H302,-
HEXAMETHYLINDANO PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	0.1-<1%	EH A1-EH C1;H410,-
BENZYL BENZOATE	120-51-4	204-402-9		0.1-<1%	ATO 4-EH A1-EH C2; H302-H400-H411,-
ACETYLOCTAHYDRON	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	0.1-<1%	SCI 2-SS 1B-EH C1; H315-H317-H410,-

Page 3 (9) Issue date: 24/09/2019

Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PETROL FRAGRANCE **Product:**

Version: 5

Substances with Community workplace exposure limits:

Name	CAS	EC	%
DIETHYL PHTHALATE	84-66-2	201-550-6	50-100%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide, Dry chemical, Foam. Suitable media:

5.2 Special hazards arising from the substance or mixture

Carbon monoxide, Unidentified organic compounds. In case of fire, may be liberated:

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PETROL FRAGRANCE

Version: 5

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
DIETHYL PHTHALATE	84-66-2 201-550-6		Long-term exposure limit (8-hour TWA) (mg/m3)	5
		Short-term exposure limit (15- minute) (mg/m3)	10	

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is



Page 5 (9)

Issue date: 24/09/2019

Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PETROL FRAGRANCE

Version: 5

openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Clear colourless to pale yellow liquid

Odour:

Odour threshold:

Not determined

PH:

Not determined

Flash point: 68 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: 0.25209186 mmHg Vapour density: Not determined 1.0770 - 1.0810 Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature: Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Not expected Oxidising properties:

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.



Page 6 (9)

Issue date: 24/09/2019

Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PETROL FRAGRANCE

Version: 5

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Based on available data the classification criteria are not met.

Serious eye damage/irritation: Eye Damage / Irritation Category 2

Respiratory or skin sensitisation:

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Reproductive toxicity: Toxic to Reproduction Category 2

STOT-single exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Aspiration hazard:

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
BENZALDEHYDE	100-52-7	202-860-4	1430	Not available	1.5	Dust/mist
ETHYL HYDROXYPYRONE	4940-11-8	225-582-5	1200	Not available	INot available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.



Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PETROL FRAGRANCE

Version: 5

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: Not classified

14.2 UN Proper Shipping Name: -

14.3 Transport hazard class(es): Not classified

Sub Risk: Not classified 14.4. Packing Group: Not classified

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C3=11.63% EDI 2=68.49% EDI 2A=68.49% REP 2=30.93%

Total Fractional Values: EH C3=8.60 EDI 2=1.46 EDI 2A=1.46 REP 2=3.23

Key to revisions:

Classification under Regulation (EC) No 1272/2008

Concentration % Limits

Product identifier

SECTION 3: Composition/information on ingredients

Total Fractional Values



Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PETROL FRAGRANCE

Version: 5

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



Page 9 (9)

Issue date: 24/09/2019

Version: 5 (24/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PETROL FRAGRANCE

Version: 5

P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B
STO-SE 3(RI)	Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

CRAFTOVATOR PETROL (10% in NON HAZARDOUS BASE)

Safety data sheet available on request.