

Safety Data Sheet

Premium Antispatter Aerosol

according to 1907/2006/EC, Article 31

Part No: 1362



Date: 22/11/2015

Page No: 1 of 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name | SWP PREMIUM ANTISPATTER AEROSOL

1.3. Details of the supplier of the safety data sheet

Company	Specialised Welding Products Ltd
Address	Unit 1 Farringdon Industrial Centre Farringdon, Nr Alton Hants GU34 3DD
Web	www.specialisedwelding.co.uk
Telephone	+44 (0)1420 588180
Fax	+44 (0)1420 588184
Email	sales@swp.uk.net
Email address of the competent person	sales@swp.uk.net

1.4. Emergency telephone number

Emergency telephone number | +44 (0)1420 588180
(office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Main hazards | No Significant Hazard

2.2. Label elements

Risk phrases | No Significant Hazard

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0		0.5 - 1%		

Safety Data Sheet

Premium Antispatter Aerosol

according to 1907/2006/EC, Article 31

Part No: 1362



Date: 22/11/2015

Page No: 2 of 4

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
RINCINOLEIC ACID POLY GLYCOL ESTER		106-17-2	203-369-8		1 - 10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H332; STOT SE 3: H335;	
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0		0.5 - 1%		

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No Significant Hazard.
Eye contact	No Significant Hazard.
Skin contact	No Significant Hazard.
Ingestion	No Significant Hazard.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Wash off immediately with plenty of soap and water.
--	---

6.2. Environmental precautions

	Not normally required.
--	------------------------

6.3. Methods and material for containment and cleaning up

	Do not allow product to enter drains.
--	---------------------------------------

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Store in a cool, dry area.
Suitable packaging	Keep only in the original container in a cool, well-ventilated place.

7.3. Specific end use(s)

	The product is classified as non hazardous.
--	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

Premium Antispatter Aerosol

according to 1907/2006/EC, Article 31

Part No: 1362



Date: 22/11/2015

Page No: 3 of 4

8.1.1. Exposure Limit Values

Mono propylene glycol (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust: -
	WEL 8-hr limit mg/m3 total respirable dust: -	WEL 15 min limit mg/m3 total respirable dust: -
	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust: -
	WEL 8-hr limit mg/m3 total respirable dust: -	WEL 15 min limit mg/m3 total respirable dust: -
	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Avoid contact with eyes and skin. Wear eye/face protection.
Eye / face protection	Wear suitable protective clothing and eye/face protection.
Skin protection - Handprotection	Not normally required.
Skin protection - Other	Wear suitable gloves and eye/face protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	= Aerosol/Liquid
Colour	= Colourless

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	No Significant Hazard.
--	------------------------

10.4. Conditions to avoid

	No Significant Hazard.
--	------------------------

10.5. Incompatible materials

	No Significant Hazard.
--	------------------------

10.6. Hazardous decomposition products

	No data is available on this product.
--	---------------------------------------



Specialised Welding Products Ltd

Head Office

Unit 1, Farrington Industrial Centre, Farrington, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

www.specialisedwelding.co.uk

Safety Data Sheet

Premium Antispatter Aerosol

according to 1907/2006/EC, Article 31

Part No: 1362



Date: 22/11/2015

Page No: 4 of 4

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No known adverse health effects.
Skin corrosion/irritation	No Significant Hazard.
Serious eye damage/irritation	No irritation expected.
Respiratory or skin sensitisation	No Significant Hazard. May cause sensitisation by skin contact.

SECTION 12: Ecological information

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal methods

	Dispose of in compliance with all local and national regulations.
--	---

Disposal of packaging

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

SECTION 15: Regulatory information

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.
--	--



Specialised Welding Products Ltd

Head Office

Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

www.specialisedwelding.co.uk