

# Gas Cutting & Welding

# 10





## Contents

---

<b>Wescol Premium Gas Products</b>	
Gas Regulators	264-267
Model O Torch Set	268
Flashback Arrestors	268
<b>Cutting Equipment</b>	269-270
<b>Accessories</b>	271
<b>Welding &amp; Cutting Sets</b>	272
<b>Contractor's Cutting Sets</b>	273
<b>Nozzles</b>	274-275
<b>Welding Hose Sets</b>	276
<b>Hoses</b>	277
<b>Hose Fittings</b>	278
<b>Accessories &amp; Sack Barrows</b>	279
<b>Material Carts</b>	280-281
<b>Cutting Machines</b>	282

## SUPERFLOW

Wescol  Engineered in the United Kingdom

This range of regulators is specifically designed for general purpose work. They offer a cost-effective solution in all common cutting, welding and heating environments.

### Features

- Colour-coded for easier gas identification and clear pressure readings
- Valves and diaphragms tested at over 10,000,000 cycles guaranteeing long service life
- Third-party certified and approved by Apragaz to ISO 2503 to guarantee quality, performance and reliability
- Sintered bronze inlet filter protects internal parts
- Encapsulated valve with sintered bronze inlet filter protects the valve seat and internal parts
- 100% leak check, pressure test, function test and visual inspection
- Optimum coefficients of irregularity (0.18) and pressure upon closure (0.04) with optimised flow paths for minimal gas turbulence
- QR code allows digital authentication check showing testing information and inspection data
- Ergonomic, operator-friendly handwheel design for precise pressure control and tight grip when using gloves
- Outperforms EN2503 Leak Test Requirement by more than 10,000 times



## Clamshell packaging improves product safety during transit and enhances product display

Gas Cutting & Welding



This QR code allows the user to check the authenticity of the product.

Once registered, the app will send the user a reminder that the regulator requires a safety check on an annual basis.

One year additional warranty will be available when the product is registered.



The clamshell packaging is 100% recyclable.

### MIG Welding Regulators

#### ARGON/CO<sub>2</sub> FLOW REGULATOR

##### 2142

Single Stage 2g Argon/CO<sub>2</sub> –  
Side Entry – 30 lpm  
Qty: 1-12



#### ARGON/CO<sub>2</sub> FLOW REGULATOR

##### 2063

Single Stage Regulator Nevoc fitting  
Side Entry – 30 lpm  
Qty: 1-12



#### ARGON/CO<sub>2</sub> FLOW REGULATOR

##### 2043

Single Stage 2g Argon/CO<sub>2</sub> Regulator –  
30 lpm  
Qty: 1-12



#### ARGON/CO<sub>2</sub> PRESSURE REGULATOR

##### 2068

Single Stage 2g  
Argon/CO<sub>2</sub>  
Regulator –  
30 lpm  
Qty: 1-12



*Great value!*

### TIG Welding Regulators

#### ARGON FLOW REGULATOR

##### 2044

Single Stage 1g Argon/CO<sub>2</sub> Regulator  
Pre-set - 2 bar (requires a flowmeter)  
Qty: 1-12



#### ARGON REGULATOR + FLOWMETER

##### 2048

Single Stage 1g  
Argon Regulator – Bottom Entry –  
0-14 lpm  
Qty: 1-12



#### ARGON REGULATOR + FLOWMETER

##### 2049

Single Stage 1g  
Argon Regulator – Bottom Entry –  
0-30 lpm  
Qty: 1-12

### Flowmeters

##### 1241

Flowmeter  
CO<sub>2</sub> 0-40 lpm  
Qty: 1-50



##### 1242

Flowmeter  
Argon 0-14 lpm  
Qty: 1-50





### Process Pressure Regulators

#### CO<sub>2</sub> PRESSURE REGULATOR

**2047**

Female fitting, Single Stage 2g CO<sub>2</sub> Regulator – Side Entry – 4 bar

Qty: 1-12



#### NITROGEN REGULATOR

**2143**

Single Stage 2g Nitrogen Regulator – Side Entry – 10 bar

Qty: 1-12



#### ARGON/CO<sub>2</sub> PRESSURE REGULATOR

**2051**

Single Stage 2g Argon/CO<sub>2</sub> Regulator – 10 bar

Qty: 1-12



#### NITROGEN REGULATOR

**2064**

Single Stage Regulator – Nevoc fitting Side Entry – 10 bar

Qty: 1-12



#### NITROGEN REGULATOR

**2039**

Single Stage 2g Nitrogen Regulator – 10 bar

Qty: 1-12



#### HVAC REGULATOR

**2062**

Single Stage Inert Gas Regulator – 7/16" Outlet

- HVAC
- Automotive
- Load Pressure Testing

Qty: 1-12



*Great for aircon!*

### High Pressure Regulator

**2061**

Designed for applications where constant high pressure is required.

- For use with a range of gases
- Component pressure testing
- Pressurisation of pipeline systems
- Purging and high pressure laboratory

Qty: 1-12



### Multi Stage Welding Regulators

These multi stage regulator are designed to be used where constant pressure and flows are critical. Once set, the outlet pressure and flow remain constant until the gas source is interrupted, or when the cylinder empties.

#### INERT GAS REGULATOR

**1230**

Multi Stage 2g Inert Gas Regulator  
Covers: Nitrogen, Argon, Air, Helium  
10 bar  
Qty: 1-8

#### OXYGEN REGULATOR

**1248**

Multi Stage 2g Oxygen Regulator  
10 bar  
Qty: 1-8

#### ACETYLENE REGULATOR

**1249**

Multi Stage 2g Acetylene Regulator  
1.5 bar  
Qty: 1-8



### Cutting/Heating Welding Regulators

#### OXYGEN PRESSURE REGULATOR

##### 2040

Single Stage 2g Oxygen Regulator – 4 bar  
Qty: 1-12



#### OXYGEN PRESSURE REGULATOR

##### 2041

Single Stage 2g Oxygen Regulator – 10 bar  
Qty: 1-12



#### OXYGEN PRESSURE REGULATOR

##### 2056

Single Stage Plugged Oxygen Regulator – 10 bar  
Qty: 1-12



#### OXYGEN PRESSURE REGULATOR

##### 2140

Single Stage 2g Oxygen Regulator – Side Entry – 10 bar  
Qty: 1-12



#### OXYGEN PRESSURE REGULATOR

##### 2065

Single Stage 2g Oxygen Regulator – Nevoc Fitting – Side Entry – 10 bar  
Qty: 1-12



#### PROPANE PRESSURE REGULATOR

##### 2050

Single Stage Plugged Propane Regulator – 4 bar  
Qty: 1-12



Also available with working pressure gauge (2052)

#### ACETYLENE PRESSURE REGULATOR

##### 2042

Single Stage 2g Acetylene Regulator – 1.5 bar  
Qty: 1-12



#### ACETYLENE PRESSURE REGULATOR

##### 2141

Single Stage 2g Acetylene Regulator – Side Entry – 1.5 bar  
Qty: 1-12



#### ACETYLENE PRESSURE REGULATOR

##### 2057

Single Stage Plugged Acetylene Regulator – 1.5 bar  
Qty: 1-12



## Model O Torch Set



### 2070

Contents: 1 x Shank, 1 x Neck,  
5 x Tips, 1 x Instructions,  
1 x Plastic Carry Case

Spare: Neck – 2071 – each  
 Tip No 1 – 2072  
 Tip No 2 – 2073  
 Tip No 3 – 2074  
 Tip No 4 – 2075  
 Tip No 5 – 2076

} pack of 5 each

Gas Cutting & Welding

## Flashback Arrestors EN 730-1

### TYPE 84 (T84) – Torch Mounted



**2025**  
Oxygen  
Qty: 1-10

FA NV



**2026**  
Fuel Gas  
Qty: 1-10

FA NV

### TYPE 83 (T83) – Regulator Mounted



**2028**  
Oxygen  
Qty: 1-10

FA NV TV



**2029**  
Fuel Gas  
Qty: 1-10

FA NV TV

### TYPE 90 (T90) – Re-settable



**1998**  
Oxygen  
Qty: 1-10

FA NV TV PV



**1999**  
Fuel Gas  
Qty: 1-10

FA NV TV PV

FA = Flame Arrestor | NV = Non-Return Valve | TV = Temperature-Sensitive Cut-Off Valve | PV = Pressure-Sensitive Cut-Off Valve



## Cutting Blowpipes



**2036** Wescol Style NM250 18" - 90° - Qty: 1-10



**1144** NM250 18" - 90° - Qty: 1-10



**1144E** NM250 18" - 90° - Qty: 1-10



**2001** NM400 27" - 75° - Qty: 1-10



**2002** NM500 36" - 75° - Qty: 1-10



**2002-90** NM500 36" - 90° - Qty: 1-10

## C3 Torch



- Can be run on all common fuelling systems e.g. Oxy-Acetylene, Oxy-LPG or Oxy/Natural Gas
- Designed and manufactured to comply with the requirements of ISO 5172 and its component parts are individually tested at manufacture as your guarantee of safety and reliability

- Native compatibility with the system used in different areas
  - Proprietary gas mixing system provides extreme stability and resistance to flashbacks, burn backs and blowbacks
- Qty: 1-10

## Cutting Attachments, Mixers & Shanks



**2335**  
L/D Lightweight Cutting Attachment  
Qty: 1-25



**2336**  
L/D Lightweight Mixer  
Qty: 1-10



**2334**  
L/D Lightweight Shank  
Qty: 1-25



**2005**  
D/H Lightweight Cutting Attachment  
Qty: 1-25



**2006**  
D/H Lightweight Mixer  
Qty: 1-10



**2004**  
D/H Lightweight Shank  
Qty: 1-25



**2332**  
H/D Cutting Attachment  
Qty: 1-25



**2333**  
H/D Mixer  
Qty: 1-10



**2331**  
H/D Shank  
Qty: 1-25



**1146**  
Type 4 Cutting Attachment  
Qty: 1-25



**1147**  
Type 4 Welding Mixer  
Qty: 1-10



**1145**  
Type 4 Shank  
Qty: 1-25



**2011**  
Type 5 Cutting Attachment  
Qty: 1-25



**2012**  
Type 5 Welding Mixer  
Qty: 1-10



**2014**  
Type 5 Propane Mixer  
Qty: 1-10



**2010**  
Type 5 Shank  
Qty: 1-25

## Large Circle Cutting Attachment



**2031**  
Min / Max cut: 150 / 730mm  
Qty: 1

## Cylinder Adaptors



Part No.	Description	Qty
<b>1259</b>	RH Straight Cylinder Adaptor	1
<b>1260</b>	LH Straight Cylinder Adaptor	1
<b>1265</b>	RH Cylinder Adaptor 90°	1
<b>1266</b>	LH Cylinder Adaptor 90°	1

## Small Circle Cutting Attachment



**2030**  
Min / Max cut: 100 / 500mm  
Qty: 1

## Blowpipe Head Nut



**1257**  
18" - 90°  
Qty: 10

## Regulator Spare Parts



Part No.	Description	Qty
<b>1252</b>	1/2" x 27 Bottle Stem	1
<b>1254</b>	1/4" BSP Bottle Stem	1
<b>1258</b>	1/2" x 26 Bottle Stem Length 92mm	1




Part No.	Description	Qty
<b>1255</b>	RH Cylinder Nut	1
<b>1256</b>	LH Cylinder Nut	1
<b>2016</b>	Propane Regulator Adaptor	1
<b>W66</b>	CO <sub>2</sub> Regulator Nut	1
<b>1261</b>	CO <sub>2</sub> to Argon Adaptor	1

## Double Outlet Y-Pieces



**1239**  
Double Outlet  
Right Hand  
with valves  
Qty: 1-60



**1240**  
Double Outlet  
Left Hand  
with valves  
Qty: 1-60

## Economisers



**2034**  
Gas Economiser  
Oxygen/Acetylene  
Qty: 1



**2045**  
Gas Saver  
Qty: 1

## Spark Lighters & Flints



**1280**  
Pistol Spark  
Lighter  
Qty: 10-200

**1281**  
Pistol Flints  
Qty: 10



**1282**  
Cup Spark  
Lighter  
Qty: 10-200

**1283**  
Cup Flints  
Qty: 10



**1284**  
Triple Spark  
Lighter  
Qty: 10-200

**1285**  
Triple Flints  
Qty: 5



**1286**  
Piezo Electric Lighter  
Qty: 1-25

## DH – Lightweight Welding & Cutting Set



### 2021 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	2004	D/H Shank
(B)	2005	D/H Cutting Attachment
(C)	2006	D/H Mixer
(D)	1161	No. 1 Lightweight Swaged Nozzle
(E)	1162	No. 2 Lightweight Swaged Nozzle
(F)	1163	No. 3 Lightweight Swaged Nozzle
(G)	1164	No. 5 Lightweight Swaged Nozzle
(H)	1165	No. 7 Lightweight Swaged Nozzle
(I)	1166	No. 10 Lightweight Swaged Nozzle
(J)	1167	No. 13 Lightweight Swaged Nozzle
(K)	1216	Nozzle Cleaners (red lid)
(L)	2017	A-FN 1/32" Nozzle
(M)	2018	A-FN 3/64" Nozzle
(N)	1363	DF Combination Spanner

## Type 5 Welding & Cutting Set



### 2022 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	2010	Type 5 Shank
(B)	2011	Type 5 Cutting Attachment
(C)	2012	Type 5 Weld Mixer
(D)	1176	No. 1 Type 5 Swaged Nozzle
(E)	1177	No. 2 Type 5 Swaged Nozzle
(F)	1178	No. 3 Type 5 Swaged Nozzle
(G)	1179	No. 5 Type 5 Swaged Nozzle
(H)	1180	No. 7 Type 5 Swaged Nozzle
(I)	1181	No. 10 Type 5 Swaged Nozzle
(J)	1182	No. 13 Type 5 Swaged Nozzle
(K)	1216	Nozzle Cleaners (red lid)
(L)	1192	A-NMS 1/32" Nozzle
(M)	1193	A-NMS 3/64" Nozzle
(N)	1363	DF Combination Spanner

## Type 5 Welding & Cutting Set – Extended



### 2027 COMPLETE SET

CONTENTS AS 2022 ABOVE, PLUS THESE ADDITIONAL PRODUCTS:

Item	Part No.	Description
(O)	2041	S/S 2g Oxygen Regulator 10 bar
(P)	2042	S/S 2g Acetylene Regulator 1.5 bar
(Q)	2028	Oxygen Flashback Arrestor
(R)	2029	Fuel Gas Flashback Arrestor
(S)	1282	Cup Style Spark Lighter
(T)	974	5/16" x 4m Oxygen/Acetylene Twin Hose Set – 8mm

# Contractor's Cutting Sets

## Oxygen/Acetylene Cutting Set (Boxed)



### 2037 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(B)	1144	18" - 90° Cutting Blowpipe
(B)	2056	S/S Plugged Oxygen Regulator – 10 bar
(C)	2057	S/S Plugged Acetylene Regulator – 1.5 bar
(D)	1282	Cup Spark Lighter
(E)	1363	DF Combination Spanner
(F)	2028	Oxygen Flashback Arrestor
(G)	2029	Fuel Gas Flashback Arrestor
(H)	1192	1/32" A-NMS Nozzles
(I)	1193	3/64" A-NMS Nozzles
(J)	01341	3/8" x 10m Oxygen Fitted Hose – 10mm
	A1341	3/8" x 10m Acetylene Fitted Hose – 10mm

## Oxygen/Propane Cutting Set (Boxed)



### 2038 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	1144	18" - 90° Cutting Blowpipe
(B)	2056	S/S Plugged Oxygen Regulator – 10 bar
(C)	2050	S/S Plugged Propane Regulator – 4 bar
(D)	1282	Cup Spark Lighter
(E)	1363	DF Combination Spanner
(F)	2028	Oxygen Flashback Arrestor
(G)	2029	Fuel Gas Flashback Arrestor
(H)	1192	1/32" A-NMS Nozzles
(I)	1193	3/64" A-NMS Nozzles
(J)	01341	3/8" x 10m Oxygen Fitted Hose – 10mm
	P1341	3/8" x 10m Propane Fitted Hose – 10mm

## Portable Welding & Cutting Set (Boxed)



### 2059 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	2017-18	1/32" and 3/64" A-FN Nozzles
(B)	2041	S/S Oxygen Regulator – 10 bar
(C)	1282	Cup Spark Lighter
(D)	1216	Nozzle Cleaners (red lid)
(E)	2028	Oxygen Flashback Arrestor
(F)	2029	Fuel Gas Flashback Arrestor
(G)	2005	D/H Cutting Attachment
(H)	1162-65	No. 2, 3, 5, 7 Lightweight Nozzle
(I)	2042	S/S Acetylene Regulator – 1.5 bar
(J)	1429	Panorama Coloured Goggles Indirect Shade 5
(K)	01338	1/4" x 5m Oxygen Fitted Hose – 6mm
	A1338	1/4" x 5m Acetylene Fitted Hose – 6mm
(L)	1363	DF Combination Spanner
(M)	2006	D/H Mixer
(N)	2004	D/H Shank

1269 portable trolley not supplied, please order separately



## A-NM Cutting Nozzles



Part No.	Description	Qty
<b>1192</b>	1/32" A-NM S Nozzle (3 - 6mm plate)	1-50
<b>1193</b>	3/64" A-NM S Nozzle (5-12mm plate)	1-50
<b>1194</b>	1/16" A-NM S Nozzle (10 - 75mm plate)	1-50
<b>1195</b>	5/64" A-NM S Nozzle (70 - 100mm plate)	1-50
<b>1196</b>	3/32" A-NM S Nozzle (90 - 150mm plate)	1-50
<b>1198</b>	1/8" A-NM S Nozzle (140 - 300mm plate)	1-50
<b>1185</b>	1/32" A-NM L Nozzle (3 - 6mm plate)	1-50
<b>1186</b>	3/64" A-NM L Nozzle (5 - 12mm plate)	1-50
<b>1187</b>	1/16" A-NM L Nozzle (10 - 75mm plate)	1-50
<b>1188</b>	3/32" A-NM L Nozzle (90 - 150mm plate)	1-50
<b>1189</b>	1/8" A-NM L Nozzle (140 - 300mm plate)	1-50
<b>1190</b>	7/64" A-NM L Nozzle (160 - 200mm plate)	1-50

## P-NM Cutting Nozzles



Part No.	Description	Qty
<b>1204</b>	1/32" P-NM S Nozzle (3 - 6mm plate)	1-50
<b>1205</b>	3/64" P-NM S Nozzle (5 - 12mm plate)	1-50
<b>1206</b>	1/16" P-NM S Nozzle (10 - 75mm plate)	1-50
<b>1207</b>	5/64" P-NM S Nozzle (70 - 100mm plate)	1-50
<b>1208</b>	3/32" P-NM S Nozzle (90 - 150mm plate)	1-50
<b>1209</b>	7/64" P-NM S Nozzle (140 - 200mm plate)	1-50
<b>1210</b>	1/8" P-NM S Nozzle (140 - 300mm plate)	1-50
<b>1287</b>	1/32" P-NM L Nozzle (3 - 6mm plate)	1-50
<b>1288</b>	3/64" P-NM L Nozzle (5 - 12mm plate)	1-50
<b>1289</b>	1/16" P-NM L Nozzle (10 - 75mm plate)	1-50
<b>1290</b>	3/32" P-NM L Nozzle (90 - 150mm plate)	1-50
<b>1291</b>	1/8" P-NM L Nozzle (190 - 300mm plate)	1-50

## Acetylene Gouging Nozzles



Part No.	Description	Qty
<b>1211</b>	13 A-GNM Nozzle - 1/8" (6 - 8mm width x 3 - 9mm depth)	1-50
<b>1212</b>	19 A-GNM Nozzle - 3/16" (8 - 11mm width x 6 - 11mm depth)	1-50
<b>1213</b>	25 A-GNM Nozzle - 1/4" (9 - 12mm width x 9 - 12mm depth)	1-50

## VVC Nozzles – Chrome Plated



Part No.	Description	Qty
<b>1601</b>	VVC 4/0 Nozzle (4 - 6mm plate)	1-50
<b>1602</b>	VVC 000 Nozzle (6 - 9mm plate)	1-50
<b>1604</b>	VVC 0 Nozzle (12 - 20mm plate)	1-50
<b>1605</b>	VVC 0 1/2" Nozzle (20 - 35mm plate)	1-50
<b>1606</b>	VVC 1 Nozzle (35 - 60mm plate)	1-50
<b>1607</b>	VVC 1 1/2" Nozzle (60 - 75mm plate)	1-50
<b>1608</b>	VVC 2 Nozzle (75 - 125mm plate)	1-50
<b>1610</b>	VVC 3 Nozzle (150 - 175mm plate)	1-50
<b>1611</b>	VVC 4 Nozzle (175 - 200mm plate)	1-50
<b>1613</b>	VVC 5 1/2" Nozzle (225 - 250mm plate)	1-50

## A-FN Style Cutting Nozzles



Part No.	Description	Qty
<b>2017</b>	A-FN 1/32" Nozzle (3 - 6mm plate)	1-50
<b>2018</b>	A-FN 3/64" Nozzle (6 - 20mm plate)	1-50
<b>2019</b>	A-FN 1/16" Nozzle (20 - 30mm plate)	1-50
<b>2020</b>	A-SFN Nozzle (1 - 3mm sheet metal)	1-50

## A-SNM Nozzles – Sheet Metal



Part No.	Description	Qty
<b>1191</b>	A-SNM Nozzle (1 - 3mm sheet metal)	1-50

## Nozzle Cleaner



**1216**  
Nozzle Cleaner  
Qty: 10

## Swaged Welding Nozzles



Part No.	Description	Qty
<b>1161</b>	No. 1 Lightweight Nozzle (up to 1.0mm)	1-10
<b>1162</b>	No. 2 Lightweight Nozzle (1.0 - 1.5mm)	1-10
<b>1163</b>	No. 3 Lightweight Nozzle (1.5 - 2.0mm)	1-10
<b>1164</b>	No. 5 Lightweight Nozzle (2.0 - 2.5mm)	1-10
<b>1165</b>	No. 7 Lightweight Nozzle (2.5 - 3.0mm)	1-10
<b>1166</b>	No. 10 Lightweight Nozzle (3.0 - 4.0mm)	1-10
<b>1167</b>	No. 13 Lightweight Nozzle (4.0 - 5.0mm)	1-10
<b>1168</b>	No. 18 Lightweight Nozzle (5.0 - 6.0mm)	1-10

## Type 5 Swaged Welding Nozzles



Part No.	Description	Qty
<b>1176</b>	No. 1 Type 5 Nozzle (up to 1.0mm)	1-10
<b>1177</b>	No. 2 Type 5 Nozzle (1.0mm - 1.5mm)	1-10
<b>1178</b>	No. 3 Type 5 Nozzle (1.5mm - 2.0mm)	1-10
<b>1179</b>	No. 5 Type 5 Nozzle (2.0mm - 2.5mm)	1-10
<b>1180</b>	No. 7 Type 5 Nozzle (2.5mm - 3.0mm)	1-10
<b>1181</b>	No. 10 Type 5 Nozzle (3.0mm - 4.0mm)	1-10
<b>1182</b>	No. 13 Type 5 Nozzle (4.0mm - 5.0mm)	1-10
<b>1183</b>	No. 18 Type 5 Nozzle (5.0mm - 6.0mm)	1-10
<b>1184</b>	No. 25 Type 5 Nozzle (6.0mm - 8.0mm)	1-10

## Acetylene Heating Nozzles



**1292**  
A-HT 25 Nozzle  
Qty: 1-50



**1293**  
A-HT 50 Nozzle  
Qty: 1-50



**1294**  
A-HT 100 Nozzle  
Qty: 1-50

## Bent Necks

**1150**  
Neck for A-HT Nozzles  
*fits Welding Mixers 1147 & 2012*  
Qty: 1



**1151**  
Stainless Steel 12" Bent Neck  
*fits Propane Mixer 2014*  
Qty: 1



**1152**  
Stainless Steel 28" Bent Neck  
*fits Propane Mixer 2014*  
Qty: 1



## Propane Heating Nozzles



**1217**  
1H Heating Nozzle  
Qty: 1-50



**1218**  
2H Heating Nozzle  
Qty: 1-50



**1219**  
3H Heating Nozzle  
Qty: 1-50



**1220**  
4H Heating Nozzle  
Qty: 1-50



**1221**  
5H Heating Nozzle  
Qty: 1-25



**1222**  
PHNM Heating Nozzle  
*fits Cutting Blowpipes*  
Qty: 1



**1223**  
Insert for PHNM  
Qty: 1-10

## Fitted Oxygen/Acetylene & Oxygen/Propane Hoses

### OXYGEN/ACETYLENE – MATERIAL

Tube	SBR/NR rubber compound
Reinforcement	High strength synthetic fibre
Cover	Good abrasion and weather resistant SBR/EPDM compound
Temperature	-30°C to 70°C

### PROPANE – MATERIAL

Tube	High oil resistant NBR compound
Reinforcement	High strength synthetic fibre
Cover	Good abrasion and weather resistant SBR/EPDM compound
Temperature	-40°C to 70°C



OXYGEN Part No.	ACETYLENE Part No.	PROPANE Part No.	Hose Size	Length	DSCV	Regulator Nut
<b>O1338</b>	<b>A1338</b>	<b>P1338</b>	6mm	5m	1/4"	3/8"
<b>O1339</b>	<b>A1339</b>	<b>P1339</b>	6mm	10m	1/4"	3/8"
<b>O1335</b>	<b>A1335</b>	N/A	6mm	15m	1/4"	3/8"
<b>O1325</b>	<b>A1325</b>	N/A	6mm	20m	1/4"	3/8"
<b>O1330</b>	<b>A1330</b>	<b>P1330</b>	6mm	5m	3/8"	3/8"
<b>O1331</b>	<b>A1331</b>	<b>P1331</b>	6mm	10m	3/8"	3/8"
<b>O1332</b>	<b>A1332</b>	<b>P1332</b>	6mm	15m	3/8"	3/8"
<b>O1333</b>	<b>A1333</b>	<b>P1333</b>	6mm	20m	3/8"	3/8"
<b>O1334</b>	<b>A1334</b>	<b>P1334</b>	6mm	30m	3/8"	3/8"
<b>O1379</b>	<b>A1379</b>	<b>P1379</b>	8mm	5m	3/8"	3/8"
<b>O1380</b>	<b>A1380</b>	<b>P1380</b>	8mm	10m	3/8"	3/8"
<b>O1383</b>	<b>A1383</b>	<b>P1381</b>	8mm	15m	3/8"	3/8"
<b>O1381</b>	<b>A1381</b>	<b>P1382</b>	8mm	20m	3/8"	3/8"
<b>O1382</b>	<b>A1382</b>	<b>P1383</b>	8mm	30m	3/8"	3/8"
<b>O1340</b>	<b>A1340</b>	<b>P1340</b>	10mm	5m	3/8"	3/8"
<b>O1341</b>	<b>A1341</b>	<b>P1341</b>	10mm	10m	3/8"	3/8"
<b>O1344</b>	<b>A1344</b>	<b>P1344</b>	10mm	15m	3/8"	3/8"
<b>O1342</b>	<b>A1342</b>	<b>P1342</b>	10mm	20m	3/8"	3/8"
<b>O1343</b>	<b>A1343</b>	<b>P1343</b>	10mm	30m	3/8"	3/8"

## Oxygen Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
<b>1351</b>	1/4" (6mm) Oxygen – Blue	100m	1
<b>1353</b>	5/16" (8mm) Oxygen – Blue	100m	1
<b>1355</b>	3/8" (10mm) Oxygen – Blue	100m	1



## Acetylene Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
<b>1350</b>	1/4" (6mm) Acetylene – Red	100m	1
<b>1352</b>	5/16" (8mm) Acetylene – Red	100m	1
<b>1354</b>	3/8" (10mm) Acetylene – Red	100m	1



## Propane Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
<b>1347</b>	1/4" (6mm) Propane – Orange	100m	1
<b>1348</b>	5/16" (8mm) Propane – Orange	100m	1
<b>1349</b>	3/8" (10mm) Propane – Orange	100m	1



## Twin Oxygen/Acetylene Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
<b>1344</b>	1/4" (6mm) Twin Oxygen/Acetylene	100m	1
<b>1345</b>	5/16" (8mm) Twin Oxygen/Acetylene	100m	1
<b>1346</b>	3/8" (10mm) Twin Oxygen/Acetylene	100m	1



## Twin Oxygen/Propane Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
<b>1341</b>	1/4" (6mm) Twin Oxygen/Propane	100m	1
<b>1342</b>	5/16" (8mm) Twin Oxygen/Propane	100m	1
<b>1343</b>	3/8" (10mm) Twin Oxygen/Propane	100m	1



## Argon Hose BS EN ISO 5118/2

Part No.	Description	Coil	Qty
<b>1374</b>	PVC 3/16" Nylon Braided Hose – 8 bar requires 3/8" O-Clip	30m	1
<b>1327</b>	PVC 1/4" Nylon Braided Hose – 8 bar requires 3/8" O-Clip	30m	1
<b>1328</b>	PVC 5/16" Nylon Braided Hose – 7 bar requires 1/2" O-Clip	30m	1
<b>1329</b>	PVC 3/8" Nylon Braided Hose – 7 bar requires 9/16" O-Clip	30m	1



## Air Hose BS EN ISO 5118/2

Part No.	Description	Coil	Qty
<b>1392</b>	Black Hose 1/4" (6.3mm) 60 bar – ISO 2398/A	100m	1
<b>1393</b>	Black Hose 3/8" (9.5mm) 60 bar – ISO 2398/A	100m	1



## Tails-Nipples BS EN 560



Part No.	Description	Qty
<b>1316</b>	1/4" - 1/4" Tails-Nipples	10
<b>1317</b>	3/8" - 1/4" Tails-Nipples	10
<b>1318</b>	3/8" - 5/16" Tails-Nipples	10
<b>1319</b>	3/8" - 3/8" Tails-Nipples	10
<b>1238</b>	3/8" - 3/16" Tails-Nipples	10

## Splicers BS EN 560



Part No.	Description	Qty
<b>1303</b>	1/4" (6mm) Splicer	10
<b>1304</b>	5/16" (8mm) Splicer	10
<b>1305</b>	3/8" (10mm) Splicer	10

## Couplers BS EN 560



Part No.	Description	Qty
<b>1306</b>	1/4" - 1/4" RH Male Coupler	10
<b>1307</b>	1/4" - 1/4" LH Male Coupler	10
<b>1308</b>	1/4" - 3/8" RH Male Coupler	10
<b>1309</b>	1/4" - 3/8" LH Male Coupler	10
<b>1310</b>	3/8" - 3/8" RH Male Coupler	10
<b>1311</b>	3/8" - 3/8" LH Male Coupler	10

## Nuts BS EN 560



Part No.	Description	Qty
<b>1312</b>	1/4" RH Nuts	10
<b>1313</b>	1/4" LH Nuts	10
<b>1314</b>	3/8" RH Nuts	10
<b>1315</b>	3/8" LH Nuts	10

## Adaptors BS EN 560



Part No.	Description	Qty
<b>1320</b>	3/8" Thread - 1/4" Nut RH Bent Adaptor	10
<b>1321</b>	3/8" Thread - 1/4" Nut LH Bent Adaptor	10
<b>1322</b>	3/8" Nut - 1/4" Thread RH Straight Adaptor	10
<b>1323</b>	3/8" Nut - 1/4" Thread LH Straight Adaptor	10
<b>1324</b>	3/8" Male - 1/4" Female Adaptor	10

## Double Safety Check Valves BS EN 560



Part No.	Description	Qty
<b>1295</b>	1/4" - 1/4" RH DSC Valve	10
<b>1296</b>	1/4" - 1/4" LH DSC Valve	10
<b>1297</b>	3/8" - 1/4" RH DSC Valve	10
<b>1298</b>	3/8" - 1/4" LH DSC Valve	10
<b>1299</b>	3/8" - 5/16" RH DSC Valve	10
<b>1300</b>	3/8" - 5/16" LH DSC Valve	10
<b>1301</b>	3/8" - 3/8" RH DSC Valve	10
<b>1302</b>	3/8" - 3/8" LH DSC Valve	10

## O-Clips



Part No.	Description	Qty
<b>1330</b>	7 - 9mm (5/16") O-Clip	100
<b>1331</b>	9 - 11mm (3/8") O-Clip	100
<b>1332</b>	11 - 13mm (1/2") O-Clip	100
<b>1333</b>	13 - 15mm (9/16") O-Clip fits 1/4" hose	100
<b>1334</b>	15 - 18mm (5/8") O-Clip fits 5/16" & 3/8" hose	100
<b>1335</b>	17 - 20mm (3/4") O-Clip	100
<b>1336</b>	20 - 23mm (7/8") O-Clip	100

## O-Clip Pincers



**1337**  
O-Clip Pincers  
Qty: 5-60



# Accessories & Sack Barrows

## Gas Flow Tester

**2046**  
Gas Flow Tester  
Qty: 1-50



## Combination Spanner

**1363**  
D F Combination  
Spanner  
Qty: 10



## Spindle Key

**1364**  
D F Spindle Key  
Qty: 50



## Disposable Gas Cylinders



Part No.	Size	Description	Qty
<b>1367</b>	60 lt	CO <sub>2</sub>	1-12
<b>1368</b>	60 lt	Argon / CO <sub>2</sub> – 86% Argon – 14% CO <sub>2</sub>	1-12
<b>1369</b>	60 lt	Argon	1-12


## Disposable Gas Cylinder Regulator

**2087**  
Regulator for use with  
Disposable Gas Cylinders  
Qty: 1



## Bottle Adaptor

**2024**  
Bottle Adaptor – large to small  
Length: 0.6 m 3/8" BSP to 4mm  
gas hose connection  
Qty: 1



## Sack Barrows

**1272**  
Sack Barrow



Height 840 mm  
Width 340 mm  
Depth 190 mm

**1264**  
Sack Barrow – Pneumatic tyres



Height 850 mm  
Width 400 mm  
Depth 200 mm

## Cylinder Trolleys – Single

### Cylinder Trolley Key

- Propane
- Oxygen
- Acetylene

### Spare Wheels

**W001** for 1272 (see p279)

**W002** for 1273 & 1275 (see p281)


**W004** for 1267, 1268 (see p281),  
1269, 1270 & 1271 (see p280)

**W007** for 1264 (see p279)

**W009** for 1274 (see p281)

**1269**  
Portable Cylinder Trolley

- A** 230-560 mm  
(4 positions)
- B** 380 mm
- C** 170 mm



**1270**  
Single Propane Cylinder Trolley

- A** 850 mm
- B** 340 mm
- C** 290 mm



**1271**  
Single Oxygen/Acetylene  
Cylinder Trolley

- A** 840 mm
- B** 280 mm
- C** 280 mm



**1276**  
Small Cylinder Trolley  
X, S, V, Y

- A** 980 mm
- B** 235 mm
- C** 300 mm



**1277**  
Extendable Handle Portable  
Gas Kit Trolley  
V, X, DA-M, K,  
OXY-E

- A** 645 mm (closed)
- A** 960 mm (extended)
- B** 395 mm
- C** 185 mm



**1279**  
Single Oxygen/Acetylene  
Y-Type Cylinder Trolley

- A** 660 mm
- B** 470 mm
- C** 190 mm



**ZY040766**  
Single Cylinder  
Trolley  
T, Y, K, N, W, L,  
E30, E50

- A** 1200 mm
- B** 305 mm
- C** 230 mm



**ZY040770**  
Small Cylinder  
Stand  
OXY-E, DA-K, M

- A** 630 mm
- B** 350 mm
- C** 190 mm



## Cylinder Trolleys – Twin

### 1267

Twin Oxygen/Acetylene  
Cylinder Trolley

A 850 mm  
B 590 mm  
C 250 mm



### 1268

Twin Oxygen/Propane  
Cylinder Trolley

A 850 mm  
B 690 mm  
C 310 mm



### 1273

Twin Oxygen/Acetylene Cylinder Trolley –  
16" Pneumatic Tyres

A 850 mm  
B 590 mm  
C 250 mm



### 1274

Twin Oxygen/Acetylene Cylinder Trolley –  
Three wheels


A 870 mm  
B 590 mm  
C 250 mm



### 1275

Twin Cylinder Trolley –  
16" Pneumatic Tyres

A 850 mm  
B 690 mm  
C 310 mm



### ZY040773

Twin Cylinder  
4 Wheel Trolley  
Y, W, L,  
E30, E50

A 1180 mm  
B 560 mm  
C 310 mm



### ZY040760

HD Twin Cylinder  
Trolley

A 1300 mm  
B 560 mm  
C 300 mm



### ZY040761

Twin Cylinder  
Trolley  
Y, T, S, M, J

A 1600 mm  
B 650 mm  
C 200 mm



### ZY040765

Twin Cylinder  
Trolley  
T, Y, K, N, W, D

A 1160 mm  
B 650 mm  
C 260 mm



## Pipe Cutter

**9500**  
Pipe Cutter  
includes 2.4m chain




**9504**  
Spare 2.4m  
Chain for 9500\*

### SPECIFICATIONS

Effective pipe diameter	114 - 600mm (4" - 24") by standard chain (2.4m = 96") Over 600mm ø by adding extra chain*
Cutting thickness	Up to 50mm (2")
Cutting shape	Square and bevel (up to 45°)
Speed control	Single Cone System
Drive method	Manual
Nozzle	A-NML 3/8 and 3/64 nozzles

## Straight Line Cutter

**9502**  
Straight Line Cutter  
includes 1.8m steel rail



**9503**  
Spare 1.8m Track for 9502



**9505**  
Circle Cutting  
Attachment  
for 9502

### SPECIFICATIONS

Cutting thickness	5 - 50mm (1/4" - 2")
Cutting speed	150 - 800mm
Speed control	Single Cone System
Motor	1500rpm
Power source	AC 110V
Weight	9.5kg (20.9lb)
Nozzle	A-NML 1/32 and 3/64 nozzles