



Selected by Professionals

Stealth

WELDING MACHINES PRODUCT INFORMATION



300mm (15kg)



Heavy Duty Cycle



550V Tested in production



Phase Loss Protection



3 Phase 380V/400V 415V/440V 50Hz/60Hz



IGBT Module



Generator friendly

9004H DIGI-MIG 315 COMPACT

PRODUCT SUMMARY

A Mig welder suitable for heavy industrial use. Waveform control for added stability of the arc – even at low currents. Variable amperage control with digital meter for simultaneous welding current and tension display.

OPTIONAL EXTRAS

9819H – Water Cooler



SPECIFICATIONS

Input power voltage (V)	3-400
Rated input current (A)	11
Effective current (A)	24
Duty cycle (A) (40°C 10 min)	40% @ 315 60% @ 250 100% @ 200
Maximum no-load voltage (V)	53
Welding current range (A)	50-315
Welding voltage range (V)	13.5-30
Protection class	Ip23
Efficiency (%)	85
Insulation class	H
Cooling	Air
Overall dimensions (mm)	618 x 240 x 445
Weight (kg)	25.0
Accessories included	3m Argon hose 3m earth return lead

Supplied with **2068 ARGON/CO2 PRESSURE REGULATOR**

Single Stage 2g – Argon/
CO2 Regulator – 30 lpm



and **M25-3 MIG TORCH**

3m Bladeswitch
c/w Euro Fitting



SCAN HERE FOR SWP WEBSITE

