

BC12 1L Black Ink

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation BC12 1L Black Ink

Chemical name

Product-type Mixture Product code BC12

UFI: 77R4-E0PC-S00Y-MGEK

1.2 - Relevant identified uses of the substance or mixture and uses advised against

1.3 - Details of the supplier of the safety data sheet

Southern Technology Ltd 2A Birmingham Drive, Middleton Christchurch 8024, New Zealand

Phone: 03 3899258 southerntech.co.nz

1.4 - Emergency telephone number

Emergency 111, New Zealand Poisons Centre 0800 764 766

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2	Flammable liquids, Category 2
Eye Irrit. 2	Eye irritation - Category 2
Skin Sens. 1	Skin sensitization - Category 1
STOT SE 3 (H336)	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] HSNO Approval Code: HSR001190, Approved with controls Contains: butanone, ethyl methyl ketone (CAS No.: 78-93-3)

Signal word : Danger

Hazard pictograms





Hazard statements

H225	Highly flammable liquid and vapour
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H412	Harmful to aquatic life with long lasting effects



1 L Black Ink

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground/bond container and receiving equipment.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust, fume, gas, mist, vapours, spray .
P280	Wear protective gloves, protective clothing, eye protection, face protection.
EUH-phrases	
EUH066	Repeated exposure may cause skin dryness or cracking
EUH208	Contains Resin acids and Rosin acids, fumarated, esters with glycerol (97489-11-7).

2.3 - Other hazards

SECTION 3: Composition / information on ingredients

May produce an allergic reaction

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
butanone, ethyl methyl ketone	CAS No. : 78-93-3 Index No. : 606-002-00-3 EC No. : 201-159-0 REACH No. : 01-2119457290-43-XXXX	70 - 80	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable
Resin acids and Rosin acids, fumarated, esters with glycerol	CAS No.: 97489-11-7 Index No.: EC No.: 307-051-0 REACH No.: 012119965167-29	5 - 15	Aquatic Chronic 4 - H413 Eye Irrit. 2 - H319 Skin Sens. 1 - H317	Not applicable



1 L Black Ink

Chemical name	No	%	Class(es)	Specific concentration limit
reaction mass of: tert-alkyl(C12-C14)ammonium bis[1-[(2-hydroxy-5-nitropheny l)azo]-2-naphthalenolato(2-)]-c hromate(1-), tert-alkyl(C12-C14)ammonium bis[1-[(2-hydroxy-4-nitropheny l)azo]-2-naphthalenolato(2-)]-c hromate(1-), tert-alkyl(C12-C14)ammonium bis[1-[[5-(1,1-dimethylpropyl)- 2-hydroxy-3-nitrophenyl]azo]- 2-naphthalenolato(2-)]-chrom ate(1-), tert-alkyl(C12-C14)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]- 2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]- 2-naphthalenolato(2-)]]-chrom ate(1-), tert-alkyl(C12-C14)ammonium [[1-[[5-(1,1-dimethylpropyl)-2- hydroxy-3-nitrophenyl]azo]-2- naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2- naphthalenolato(2-)]]-chromate(1-), tert-alkyl(C12-C14)ammonium ((1-(4(or 5)-nitro-2-oxidophenylazo)-2-n aphtholato)(1-(3-nitro-2-oxido- 5-pentylphenylazo)-2-naphtho lato))chromate(1-)	EC No.: 403-720-7 REACH No.: 01-2012008112367-0000	5 - 15	Aquatic Chronic 2 - H411	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

·	
Following inhalation	Irritating to respiratory system.Provide fresh air.Get medical advice/attention.
Following skin contact	 When in doubt or if symptoms are observed, get medical advice. Irritating to skin. After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately.
After eye contact	 Irritating to eyes. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
After ingestion	Do NOT induce vomiting.VomitingNauseaGet medical advice/attention.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation - Irritating to respiratory system.



1 L Black Ink

Symptoms and effects - Following skin contact	Causes skin irritation.Repeated exposure may cause skin dryness or cracking.
Symptoms and effects - After eye contact	Irritating to eyes.In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Symptoms and effects - After ingestion	The following symptoms may occur: VomitingNausea

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1 -	Extingu	ıishing	media

Unsuitable extinguishing media

<u>Suitable extinguishing media</u>
- Carbon dioxide (CO2)
- Dry extinguishing powder

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture

- Vapours are heavier than air.
- Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode.

Hazardous decomposition products - Carb

Carbon dioxide (CO2)Carbon monoxide

- High power water jet

5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.
- Move undamaged containers from immediate hazard area if it can be done safely.
- In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Use personal protection equipment.

Provide adequate ventilation.Remove all sources of ignition.

- Evacuate area.

For emergency responders - No information available.

6.2 - Environmental precautions

- Do not allow to enter into surface water or drains.
- Absorb spillage to prevent material damage.

6.3 - Methods and material for containment and cleaning up



1 L Black Ink

Methods and material for containment	Soak up inert absorbent and dispose as waste requiring special attention.Collect in closed and suitable containers for disposal.Collect spillage.
Methods and material for cleaning up	- Wash with plenty of water.
Inappropriate techniques	- No information available.
6.4 - Reference to other sections	
Disposal: see section 13SECTION 6: Accidental release measures	

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation	 Avoid: Eye contact Avoid: Skin contact Provide adequate ventilation. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. Keep away from sources of ignition No smoking.
Advices on general occupational hygiene	When using do not eat, drink, smoke, sniff.Wash contaminated clothing prior to re-use.Wash hands before breaks and after work.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed in a cool, well-ventilated place.

7.3 - Specific end use(s)

- Keep away from sources of ignition. No smoking.
- Handle and open container with care.

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

8.2 - Exposure controls

protective equipment

•		
Appropriate engineering controls	- No information available.	
Individual protection measures, such as personal	- Suitable eve protection: Eve glasses	

- Protective gloves

with side protection





1 L Black Ink

- Suitable protective clothing: lab coat



SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

Physical state	Liquid	Appearance	Liquid
Colour	Black	<u>Odour</u>	characteristic
Odour threshold		No data available	
рН		No data available	
Melting point		-86 °C	
Freezing point		-86 °C	
Boiling point		80 °C	
Flash point		-6 °C	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		No data available	
Upper explosion limit		No data available	
Vapour pressure		264138 Pa	
Vapour density		No data available	
Relative density		0,9	
Density		No data available	
Solubility (Water)		poorly soluble	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	
Solubility (Organic solvents)	No data available	
Log KOC		No data available	
Auto-ignition temperature		515 °C	
Decomposition temperature	9	No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	

Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

9.2 - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available
VOC Composite Partial Pressure (Calculated @ 20oC/68oF)	No data available
C.A.R.B. V.O.C.	No data available



1 L Black Ink

% Photo Chemically Reactive No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- In case of warming: Ignition hazard

10.5 - Incompatible materials

- No information available.

10.6 - Hazardous decomposition products

- No information available.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity: Mixture

LD50 oral (rat)	2737 mg/kg
LD50 dermal (rat)	8200 mg/kg
LD50 dermal (rabbit)	6480 mg/kg
LC50 inhalation (rat)	11700 ppmV
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

⁻ Based on available data, the classification criteria are not met.

Toxicity: Substances

butanone, ethyl methyl ketone (78-93-3)	
LD50 oral (rat)	2193 mg/kg
LD50 dermal (rabbit)	5000 mg/kg



1 L Black Ink

reaction mass of: tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-),

tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-),

tert-alkyl(C12-C14)ammonium

bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1

tert-alkyl(C12-C14)ammonium

[[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-

tert-alkyl(C12-C14)ammonium

[[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydrox

tert-alkyl(C12-C14)ammonium ((1-(4(or

5)-nitro-2-oxidophénylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholat

(117527-94-3)

LD50 oral (rat)	2000 mg/kg
LD50 dermal (rat)	2000 mg/kg

Skin corrosion/irritation

Not classified

Serious eye damage/eye irritation

- Eye irritation - Category 2 - Causes serious eye irritation

Irritating to eyes.

Respiratory or skin sensitisation

- Skin sensitization - Category 1 - May cause an allergic skin reaction

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

Reproductive toxicity

- Not classified

STOT-single exposure

- Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation - May cause drowsiness or dizziness

mitation way data

STOT-repeated exposure

Not classifiedNot classified

11.2 - Information on other hazards

SECTION 12: Ecological information

12.1 - Toxicity

Aspiration hazard

Toxicity: Mixture

EC50 48 hr crustacea	70600 mg/l
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity: Substances



1 L Black Ink

reaction mass of: tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-),

tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-),

tert-alkyl(C12-C14)ammonium

bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1

tert-alkyl(C12-C14)ammonium

[[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-

tert-alkyl(C12-C14)ammonium

[[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydrox

tert-alkyl(C12-C14)ammonium ((1-(4(or

5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholat

(117527-94-3)

1000 mg/l EC50 48 hr crustacea

- The substance/mixture does not fullfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available	
Chemical oxygen demand (COD)	No data available	
% of biodegradation in 28 days	No data available	

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available	
Log KOC	No data available	

- No indication of bioaccumulation potential.
- 12.4 Mobility in soil
- No information available.
- 12.5 Results of PBT and vPvB assessment
- 12.6 Endocrine disrupting properties
- 12.7 Other adverse effects
- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods - Dispose of waste according to applicable legislation.

Sewage disposal No information available.

Special precautions for waste treatment - No information available.

Community or national or regional provisions - No information available.

SECTION 14: Transport information

14.1 - UN number or ID number



1 L Black Ink

 UN number (ADR)
 : UN1210

 UN number (RID)
 : UN1210

 UN number (ADN)
 : UN1210

 UN number (IMDG)
 : UN1210

 UN number (IATA)
 : UN1210

14.2 - UN proper shipping name

UN proper shipping name

(ADR)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(RID)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(ADN)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(IMDG)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(IATA)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

14.3 - Transport hazard class(es)

ADR Transport hazard

3

class(es)

ADR Classification code:

F1

3

Pictograms

3

Transport hazard class(es) :

(RID)

Pictograms

3

Transport hazard class(es) : 3

(ADN)



1 L Black Ink

3

Pictograms

3

Transport hazard class(es) :

(IMDG)

Pictograms



Transport hazard class(es) : 3

(IATA)

Pictograms



14.4 - Packing group

Packing group (RID) : II
Packing group (ADN) : II
Packing group (IMDG) : II
Packing group (IMTA) : II

14.5 - Environmental hazards

Environmental hazards : No Marine pollutant : No

14.6 - Special precautions for user



1 L Black Ink

ADR

ADR Classification code: : F1
ADR Special provisions : 163+
640D+367

ADR Limited quantity (LQ) : 5 L
ADR Excepted quantities : E2

ADR Packing instructions : P001 IBC02 R001

ADR Special packing provisions : PP1
ADR Mixed packing provisions : MP19
Instructions for portable tanks and bulk containers : T4
Special provisions for portable tanks and bulk containers : TP1 TP8
ADR tank code : LGBF

ADR tanks special provisions

Vehicle for tank carriage:FLADR Transport category:2ADR Tunnel restriction code:D/E

ADR Special provisions loading, unloading and handling

Special provisions - Packages

Special provisions - Bulk :

<u>Special provisions - Operation</u> : S2, S20 ADR Hazard identification number (Kemler No.) : 33

RID

 Special provisions
 :

 Limited quantity (LQ)
 :

 Excepted quantities
 :

ADN

 Special provisions
 :

 Limited quantity (LQ)
 :

 Excepted quantities
 :

IMDG

<u>Special provisions</u> :

Limited quantity (LQ)5Excepted quantitiesE2Packing instructionsP001

Special packing provisions

IBC instruction(s)

IBC provisions

Instructions for portable tanks and bulk containers

Special provisions for portable tanks and bulk containers

EmS codes

Stowage and handling :

Stowage and nandling
Segregation :

Properties and observations :



1 L Black Ink

IATA

PCA - Excepted quantities : E2
PCA - Limited Quantity - Packing Instructions : Y341
PCA - Limited Quantity - Maximum Net Quantity per Package : 1
PCA - Packing Instructions : 353
PCA - Maximum Net Quantity per Package : 5
CAO - Packing Instructions : 364
CAO - Maximum Net Quantity per Package : 60

Special Provisions

ERG Code :

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH None

candidates

Substances Annex XIV None
Substances Annex XVII None

<u>VOC content</u> No data available HSNO Approval Code: HSR001190

15.2 - Chemical Safety Assessment

Chemical safety assessment carried - No information available.

out for the product

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
2,1	17/08/2023		
1	01/12/2017		

Texts of the regulatory sentences

Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2	
Aquatic Chronic 4 Hazardous to the aquatic environment - Aquatic Chronic 4		
Eye Irrit. 2 Eye irritation - Category 2		
Eye Irrit. 2A Eye irritation - Category 2A		
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
Skin Sens. 1	Skin sensitization - Category 1	
STOT SE 3 (H336)	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet According to Regulation (EC) No. 2020/878



Version : 2.1 Revision date : 29/02/2024

1 L Black Ink

*** *** ***