

1 L Black Ink

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation 1 L Black Ink

Chemical name

Product-type Mixture Product code BC31

UFI: JAR4-X0CS-300F-8U0N

1.2 - Relevant identified uses of the substance or mixture and uses advised against

1.3 - Details of the supplier of the safety data sheet

Southern Technology Ltd 2A Birmingham Drive, Middleton Christchurch 8024, New Zealand

Phone: 03 3899258 southerntech.co.nz

1.4 - Emergency telephone number

Emergency 111, New Zealand Poisons Centre 0800 764 766

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2	Flammable liquids, Category 2
Eye Irrit. 2	Eye irritation - Category 2
STOT SE 3 (H336)	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: acetone, propan-2-one, propanone (CAS No.: 67-64-1)

Signal word Danger

Hazard pictograms





Hazard statements

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H412	Harmful to aquatic life with long lasting effects

Precautionary statements



1 L Black Ink

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground/bond container and receiving equipment.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust, fume, gas, mist, vapours, spray.
P280	Wear protective gloves, protective clothing, eye protection, face protection.
EUH-phrases	
EUH066	Repeated exposure may cause skin dryness or cracking

2.3 - Other hazards

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
acetone, propan-2-one, propanone	CAS No. : 67-64-1 Index No. : 606-001-00-8 EC No. : 200-662-2	40 - 55	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable
ethanol, ethyl alcohol	CAS No.: 64-17-5 Index No.: 603-002-00-5 EC No.: 200-578-6 REACH No.: 012119457610-43	20 - 30	Flam. Liq. 2 - H225	Not applicable
reaction mass of: tert-alkyl(C12-C14)ammonium bis[1-[(2-hydroxy-5-nitropheny l)azo]-2-naphthalenolato(2-)]-c hromate(1-), tert-alkyl(C12-C14)ammonium bis[1-[(2-hydroxy-4-nitropheny l)azo]-2-naphthalenolato(2-)]-c hromate(1-), tert-alkyl(C12-C14)ammonium bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chrom ate(1-), tert-alkyl(C12-C14)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chrom ate(1-), tert-alkyl(C12-C14)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl]azo]-2-naphthalenolato(2-)]]-chromate(1-), tert-alkyl(C12-C14)ammonium ((1-(4(or 5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato)(2-)-naphthola	EC No.: 403-720-7 REACH No.: 01-2012008112367-0000	1 - 10	Aquatic Chronic 2 - H411	Not applicable



1 L Black Ink

Chemical name	No	%	Class(es)	Specific concentration limit
propan-2-ol, isopropyl alcohol, isopropanol	CAS No.: 67-63-0 Index No.: 603-117-00-0 EC No.: 200-661-7 REACH No.: 012119457558-25	1 - 5	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation Provide fresh air. Get medical advice/attention. Following skin contact When in doubt or if symptoms are observed, get medical advice. - Irritating to skin. - After contact with skin, wash immediately with plenty of water and soap. - Remove contaminated, saturated clothing immediately. After eye contact - Irritating to eyes. - In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. - Do NOT induce vomiting. After ingestion

- Get medical advice/attention.

4.2 - Most important symp	toms and effects, both acute and delayed
Symptoms and effects -	- Irritating to respiratory system.

Following inhalation Symptoms and effects -

Following skin contact

- Causes skin irritation.

- Repeated exposure may cause skin dryness or cracking.

Symptoms and effects - After

- Irritating to eyes.

eye contact

- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

Symptoms and effects - After ingestion

- Irritation to respiratory tract

- central nervous system depression

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media - alcohol resistant foam - Carbon dioxide (CO2) - Dry extinguishing powder - Extinguishing media - Water mist



1 L Black Ink

Unsuitable extinguishing media

High power water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture

- Vapours are heavier than air.
- Burning produces heavy smoke.
- Highly flammable

Hazardous decomposition products

- Carbon dioxide (CO2)

- Carbon monoxide

5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.
- In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Avoid contact with eyes and skin.

- No information available. For emergency responders

6.2 - Environmental precautions

- Do not allow to enter into surface water or drains.
- Absorb spillage to prevent material damage.
- 6.3 Methods and material for containment and cleaning up

Methods and material for containment

- Soak up inert absorbent and dispose as waste requiring special attention.
- Collect in closed and suitable containers for disposal.
- Collect spillage.

Methods and material for

cleaning up

- Wash with plenty of water.

Inappropriate techniques

No information available.

6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation - Avoid: Eye contact

- Avoid: Skin contact

- Provide adequate ventilation. - Precautions for safe handling



1 L Black Ink

Advices on general occupational hygiene

- When using do not eat, drink, smoke, sniff.
- Wash contaminated clothing prior to re-use.
- Wash hands before breaks and after work.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed in a cool, well-ventilated place.
- Keep away from sources of ignition. No smoking.

7.3 - Specific end use(s)

- Industrial uses

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

ethanol, ethyl alcohol (64-17-5)		
VME ppm (FR)	1000 ppm	
VME mg/m³ (FR)	1900 mg/m³	
VLE ppm (FR)	5000 ppm commentaire sur VLE éthanol	
VLE mg/m³ (FR)	9500 mg/m³	

8.2 - Exposure controls

Appropriate	engineering
controls	

- No information available.

Individual protection
measures, such as personal
protective equipment

- Suitable eye protection: Eye glasses with side protection



- Suitable protective clothing: lab coat



SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

Physical state	Liquid	Appearance	Liquid
Colour	Black	Odour	characteristic
Odour threshold		No data available	
рН		No data available	
Melting point		78 °C < V < 80 °C	
Freezing point		No data available	



1 L Black Ink

Boiling point	56 °C
Flash point	16 °C
Evaporation rate	No data available
flammability	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0,86
Density	No data available
Solubility (Water)	poorly soluble
Solubility (Ethanol)	No data available
Solubility (Acetone)	No data available
Solubility (Organic solvents)	No data available
Log KOC	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

9.2 - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- In case of warming: Ignition hazard

10.5 - Incompatible materials

- No information available.



1 L Black Ink

10.6 - Hazardous decomposition products

- No information available.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute	toxicity	

Not classified

Toxicity: Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	50100 ppmV
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

⁻ Based on available data, the classification criteria are not met.

Toxicity: Substances

acetone, propan-2-one, propanone (67-64-1)		
LD50 oral (rat)	5800 mg/kg	
LC50 inhalation (rat)	50100 ppmV	

reaction mass of: tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-),

tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-),

tert-alkyl(C12-C14)ammonium

bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(

tert-alkyl(C12-C14)ammonium

[[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-

tert-alkyl(C12-C14)ammonium

[[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydrox tert-alkyl(C12-C14)ammonium ((1-(4(or

5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato

(117527-94-3)

LD50 oral (rat)	2000 mg/kg
LD50 dermal (rat)	2000 mg/kg

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
LD50 oral (rat)	5000 mg/kg	
LD50 dermal (rabbit)	5000 mg/kg	

Skin corrosion/irritation

Not classified

Serious eye damage/eye

- Eye irritation - Category 2 - Causes serious eye irritation

irritation

Irritating to eyes.

Respiratory or skin sensitisation

Not classified

Germ cell mutagenicity

Not classified



1 L Black Ink

- Not classified Carcinogenicity - Not classified Reproductive toxicity - Specific target organ toxicity — Single exposure, Category 3, Respiratory tract STOT-single exposure irritation - May cause drowsiness or dizziness STOT-repeated exposure Not classified Aspiration hazard - Not classified

11.2 - Information on other hazards

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity: Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity: Substances

acetone, propan-2-one, propanone (67-64-1)	
LC50 96 hr fish	5540 mg/l

reaction mass of: tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-), tert-alkyl(C12-C14)ammonium

bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-),

tert-alkyl(C12-C14)ammonium

bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1

tert-alkyl(C12-C14)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-

tert-alkyl(C12-C14)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydrox

tert-alkyl(C12-C14)ammonium ((1-(4(or

5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholat (117527-94-3)

1000 mg/l EC50 48 hr crustacea

 The substance/mixture does not fullfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.



1 L Black Ink

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available	
Log KOC	No data available	

- No indication of bioaccumulation potential.
- 12.4 Mobility in soil
- No information available.
- 12.5 Results of PBT and vPvB assessment
- 12.6 Endocrine disrupting properties
- 12.7 Other adverse effects
- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods - Dispose of waste according to applicable legislation.

- No information available. Sewage disposal

Special precautions for waste - No information available.

treatment

Community or national or regional provisions

- No information available.

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR) UN1210 UN number (RID) UN1210 UN number (ADN) UN1210 UN number (IMDG) UN1210 UN number (IATA) UN1210

14.2 - UN proper shipping name



1 L Black Ink

UN proper shipping name

(ADR)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(RID)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(ADN)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(IMDG)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

UN proper shipping name

(IATA)

PRINTING INK, flammable or PRINTING INK RELATED MATERIAL

(including printing ink thinning or reducing compound), flammable (vapour

pressure

at 50 °C not more than

110 kPa) 640D

14.3 - Transport hazard class(es)

ADR Transport hazard

class(es)

3

ADR Classification code:

Pictograms

F1

3

3

Transport hazard class(es)

(RID)

Pictograms

3

Transport hazard class(es)

(ADN)

Pictograms

Transport hazard class(es)

(IMDG)

3



1 L Black Ink

Pictograms

Transport hazard class(es) 3

(IATA)

Pictograms



14.4 - Packing group

Packing group Ш Ш Packing group (RID) Ш Packing group (ADN) Packing group (IMDG) Ш Packing group (IATA) Ш

14.5 - Environmental hazards

Environmental hazards No Marine pollutant No

14.6 - Special precautions for user

ADR

ADR Classification code: F1 ADR Special provisions 163+ 640D+367

ADR Limited quantity (LQ) 5 L ADR Excepted quantities E2

ADR Packing instructions P001 IBC02 R001

ADR Special packing provisions PP1 **MP19** ADR Mixed packing provisions Instructions for portable tanks and bulk containers T4 Special provisions for portable tanks and bulk containers TP1 TP8 ADR tank code **LGBF**

ADR tanks special provisions

Vehicle for tank carriage FL ADR Transport category 2 ADR Tunnel restriction code D/E

ADR Special provisions loading, unloading and handling

Special provisions - Packages

Special provisions - Bulk

Special provisions - Operation S2, S20 33

ADR Hazard identification number (Kemler No.)



1 L Black Ink

 RID

 Special provisions
 :

 Limited quantity (LQ)
 :

ADN

Excepted quantities

Special provisions
:

Limited quantity (LQ)
:

Excepted quantities
:

IMDG

Special provisions:Limited quantity (LQ):5Excepted quantities:E2Packing instructions:P001

Special packing provisions

IBC instruction(s)

IBC provisions

Instructions for portable tanks and bulk containers

Special provisions for portable tanks and bulk containers

EmS codes

Stowage and handling :

Segregation

Properties and observations :

IATA

PCA - Excepted quantitiesE2PCA - Limited Quantity - Packing Instructions: Y341PCA - Limited Quantity - Maximum Net Quantity per Package: 1PCA - Packing Instructions: 353PCA - Maximum Net Quantity per Package: 5CAO - Packing Instructions: 364CAO - Maximum Net Quantity per Package: 60

Special Provisions

ERG Code :

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH None

candidates

Substances Annex XIV None
Substances Annex XVII None

VOC content No data available

15.2 - Chemical Safety Assessment



1 L Black Ink

 $\frac{\mbox{Chemical safety assessment carried}}{\mbox{out for the product}} \ \ \mbox{- No information available}.$

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
2,1	01/09/2023		
1	26/01/2018		

Texts of the regulatory sentences

Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Eye irritation - Category 2
Eye Irrit. 2A	Eye irritation - Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
STOT SE 3 (H336)	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

*** *** ***