

ASKO

Inspired by Scandinavia



Dishwashers

Contents

Our history	3
About ASKO	4
The dishwasher designed to last for 20 years	5
A durable dishwasher is the sustainable choice	7
18 place settings: the world's largest capacity	9
Racks uniquely designed for all types of dishes	11
World's tallest loading height	13
Intuitive and effective programs	15
Super Cleaning System™	17
Let there be light!	18
Adjustable power zones	19
Perfect drying	21
Sliding door opening system	23
Push to open door	24
Auto Dose - demands less of you	25
A dishwasher you can really connect with	26
We've replaced noise with color	27
Dishwasher Accessories	29
ASKO dishwashing gel	30
Clean, minimalistic and easy to use interface	31
International awards	32
<hr/>	
40 Series Dishwasher	33
50 Series Dishwasher	34
60 Series Dishwasher	35
60+ Series Dishwasher	36
Outdoor Dishwasher	37

Our history

The beginning of ASKO was an act of love – no more, no less. In the 1950s, a young farmer in Jung, south of Lidköping in Sweden, saw his mother's predicament: washing by hand is wet, cold, hard and heavy. He wished to ease her washing burden, and so he invented his own washing machine. It had superior cleaning performance, with built-in water heating, spinning and a durable stainless steel structure. When others saw his washing machine, they wanted one too. Pretty soon, production began.

More than 70 years later, ASKO is a global brand that designs and develops premium kitchen and laundry appliances for homes and businesses. We manufacture our products to the highest possible standards and develop our domestic appliances based on professional principles.

Today, ASKO helps people around the world to cook, clean and care for their families whilst looking after the environment. With a uniquely Scandinavian approach, ASKO combines award-winning design with innovative features and smart solutions. We create products and services that are destined to become a much-loved part of people's homes and lives.



About ASKO

We're inspired by Scandinavian values: healthy living, fairness, care for people, functional and minimalistic design, dedicated craftsmanship and environmental responsibility. We want to reflect the values of care, honesty, reliability and respect and combine them with a feeling for quality and respect for the environment. We are driven by the passion to create products that can become a much-loved part of your home, that are a joy to use, that take great care of you and your family, and that can provide you with the inspiration, the opportunity and the time to do the things you really enjoy.



The dishwasher designed to last for 20 years

Today, sustainability and responsibility go hand in hand. So when we design our products, it is our responsibility to not only make products that last, but which also make things better — for our customers and for the planet.

It was this approach that led to our latest dishwashers: the 40, 50, 60, 60+, and Outdoor Series. Developed responsibly. Designed to make a difference. And built to be enjoyed for the next 20 years.

With our assortment of ASKO dishwashers we give you value for money in every detail. With sturdy flexible racks and among the lowest water and energy consumption on the market, they will meet all your demands when choosing a new dishwasher. Our XXL and XL/ADA Height models, have the world's largest loading heights, and a unique flexible four rack system with place for up to the dinner settings you need for 18 persons — which is equal to 204 items!

60+ SERIES

60 SERIES

50 SERIES

40 SERIES



OUTDOOR



A durable dishwasher is the sustainable choice

ASKO builds dishwashers for commercial and industrial use, such as care homes for the elderly, bed & breakfasts, hotels, hairdressers, campsites, daycare centers etc. – products that are used many times a day and therefore need to be built to last longer. We know what it takes to design, develop and manufacture stable, sturdy constructions that can handle all the demands that come from commercial

use. Your benefit is that all our products for the domestic market are built in the same way as our professional products. With more steel and less plastic, and focus on high durability, quality and performance, it reduces the need for costly repairs or replacement parts. In short, an ASKO Dishwasher is the durable choice. It's also one of the most sustainable.



8 Steel™ - more steel less plastic

ASKO's dishwashers are made of steel; no other dishwashers have so many details in steel instead of plastic. No other material lasts as long as steel. This is why we produce our dishwashers with eight of the most important components made of high-quality steel rather than plastic, such as; container, loading racks, spray pipe, spray arms, strainers, outer base, feet, and inner door. Our machines are built to last longer, and they do.

Brushless motors

ASKO dishwashers come with a high-efficiency brushless motor that offers the following advantages:


- Improved cleaning performance
- Less noise
- Optimized program duration
- Variable water pressure to maintain a balanced water consumption and sound level
- Variable water pressure is also used for different programs such as low water pressure for Crystal program and high water pressure for Intensive wash.
- Reduced energy consumption
- Long durability

A greener way to clean

We never expect you to compromise when it comes to performance and your concerns for the planet. ASKO Dishwashers are equipped with a range of sustainable functions that balance care for the environment with top-quality results. Adaptive Green mode is a perfect example. It measures the dirtiness of the load then delivers heat and water levels to suit. Adaptive Green Mode always strives for the lowest possible water and energy consumption and uses as little as 2 gallons (7.5 liters) of water in a cycle – including two rinses with fresh water (depends on soiling level).



18 place settings: **the world's largest capacity**



XL or XXL loading across 4 levels

Our dishwashers offer up to 18 place settings and a lot of loading options for all odd kitchen utensils. The loading height of between 21 17/64" for our XL dishwashers and 22 53/64" for our XXL dishwashers leaves plenty of space for large plates and tall wine glasses. Depending on the model, ASKO offers the possibility of loading on three and four levels. All models can be installed in a standard cabinet.

Our XL models are ADA height compliant and our XXL models have the highest interior tub on the market.



Ultra Flexible Cutlery Tray

Located at the top of the device, it contains a dedicated spray arm. It can be used to place spoons, forks and knives, bowls or other difficult-to-place utensils. Thanks to its optimized width, it leaves room for placing tall glasses in the upper rack. The insert is easy to remove and place on the kitchen counter for convenient unloading.




Height Adjustable Racks

Thanks to our Instant Lift™ system, you can lift or lower the cutlery tray depending on the size of the utensils or to free up space for the upper rack. In the top position, the space measures 1 37/64", and in the bottom position, can measure up to 2 9/32". Simple, smart and flexible.

Racks uniquely designed for all types of dishes

The racks in the new 40, 50, 60, and 60+ series are completely unique. Whether you're cleaning pots and pans, glasses,

large kitchen utensils or baking trays, the racks can be easily adapted to suit the load. Simple, smart and very convenient.



Double Wheel adjustment

The Double Wheel height adjustment makes it quick and easy to remove and replace the entire basket from the rails.



Wine glasses

Wine glasses stand securely regardless of size.



Upper basket for larger items

Being able to adjust the height of the upper basket and top basket are key features of our Flexi Racks™ system. This frees up more space in the basket below for when you want to wash larger objects such as baking trays or tall glasses and bottles.

The upper basket can be adjusted by 1 37/64" and the top cutlery tray by 25/32". This makes them easier to insert and remove.



Middle rack (60, 60+ Series)

This rack includes an insert for knives and utensils as well as an insert for bowls with a dedicated spray zone. The telescopic slides are fitted with ball bearings for extra smooth operation.



A lower rack with full flexibility

The extremely modular nature of the lower rack allows it to hold a large variety of recipients. For optimal cleaning results, very dirty dishes can be placed directly in the back of the rack on top of one of the two PowerZones™. You can even lower the plate guides if you need a flat surface for very large objects. The lower rack can be with drawn fully on the inner door

Instant Lift™ levers

The Instant Lift™ levers make removing upper baskets and top cutlery drawers quick and easy. Instant Lift™ is included with selected upper baskets and all versions of the top cutlery drawer.



DISHWASHERS

World's tallest loading height

— 22^{17/64} |
Inch

A loading height of up to 22 17/64" (XXL dishwashers) or 21 53/64" (XL dishwashers) means that there is plenty of room for even the largest and most awkward kitchen objects. There's also plenty of room for tall wine glasses, large platters and more. In terms of sheer volume, all this space provides room for around 204 individual items. That's 18 place settings! Our XXL dishwashers have the tallest tub on the market.



Intuitive and effective programs

The dishwashers in the 40, 50, 60, and 60+ series offer a wide variety of cleaning programs, which can be adapted and fine-tuned to suit your needs – from faster, quieter cleaning cycles to more environmentally friendly performance. Each program has undergone rigorous development and testing at our R&D/competence center for dishwashers in Sweden.



Dedicated programs

ECO ECO

This program is ideal for cleaning regular soiled dishes and is the most effective in terms of combined energy and water consumption. This program is used to assess compliance with EU legislation on Ecodesign.

Intensive

A high-temperature program designed to dissolve grease on extremely soiled dishes such as pans, casserole dishes and oven dishes. If these dishes do not completely fill the dishwasher, you can safely add plates and other dishes.

Crystal glass

A gentle, low-temperature program ideal for cleaning fragile items like fine wine glasses and crystal. This program can also be used to clean recently used porcelain providing it is free of dried leftovers.

Plastic

This program has an extra-long drying phase and is ideal for washing plastic items that are dishwasher safe. It is also suitable for porcelain and glasses.

Lower half

This program is used when you only want to clean plates and cutlery loaded in the lower basket. You also have the option of loading slightly soiled dishes in the upper basket, where they will be cleaned.

A Auto

This program measures how dirty the dishes are and automatically adjusts program parameters, water consumption and temperature accordingly. When newly installed, the program must be run five times before it is fully adapted and can provide the best results.

Quick Pro

A fast and effective program using variable water pressure to boost cleaning performance and that quickly takes care of slightly dried leftovers. When combined with Speed mode, the program cycle is even shorter – as fast as 39 minutes.

Time program

This program adapts to the specified running time or finish time. When using this program, it is important to select a time that suits how soiled the dishes are.

Rinse and hold

With this program you can rinse dishes while waiting for the dishwasher to become fully loaded.

Upper half

This program is used when you only want to clean cups and glasses loaded in the upper basket. You also have the option of loading slightly soiled dishes in the lower basket, where they will be cleaned.

Universal

An effective program designed for daily use. It is ideal for taking care of slightly dried leftovers and is suitable for all types of dishes.

Preheated

This program features both a preheating phase and a dishwashing phase. As the water is preheated, the cleaning cycles can be very short – as fast as 20 minutes.

Hygiene

This program is perfect for times when hygiene demands are extra high, e.g. when cleaning baby bottles and cutting boards. The temperature is high in both the main wash and in the final rinse.

Self-cleaning

The self-cleaning program is designed to clean the dishwasher itself and ensures that the dishwasher tub, spray arms and spray pipes are cleaned to the highest hygienic standards.


96h Anti-odor

This program prevents nasty odors caused by dirty dishes that have been left in the dishwasher for too long. The dishwasher's door fan automatically activates twice an hour for a maximum of 96 hours.

40, 50, 60, 60+ SERIES

Super Cleaning System™ (SCS™)

What would you call a cleaning system that cleans the fine filter and all interior surfaces after pre-washing and rinsing the load and lets the main wash start with rinsed dishes, a clean machine, an empty filter and absolutely clean water? We call it Super Cleaning System – SCS+ - or our smartest invention. So far.



Twin Tubes™ spray tubes

ASKO's spray system consists of up to 10 highly effective spray zones which ensure that the whole load gets totally clean. Two PowerZones are located under the lower rack, making the washing-up performance perfect even for the dirtiest pots and pans.




60+ SERIES

Let there be light!

“When it comes to getting dishes and cutlery really clean, there are four important ingredients: temperature, chemistry, mechanical action and time. When developing our new series of dishwashers, we wanted to take cleanliness and hygiene to the highest level. So, we added a fifth and unexpected ingredient – light. UV light, to be

exact. For our bodies, moderate exposure to UV light is a good source of vitamin D. It improves our mood and boosts our energy. But what about our dishes? Well, UV light is also proven to kill bacteria. This is why we decided to build our latest dishwashing innovation around it, enabling up to 99.99999 % bacterial elimination.”

“UV light eliminates up to 99.99999 % of bacteria”





40, 50, 60, 60+ SERIES

Adjustable power zones

To make an already powerful cleaning system even more powerful, we have created two adjustable “power zones” with two different spray patterns. The power zones either produce a concentrated high-pressure hard jet for extra dish washing power on tall, narrow objects like bottles and vases, or a

wider spray for larger dishes, pots and pans. There’s also a “bridging function” where both power zones are set to the wide spray mode for very large dishes or utensils. The power zones are operated manually, so when you don’t need them simply switch them off.



Reaching every corner of the dishwasher

ASKO’s spray system consists of up to 10* highly effective spray zones, which ensure that the entire load gets completely clean – reaching every spot inside the dishwasher. The main spray arms are made from stainless steel, which guarantees a consistent spray for the lifetime of the machine. The baskets and pin rows are designed to allow maximum water reach as well as optimal drying without leaving watermarks on the dishes.



10 Spray™ (*)

1	Dishes in the top rack are sprayed from above.	6	Dishes and cutlery in the lower rack are sprayed from below.
2	Dishes in the upper rack are sprayed from below.	7	Adjustable Power Zone for pots & pans or bottles & vases.
3	Power Zone cleans the content in the cutlery basket.	8	Adjustable Power Zone for pots & pans or bottles & vases.
4	Dishes and cutlery in the lower rack are also sprayed from above.	9	The container bottom and filter for improved filtration (lower spray arm).
5	Right spray zone for the middle rack.	10	The filter is rinsed from the lower spray tower.

* Number of spray zones depends on model

40, 50, 60, 60+ SERIES

Perfect drying

When the dishwashing cycle is finished, you expect your dishes to be clean, dry, ready to use again or ready to put away. This is why we spend so much of our time, energy and expertise developing a drying system that gives you perfect drying results.



Auto Door Open Drying™

This drying method is based on natural condensation and drying with the help of warm indoor air. After the last rinse, the remaining heat from the dishes makes water evaporate from the dishes. It then turns to water again when it meets the colder inside surfaces of the dishwasher. This water is then collected in bottom sump. Finally, the dishwasher automatically opens the door to finish drying the load with warm indoor air.



Turbo Combi Drying™

Turbo Combi Drying™ is the name we give to our fan-assisted drying system. This system effectively removes moisture from the dishwasher compartment and then automatically opens the dishwasher door to finish off drying with the help of the warm dry indoor air from the room. This method of combination drying reduces the total program time and results in dishes that are clean, dry and ready to put away much more quickly than traditional methods.



Turbo Combi Drying™ with sensor control

This is our most advanced drying method. It is based on the same principles as Turbo Combi Drying, but the automatic door opening is regulated by a sensor that measures the temperature in your kitchen. If the kitchen is colder than normal, the door will open at a later stage. If it is warmer, the door opens earlier. This means that energy for drying is used more efficiently and we minimize the steam which eliminates the risk of your cabinetry being damaged by humidity.




50 SERIES

Sliding door opening system

The sliding door enables adjusted and frictionless placement of the integrated decorative outer door of your dishwasher against the baseboard of your kitchen cabinet. The decorative door of the dishwasher slides up when opened and downwards when closed, thus allowing for installation with less leeway, with only a 1/12" gap between the dishwasher door and the baseboard or drawer located

below it. If the dishwasher is fitted with Status Light the gap will be 1/8".

This is an aesthetic and functional solution. In certain cases, it eliminates the need to cut baseboards and is perfect for elevated installations, installations with long doors, or installations when the socket is flush with the door.



A. Outer door closed



B. Outer door slides



C. Outer door completely open



60, 60+ SERIES

Push to open door

Our panel ready dishwashers with the push-to-open mechanism are ideal for open minimalistic kitchens, where the subtle handle-less door contribute to a contemporary feel to your home. You simply give the door's upper part

a light push and the mechanism will then open the door for you. A function for your convenience that also offers the opportunity to integrate your dishwasher in a nice way in your kitchen.



60, 60+ SERIES

Auto Dose

- demands less of you 

Through years of research, we have identified the exact amount of detergent needed to deliver consistently perfect cleaning results. That's our job. Of course, we don't expect you to spend time thinking about this. That's why we designed Auto Dose.

The auto dosing compartment in our dishwashers stores up to 30 days' worth of detergent. This means you only need to fill it once a month. Just load your dishes, choose your program, and you're ready to go. Hassle-free, as it should be. You can use our own ASKO detergent or any other liquid or gel detergent.



The Auto Dosing detergent cartridge is removable – meaning that you can take it out when you need to top-up with detergent. It is also very easy to clean in the sink.

Flexible choice between standard and auto dosage



- Standard dispenser for tablets or powder detergent and rinse aid.
- Dispenser for auto dosing, for detergent gel.

50, 60, AND 60+ SERIES

A dishwasher you can really connect with

The ConnectLife app allows you to control and monitor your ASKO dishwasher remotely via your smartphone or tablet. You can access the online user manual, change settings, check the machine's status

and more. You can even start, stop and pause programs on the move. The app includes a step-by-step guide to help you find the best programs for you depending on what you're washing and how you prefer to wash it.



 **ConnectLife**

40, 50, 60, 60+ SERIES

We've replaced noise with color

Your ASKO dishwasher is so silent, down to 39 dB(A), (37 dB(A) with Night mode), that we had to design a convenient feature: the Status Light™. Blue tells you when you can still open the door to load more items, red tells you when it's too late to do so and green tells you when the dishes are ready.



Status Light™



Blue light

The program has started but you can still load (no detergent in the machine).



Red light

Not recommended to load (detergent in the machine).



Green light

Program is finished, standby for 2 hours.



Flashing red light

Water inlet fault, inlet valve leakage, overfilling and water outlet fault.

Silent night

For all of us who let the dishwasher work while we sleep, we have created night mode. With this mode the water pressure in the spray arms is lowered, reducing the noise level by as much as 2 dB(A) compared to the tested value. This mode is also perfect for open plan solutions with seamless kitchen and living spaces.

Practical and stylish interior lighting

There are up to four highly effective LED lights in our dishwashers. The light comes on when you open the door and lights up the whole machine and the open door. It makes loading and unloading simpler, and makes it easier to find any cutlery or other items you may have dropped inside.



Dishwasher Accessories



Individual Door
Width: 23 5/8" (600 mm)
Height: 34 5/16" (871 mm)
ASKO T-Bar Handle
Stainless Steel
#450087



Individual Door
Width: 24" (609 mm)
Height: 34 5/16" (871 mm)
ASKO T-Bar Handle
Stainless Steel
#450089



Individual Door
Width: 24" (609 mm)
Height: 34 5/16" (871 mm)
ASKO No Handle, Push-to-Open, Stainless Steel
#508044



Individual Door
Width: 24" (609 mm)
Height: 34 5/16" (871 mm)
Pro Handle
Stainless Steel
#462811




Individual Door
Width: 24" (609 mm)
Height: 34 5/16" (871 mm)
Tubular Handle
Stainless Steel
#462507



Small Cutlery Basket
#602908



Middle Basket Bowl Rack
#687479




Wine Glass Shelf
#490854



Tubular Handle Kit
#886704



Pro Handle Kit
#903881



ASKO T-Bar Handle Kit
#886705



Dishwasher Gel Detergent
#LD10

ASKO dishwashing gel

The perfect combination for an easy clean

There are lots of everyday things we can do to make a difference to the world around us. Choosing Eco mode on the dishwasher is just one of them. Sometimes, however, our need for superior performance gets in the way of our good intentions.

For perfectly clean dishes, you need more than just the right detergent – you also need the right amount. With ASKO dishwashing gel, the bottle features clear dosing instructions so you can manually add the amount you need. Our

new ASKO dishwashers also come with Auto Dose, which automatically adds the exact amount of dishwashing gel required according to how soiled the load is, how hard or soft the water is and which program you are using. The result is perfectly clean dishes with no waste and minimum environmental impact.

With new ASKO 3-in-1 dishwashing gel, you never have to choose between what's good for your dishes and what's good for the planet.

Discover all the benefits

- 3 in 1 formulation containing salt and rinse aid
 - No need to buy and load Rinse Aid
 - No need to add softener salt to the unit (if water hardness is < 15dH)
- Double enzyme system which breaks down proteins and starch to optimize cleaning performance
- Up to 60 wash cycles in each 34 oz bottle
- No perfume or color additives
- Developed to maximize the washing and drying performance in ASKO dishwashers
- Bottle made from 100% recycled plastic
- Can be used for both manual - and auto dosing



Clean, minimalistic and easy to use interface

Classic 40 SERIES

Simple, user-friendly design with a clear fully graphical (FFSTN) display on the front.



Logic 40 AND 50 SERIES

Clean minimalistic design that is both elegant and easy on the eye. The integrated, fully graphical (FFSTN) display is conveniently positioned on top of the door.



Style 60 AND 60+ SERIES

Functionality with clean lines and stylish minimalism. Style features superior programs, endless flexibility and high quality, while the attractive and unique full color/easy-to-read (TFT) display highlights the well thought-out and user-friendly design.



International awards

Ever since the 50's when we began our journey as a small producer of appliances, we have been richly awarded for our design, functionality and innovations. Now, almost 70 years later we are proud of the recognition

ASKO has received for the premium level of design, quality, and performance of our products. Below you can find a small collection of some of the awards we have received through the years.

iF Design Award

The ASKO dishwasher was granted an iF DESIGN AWARD 2022 — one of the world's most prestigious design awards. A market leading 20-year product lifetime combined with low consumption figures, when it comes to water and energy, and a timeless design makes the ASKO dishwashers the most sustainable out there with a minimized environmental impact.

The ASKO dishwasher was chosen from around 11,000 entries and granted an iF DESIGN AWARD 2022 by a final jury of 75 design experts from 23 nations. The awards were given on the basis of five criteria: Idea, Form, Function, Differentiation and Impact. They are a tribute to the ASKO's soft, human-centric, minimalist approach of designing useful, reliable, long-lasting products.



European Product Design Award™

The European Product Design Award™ recognizes the efforts of talented international product and industrial designers who aim to improve our daily

lives with their practical, well-thought-out creations. ePDA shares their innovative and ground-breaking products with the world.



40 Series Dishwasher

Durable and sturdy steel racks: 3 level Flexiracks™, **Low noise level:** 42 db(A), (40 db(A) in Night mode), **Effective and fast drying:** Turbo Combi Drying™ system, **Heavy duty design:** 8 Steel™ construction, **Superior cleaning performance:** 9 Spray™ system



Features

- 8 Steel™ construction: non-magnetic stainless steel container, inner door, spray arms, strainers, spray pipes; nylon-coated steel racks; steel feet and outer base in steel.
- Both circulation and drain pump have extra durable and quiet brushless motors
- Fully graphical FFSTN display.
- XXL: Tallest interior tub in the market.
- XL models are ADA height compliant.

Performance

- Super Cleaning System™: Intensive rinsing that cleans the dishes and the machine before main wash.
- Unique 9 Spray™ system, designed for reaching every corner of the dishwasher.
- Adjustable power zones, possible to set for cleaning pots & pans or bottles & vases. Also possible to turn off.
- Turbo Combi Drying™ - fan-assisted drying, and automatic door open drying, that eliminates all humidity.
- 20 years of domestic use. (Quality test: 12,500 hours, 280 cycles per year).

Programs / Options

- 9 programs: Normal, Light, Intensive, Quick, Time, Sanitize, Rinse and Hold, Self-Cleaning, Anti-Odor.
- Washing temperatures: 124 to 158°F.
- 3 Modes: Normal, Speed, Night.
- 2 options: Automatic door opening, Delayed start (1-24 h).

Comfort / Safety

- Status Light™ indicating the progress of the program.
- The Aqua Safe™ system guarantees protection against water leaks.
- Easy installation: From front adjustable door springs (panel ready models) and rear foot (all models).

Dimensions

- Appliance dimensions (H / W / D): 32 1/4" – 34 5/16" / 23 7/16" / 22". 819 – 872 / 596 / 559 mm
- Necessary space dimensions (H / W / D): 32 5/16" – 34 3/8" / 23 5/8" / ≥22 1/16". 820 – 873 / 600 / ≥560 mm
- Length of the power cable / Location: 71 7/8", 1825 mm / Back right.
- Length of PEX inlet hose / Locknut dimensions* / Location: 64", 1625 mm / 3/4", 19.5 mm / Back left
- Length of outlet hose / Outlet diameter / Location: 59 5/8", 1515 mm / 3/4", 19.5 mm / Back left
- Custom door length / Rotation point: 27 9/16" – 31 1/2" (sliding door: 29 15/16" – 33 1/16") / 27 15/16", 700 – 800 (sliding door: 760 – 840) / 710mm).

Baskets and drawers

- Height adjustable top tray
- Premium height adjustable upper rack
- Premium lower rack
- Cutlery basket



(Shown: DBI564IS)



DBI364IS
Pocket Handle
Built-In, XL
Stainless Steel
Interface: Classic
ADA Height



DBI564IS
Pocket Handle
Built-In, XL
Stainless Steel
Interface: Logic
ADA Height



DBI564ISSOF
Pocket Handle
Built-In, XL
Stainless Steel
Interface: Logic
Water Softener
ADA Height



DBI564TIS
ASKO T-Bar Handle
Built-In, XL
Stainless Steel
Interface: Logic
ADA Height



DBI564THS
Tubular Handle
Built-In, XL
Stainless Steel
Interface: Logic
ADA Height



DBI564PHS
Pro Handle
Built-In, XL
Stainless Steel
Interface: Logic
ADA Height



DBI564IXXLS
Pocket Handle
Built-In, XXL
Stainless Steel
Interface: Logic



DFI564
Panel Ready, XL
Titanium
Interface: Logic
ADA Height



DFI564XXL
Panel Ready, XXL
Titanium
Interface: Logic



DBI565IXXLS
Pocket Handle
Built-In, XXL
Stainless Steel
Interface: Logic



DBI565TXXLS
ASKO T-Bar Handle
Built-In, XXL
Stainless Steel
Interface: Logic



DBI565THXXLS
Tubular Handle
Built-In, XXL
Stainless Steel
Interface: Logic



DBI565PHXXLS
Pro Handle
Built-In, XXL
Stainless Steel
Interface: Logic



DFI565
Panel Ready, XL
Titanium
Interface: Logic
ADA Height



DFI565XXL
Panel Ready, XXL
Titanium
Interface: Logic



DFI565XXLSOF
Panel Ready, XXL
Titanium
Interface: Logic
Water Softener



DSD565
Panel Ready, Sliding
Door, XL
Titanium
Interface: Logic
ADA Height

50 Series Dishwasher

Durable and sturdy steel racks: 3 level Flexiracks™, **Low noise level:** 40 db(A), (38 db(A) in Night mode), **Effective and fast drying:** Turbo Combi Drying™ system with sensor control, **Heavy duty design:** 8 Steel™ construction, **Superior cleaning performance:** 9 Spray™ system, **Wi-Fi connection with connected app**



Features

- 8 Steel™ construction: non-magnetic stainless steel container, inner door, spray arms, strainers, spray pipes; nylon-coated steel racks; steel feet and outer base in steel.
- Wi-Fi connection.**
- Both circulation and drain pump have extra durable and quiet brushless motors.
- Fully graphical FFSTN display.
- XXL: Tallest interior tub in the market.

Performance

- Super Cleaning System™: Intensive rinsing that cleans the dishes and the machine before main wash.
- Unique 9 Spray™ system, designed for reaching every corner of the dishwasher.
- Adjustable power zones, possible to set for cleaning pots & pans or bottles & vases. Also possible to turn off.
- Turbo Combi Drying™ - fan-assisted drying **with sensor-controlled** automatic door open drying, that eliminates all humidity (DSD565 has Auto door opening drying).
- 20 years of domestic use. (Quality test: 12,500 hours, 280 cycles per year).
- Adaptive green mode - auto adjusts the wash cycle to the dirtiness level.**

Programs / Options

- 9 Programs: Normal, **Auto**, Intensive, **Quick Pro**, Time, Sanitize, Rinse and Hold, Self-Cleaning, Anti-Odor.
- Washing temperatures: 124 to 158°F.
- 3 Modes: Normal, Speed, Night.
- 2 options: Automatic door opening, Delayed start (1-24 h).

Comfort / Safety

- Status Light™ indicating the progress of the program.
- Two interior LED lights.**
- The Aqua Safe™ system guarantees protection against water leaks.
- Easy installation: From front adjustable door springs (panel ready models) and rear foot (all models).

Dimensions

- Appliance dimensions (H / W / D): 32 1/4" – 34 5/16" / 23 7/16" / 22". 819 – 872 / 596 / 559 mm
- Necessary space dimensions (H / W / D): 32 5/16" – 34 3/8" / 23 5/8" / ≥22 1/16". 820 – 873 / 600 / ≥560 mm
- Length of the power cable / Location: 71 7/8", 1825 mm / Back right.
- Length of PEX inlet hose / Locknut dimensions* / Location: 64", 1625 mm / 3/4", 19.5 mm / Back left
- Length of outlet hose / Outlet diameter / Location: 59 5/8", 1515 mm / 3/4", 19.5 mm / Back left
- Custom door length / Rotation point: 27 9/16" – 31 1/2" (sliding door: 29 15/16" – 33 1/16") / 27 15/16", 700 – 800 (sliding door: 760 – 840) / 710mm).

Baskets and drawers

- Height adjustable top tray with **telescopic ball bearing rails**
- Exclusive** height adjustable upper rack
- Exclusive** lower rack
- Cutlery basket



(Shown: DBI565THXXLS)



DBI776IXLSSOF
Pocket Handle Soft Close
Built-In, XXL
Stainless Steel
Interface: Style
Water Softener



DFI776XXLSOF
Panel Ready, XXL
Stainless Steel
Interface: Style
Water Softener

60 Series Dishwasher

Durable and sturdy steel racks: 3 level Flexiracks™, **Low noise level:** 39 db(A), (37 dB(A) in Night mode), **Effective and fast drying:** Turbo Combi Drying™ system with sensor control, **Heavy duty design:** 8 Steel™ construction, **Superior cleaning performance:** 9 Spray™ system, **Push-to-open:** handle-free door opening (panel ready model), Wi-Fi connection with connected app, **Convenience:** Auto Dose function



Features

- 8 Steel™ construction: non-magnetic stainless steel container, inner door, spray arms, strainers, spray pipes; nylon-coated steel racks; steel feet and outer base in steel.
- Wi-Fi connection.
- Both circulation and drain pump have extra durable and quiet brushless motors.
- Extra wide and easy-to-read high-definition TFT display.**
- Auto Dose function for gel-based detergent, lasts up to 30 cycles.**
- XXL: Tallest interior tub in the market.

Performance

- Super Cleaning System™: Intensive rinsing that cleans the dishes and the machine before main wash.
- Unique 9 Spray™ system, designed for reaching every corner of the dishwasher.
- Adjustable power zones, possible to set for cleaning pots & pans or bottles & vases. Also possible to turn off.
- Adaptive green mode - auto adjusts the wash cycle to the dirtiness level.
- Turbo Combi Drying™ - fan-assisted drying with sensor-controlled automatic door open drying, that eliminates all humidity.
- 20 years of domestic use. (Quality test: 12,500 hours, 280 cycles per year).

Programs / Options

- 15 programs: Normal, Auto, **Eco, Light**, Intensive, Quick Pro, **Crystal**, Time, Sanitize, **Plastic**, Rinse and Hold, Self-cleaning, **Lower Half, Upper Half**, Anti-Odor.
- Washing temperatures: 124 to 158°F.
- 5 Modes:** Normal, Speed, Night, **Adaptive Green mode** and **Heat boost**.
- 2 options: Automatic door opening, Delayed start (1-24 h).

Comfort / Safety

- Status Light™ indicating the progress of the program.
- 4 LED lights illuminates the inside of the dishwasher.**
- The Aqua Safe™ system guarantees protection against water leaks.
- Easy installation: From front adjustable door springs and rear foot (panel ready model).

Dimensions

- Appliance dimensions (H / W / D): 34 5/16" / 23 7/16" / 22". 872 / 596 / 559 mm
- Necessary space dimensions (H / W / D): 34 3/8" / 23 5/8" / ≥22 1/16". 873 / 600 / ≥560 mm
- Length of the power cable / Location: 71 7/8", 1825 mm / Back right.
- Length of PEX inlet hose / Locknut dimensions* / Location: 64", 1625 mm / 3/4", 19.5 mm / Back left
- Length of outlet hose / Outlet diameter / Location: 59 5/8", 1515 mm / 3/4", 19.5 mm / Back left
- Custom door length / Rotation point: 31 1/2" (sliding door: 33 1/16") / 27 15/16", 800 (sliding door: 840) / 710mm).

Baskets and drawers

- Exclusive height adjustable upper rack
- Exclusive middle rack with removable inserts**
- Exclusive lower rack
- Cutlery basket



(Shown: DBI776IXLSSOF)



DBI786IXLSSOF
Pocket Handle Soft Close
Built-In, XXL
Stainless Steel
Interface: Style
Water Softener



DFI786XXLSOF
Panel Ready, XXL
Stainless Steel, and
Panel Ready
Interface: Style
Water Softener

60+ Series Dishwasher

Durable and sturdy steel racks: 4 level Flexiracks™, **Low noise level:** 39 db(A), (37 dB(A) in Night mode), **Effective and fast drying:** Turbo Combi Drying™ system with sensor control, **Heavy duty design:** 8 Steel™ construction, **Superior cleaning performance:** 10 Spray™ system, **Push-to-open:** handle-free door opening (panel ready model), Wi-Fi connection with connected app, **Extra hygienic:** UV Cleanse mode, **Convenience:** Auto Dose function



Features

- Exclusive Flexiracks™ with middle basket and top tray. Can hold 18 place settings; world's largest capacity.
- 8 Steel™ construction: non-magnetic stainless steel container, inner door, spray arms, strainers, spray pipes; nylon-coated steel racks; steel feet and outer base in steel.
- Wi-Fi connection.
- Highest hygiene standards with UV Cleanse™ function.**
- Both circulation and drain pump have extra durable and quiet brushless motors.
- Extra wide and easy-to-read high-definition TFT display.
- Auto Dose function for gel-based detergent, lasts up to 30 cycles.
- XXL: Tallest interior tub in the market.
- XL models are ADA height compliant.

Performance

- Super Cleaning System™: Intensive rinsing that cleans the dishes and the machine before main wash.
- Unique 10 Spray™ system**, designed for reaching every corner of the dishwasher.
- Adjustable power zones, possible to set for cleaning pots & pans or bottles & vases. Also possible to turn off.
- Adaptive green mode - auto adjusts the wash cycle to the dirtiness level.
- Turbo Combi Drying™ - fan-assisted drying with sensor-controlled automatic door open drying, that eliminates all humidity.
- 20 years of domestic use. (Quality test: 12,500 hours, 280 cycles per year).

Programs / Options

- 15 programs: Normal, Auto, Eco, Light, Intensive, Quick Pro, Crystal, Time, Sanitize, Plastic, Rinse and Hold, Self-Cleaning, Lower Half, Upper Half, Anti-odor.
- Washing temperatures: 124 to 158°F.
- 6 Modes:** Normal, Speed, Night, Adaptive Green mode and Heat boost and **UV Cleanse**.
- 2 options: Automatic door opening, Delayed start (1-24 h).

Comfort / Safety

- Status Light™ indicating the progress of the program.
- 4 LED lights illuminates the inside of the dishwasher.
- The Aqua Safe™ system guarantees protection against water leaks.
- Easy installation: From front adjustable door springs and rear foot (panel ready model).

Dimensions

- Appliance dimensions (H / W / D): 34 5/16" / 23 7/16" / 22". 872 / 596 / 559 mm
- Necessary space dimensions (H / W / D): 34 3/8" / 23 5/8" / ≥22 1/16". 873 / 600 / ≥560 mm
- Length of the power cable / Location: 71 7/8", 1825 mm / Back right.
- Length of PEX inlet hose / Locknut dimensions* / Location: 64", 1625 mm / 3/4", 19.5 mm / Back left
- Length of outlet hose / Outlet diameter / Location: 59 5/8", 1515 mm / 3/4", 19.5 mm / Back left
- Custom door length / Rotation point: 31 1/2" (sliding door: 33 1/16") / 27 15/16", 800 (sliding door: 840) / 710mm).

Baskets and drawers

- Top Tray with Telescopic ball bearing rails**
- Exclusive height adjustable upper rack
- Exclusive middle rack with removable inserts
- Exclusive lower rack
- Cutlery basket



(Shown: DBI786IXLSSOF)

Accessory door options




Tubular Handle



ASKO Pro Handle



Pro Handle



ASKO T-Bar Handle



Individual Door
ASKO No Handle,
Push-to-Open

**DOD561TXXLS**

T-Bar Handle
Freestanding Outdoor, XXL
Stainless Steel
Interface: Style

Outdoor Dishwasher

Durable and sturdy steel racks: 3 level Flexiracks™, Low noise level: 48 db(A), Effective and fast drying: Auto door opening, Heavy duty design: 8 Steel™ construction, Superior cleaning performance: 7 Spray™ system

**Features**

- 8 Steel™ construction: non-magnetic stainless steel container, inner door, spray arms, strainers, spray pipes; nylon-coated steel racks; steel feet and outer base in steel.
- Both circulation and drain pump have extra durable and quiet brushless motors.
- Fully graphical FFSTN display.
- **Only UL approved Outdoor dishwasher in the world!**

Performance

- Super Cleaning System™: Intensive rinsing that cleans the dishes and the machine before main wash.
- Unique 7 Spray™ system, designed for reaching every corner of the dishwasher.
- Adjustable power zones, possible to set for cleaning pots & pans or bottles & vases. Also possible to turn off.
- Auto door opening
- 20 years of domestic use. (Quality test: 12,500 hours, 280 cycles per year)

Programs / Options

- 9 Programs: Normal, Light, Intensive, Quick, Time, Sanitize, Rinse and Hold, Self-Cleaning.
- Washing temperatures: 124 to 158°F.
- 3 Modes: Normal, Speed and Night.
- 2 options: Automatic door opening, Delayed start (1-24 h).

Comfort / Safety

- The Aqua Safe™ system guarantees protection against water leaks.

Dimensions

- Appliance dimensions (H / W / D): 34 5/16" / 23 7/16" / 22". 872 / 596 / 559 mm
- Necessary space dimensions (H / W / D): 34 3/8" / 23 5/8" / ≥22 1/16". 873 / 600 / ≥560 mm
- Length of the power cable / Location: 7 7/8", 1825 mm / Back right.
- Length of PEX inlet hose / Locknut dimensions* / Location: 64", 1625 mm / 3/4", 19.5 mm / Back left
- Length of outlet hose / Outlet diameter / Location: 59 5/8", 1515 mm / 3/4", 19.5 mm / Back left
- Custom door length / Rotation point: 31 1/2" (sliding door: 33 1/16") / 27 15/16", 800 (sliding door: 840) / 710mm).

Baskets and drawers

- Height adjustable top tray
- Height adjustable Premium Upper Rack
- Premium Lower Rack
- Cutlery Basket



(Shown: DOD561TXXLS)

 **ASKO**
Inspired by Scandinavia

us.asko.com

ca.asko.com

asko.com/mx