

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC  
ISO/IEC 17025:2017 Acc. L17-427-1 #85368



Sample **Road Trip - Desert Stardust - Pineapple**

|                   |                                      |                  |                              |
|-------------------|--------------------------------------|------------------|------------------------------|
| Sample ID         | SD231107-011 (87024)                 | Matrix           | Edible (Other Cannabis Good) |
| Tested for        | derek@erthwellness.com               | Reported         | Nov 13, 2023                 |
| Sampled           | -                                    | Received         | Nov 06, 2023                 |
| Analyses executed | RES, MIBNIG, MTO, PES, AMU, TRY, PSY | Unit Mass (g)    | 13.441                       |
|                   |                                      | Num. of Servings | 4                            |
|                   |                                      | Serving Size (g) | 3.36                         |

AMU - Amanita Muscaria Analysis

Analyzed Nov 10, 2023 | Instrument HPLC VWD | Method SOP-AMU  
The expanded Uncertainty of the analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte              | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|----------------------|---------|---------|----------|-------------|-------------------|----------------|
| Ibotenic Acid (IBOa) | 1.025   | 3.105   | ND       | ND          | ND                | ND             |
| Muscimol (MUOL)      | 0.19    | 0.576   | ND       | ND          | ND                | ND             |
| <b>Total</b>         |         |         | ND       | ND          | ND                | ND             |

Sample photography



TRY - Tryptamine Analysis

Analyzed Nov 08, 2023 | Instrument NA  
The expanded Uncertainty of the analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte              | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|----------------------|----------|----------|----------|-------------|-------------------|----------------|
| Norbaeocystin (NORB) | 5.0e-05  | 0.00015  | ND       | ND          | ND                | ND             |
| Baeocystin (BAEO)    | 5.0e-05  | 0.00015  | ND       | ND          | ND                | ND             |
| Aeruginascin (AERU)  | 4.0e-05  | 0.00011  | ND       | ND          | ND                | ND             |
| Norpsilocin (NORP)   | 2.0e-05  | 5.0e-05  | ND       | ND          | ND                | ND             |
| <b>Total</b>         |          |          | ND       | ND          | ND                | ND             |

PSY - Psilocybin & Psilocin Analysis

Analyzed Nov 10, 2023 | Instrument HPLC VWD | Method SOP-PSY  
The expanded Uncertainty of the analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte           | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|-------------------|----------|----------|----------|-------------|-------------------|----------------|
| Psilocybin (PSCY) | 3.0e-05  | 9.0e-05  | ND       | ND          | ND                | ND             |
| Psilocin (PSCI)   | 2.0e-05  | 5.0e-05  | ND       | ND          | ND                | ND             |
| <b>Total</b>      |          |          | ND       | ND          | ND                | ND             |

MIBNIG - Microbial Analysis

Analyzed Nov 08, 2023 | Instrument Plating | Method SOP-007

| Analyte                                | LOD | LOQ | Result CFU/g | Limit         | Analyte         | LOD | LOQ | Result CFU/g | Limit         |
|--|-----|-----|--------------|---------------|-----------------|-----|-----|--------------|---------------|
| Shiga toxin-producing Escherichia Coli |     |     | ND           | ND per 1 gram | Salmonella spp. |     |     | ND           | ND per 1 gram |

MTO - Mycotoxin Analysis

Analyzed Nov 07, 2023 | Instrument LC/MSMS | Method SOP-004

| Analyte      | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg | Analyte          | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg |
|--------------|-----------|-----------|--------------------|-------------|------------------|-----------|-----------|--------------------|-------------|
| Ochratoxin A | 5.0       | 20.0      | ND                 | 20          | Aflatoxin B1     | 2.5       | 5.0       | ND                 | -           |
| Aflatoxin B2 | 2.5       | 5.0       | ND                 | -           | Aflatoxin G1     | 2.5       | 5.0       | ND                 | -           |
| Aflatoxin G2 | 2.5       | 5.0       | ND                 | -           | Total Aflatoxins | 10.0      | 20.0      | ND                 | 20          |

UJ Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Lab Manager  
Mon, 13 Nov 2023 16:17:14 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides Analysis

Analyzed Nov 07, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte                 | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte               | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb                | 0.0078   | 0.02     | ND          | 0.0078     | Carbofuran            | 0.01     | 0.02     | ND          | 0.01       |
| Dimethoate              | 0.01     | 0.02     | ND          | 0.01       | Etofenprox            | 0.02     | 0.1      | ND          | 0.02       |
| Fenoxycarb              | 0.01     | 0.02     | ND          | 0.01       | Thiachloprid          | 0.01     | 0.02     | ND          | 0.01       |
| Daminozide              | 0.01     | 0.03     | ND          | 0.01       | Dichlorvos            | 0.02     | 0.07     | ND          | 0.02       |
| Imazail                 | 0.02     | 0.07     | ND          | 0.02       | Methiocarb            | 0.01     | 0.02     | ND          | 0.01       |
| Spiroxamine             | 0.01     | 0.02     | ND          | 0.01       | Coumaphos             | 0.01     | 0.02     | ND          | 0.01       |
| Fipronil                | 0.01     | 0.1      | ND          | 0.01       | Paclbutrazol          | 0.01     | 0.03     | ND          | 0.01       |
| Chlorpyrifos            | 0.01     | 0.04     | ND          | 0.01       | Ethoprophos (Prophos) | 0.01     | 0.02     | ND          | 0.01       |
| Baygon (Propoxur)       | 0.01     | 0.02     | ND          | 0.01       | Chlordane             | 0.04     | 0.1      | ND          | 0.04       |
| Chlorfenapyr            | 0.03     | 0.1      | ND          | 0.03       | Methyl Parathion      | 0.02     | 0.1      | ND          | 0.02       |
| Mevinphos               | 0.05     | 0.08     | ND          | 0.03       | Abamectin             | 0.03     | 0.08     | ND          | 0.3        |
| Acephate                | 0.02     | 0.05     | ND          | 5          | Acetamidprid          | 0.01     | 0.05     | ND          | 5          |
| Azoxystrobin            | 0.01     | 0.02     | ND          | 40         | Bifenazate            | 0.01     | 0.05     | ND          | 5          |
| Bifenthrin              | 0.02     | 0.35     | ND          | 0.5        | Boscalid              | 0.01     | 0.03     | ND          | 10         |
| Carbaryl                | 0.01     | 0.02     | ND          | 0.5        | Chlorantraniliprole   | 0.01     | 0.04     | ND          | 40         |
| Clofentezine            | 0.01     | 0.03     | ND          | 0.5        | Diazinon              | 0.01     | 0.02     | ND          | 0.2        |
| Dimethomorph            | 0.02     | 0.06     | ND          | 20         | Etoazole              | 0.01     | 0.05     | ND          | 1.5        |
| Fenpyroximate           | 0.02     | 0.1      | ND          | 2          | Fonicamid             | 0.01     | 0.02     | ND          | 2          |
| Fludioxonil             | 0.01     | 0.05     | ND          | 30         | Hexythiazox           | 0.01     | 0.03     | ND          | 2          |
| Imidacloprid            | 0.01     | 0.05     | ND          | 3          | Kresoxim-methyl       | 0.01     | 0.03     | ND          | 1          |
| Malathion               | 0.01     | 0.05     | ND          | 5          | Metalaxyl             | 0.01     | 0.02     | ND          | 15         |
| Methomyl                | 0.02     | 0.05     | ND          | 0.1        | Myclobutanil          | 0.02     | 0.07     | ND          | 9          |
| Naled                   | 0.01     | 0.02     | ND          | 0.5        | Oxamyl                | 0.01     | 0.02     | ND          | 0.2        |
| Permethrin              | 0.01     | 0.02     | ND          | 20         | Phosmet               | 0.01     | 0.02     | ND          | 0.2        |
| Piperonyl Butoxide      | 0.02     | 0.06     | ND          | 8          | Propiconazole         | 0.03     | 0.08     | ND          | 20         |
| Prallethrin             | 0.02     | 0.05     | ND          | 0.4        | Pyrethrin             | 0.05     | 0.41     | ND          | 1          |
| Pyridaben               | 0.02     | 0.07     | ND          | 3          | Spinosad A            | 0.01     | 0.05     | ND          | 3          |
| Spinosad D              | 0.01     | 0.05     | ND          | 3          | Spiromesifen          | 0.02     | 0.06     | ND          | 12         |
| Spirotetramat           | 0.01     | 0.02     | ND          | 13         | Tebuconazole          | 0.01     | 0.02     | ND          | 2          |
| Thiamethoxam            | 0.01     | 0.02     | ND          | 4.5        | Trifloxystrobin       | 0.01     | 0.02     | ND          | 30         |
| Acequinocyl             | 0.02     | 0.09     | ND          | 4          | Captan                | 0.01     | 0.02     | ND          | 5          |
| Cypermethrin            | 0.02     | 0.1      | ND          | 1          | Cyfluthrin            | 0.04     | 0.1      | ND          | 1          |
| Fenhexamid              | 0.02     | 0.07     | ND          | 10         | Spinetoram J.L        | 0.02     | 0.07     | ND          | 3          |
| Pentachloronitrobenzene | 0.01     | 0.1      | ND          | 0.2        |                       |          |          |             |            |

RES - Residual Solvents Analysis

Analyzed Nov 07, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte                    | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte                      | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop)             | 0.4      | 40.0     | ND          |            | Butane (But)                 | 0.4      | 40.0     | ND          |            |
| Methanol (Metha)           | 0.4      | 40.0     | ND          |            | Ethylene Oxide (EthOx)       | 0.4      | 0.8      | ND          |            |
| Pentane (Pen)              | 0.4      | 40.0     | ND          |            | Ethanol (Ethanol)            | 0.4      | 40.0     | ND          |            |
| Ethyl Ether (EthEt)        | 0.4      | 40.0     | ND          |            | Acetone (Acet)               | 0.4      | 40.0     | ND          |            |
| Isopropanol (2-Pro)        | 0.4      | 40.0     | ND          |            | Acetonitrile (Acetonit)      | 0.4      | 40.0     | ND          |            |
| Methylene Chloride (MetCh) | 0.4      | 0.8      | ND          |            | Hexane (Hex)                 | 0.4      | 40.0     | ND          |            |
| Ethyl Acetate (EthAc)      | 0.4      | 40.0     | ND          |            | Chloroform (Clo)             | 0.4      | 0.8      | ND          |            |
| Benzene (Ben)              | 0.4      | 0.8      | ND          |            | 1-2-Dichloroethane (12-Dich) | 0.4      | 0.8      | ND          |            |
| Heptane (Hep)              | 0.4      | 40.0     | ND          |            | Trichloroethylene (TriClEtH) | 0.4      | 0.8      | ND          |            |
| Toluene (Toluene)          | 0.4      | 40.0     | ND          |            | Xylenes (Xyl)                | 0.4      | 40.0     | ND          |            |

UJ Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Lab Manager  
 Mon, 13 Nov 2023 16:17:14 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.