



*Assembly Instructions*

## **Poly Mission Hanging Daybed**



*Thank you for choosing **A&L Furniture Co.***

*We hope that this piece brings you many years of enjoyment!*

For help with assembling your furniture,  
or if you have missing hardware, please email us at  
[help@aandlfurniture.com](mailto:help@aandlfurniture.com) or call us at 866-896-5747


## PARTS (included)

(A) Headboard Assembly (2)

(B) Back Assembly (1)

(C) Side Rail (1)

(D) Mattress Board (8)



## TOOLS NEEDED

Screw Gun

## HARDWARE (included)

(a) 1/4" x 2 3/4" Bolt (12)

(b) 2" Screws (32)

(c) Eyebolt (4)

(d) Allen Wrench (1)

(e) Square Drive Bit (1)

(f) Rope (4)



## STEP 1

Attach the headboards to the back assembly on each side using the 2 3/4" bolts. (See photos 1 & 2.) Use the included Allen wrench to tighten. Note: Do not fully tighten any bolts until all are started.




photo 1




photo 2

## STEP 2

Attach the side rail to the headboards at the front using 2 3/4" bolts. (See photos 3 & 4.) Note: Do not fully tighten any bolts until all are started.




photo 3




photo 4

## STEP 3

Attach the mattress boards to the inside bottom of the frame using the 2" screws. (See photos 5 & 6.) You will need to use the included square drive bit with your screwgun. Space the boards as evenly as possible.




photo 5




photo 6

## STEP 4

Screw the eyebolts into the headboards towards the top. (See photos 7 & 8.) You will need to do this at the front and back of the bed. Screw them in as tight as you can.




photo 7




photo 8

## STEP 5

Thread the end of one of the ropes through each eyebolt from the top. (See photo 9.) Make a knot in the end of the rope below the eyebolt. (See photos 10, 11 & 12.) Pull the knot up against the eyebolt. (See photo 13.)




photo 9




photo 10




photo 11




photo 12




photo 13

The rope can also be adjusted to make the swing hang a little higher or lower. (See series of photos below.)  
Note: You will receive the ropes adjusted short in length. The photos show the ropes being adjusted long in length.

