

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/22/2016 Revision date: 06/01/2017

1.1. Product identifier Product form : Mixture Product ode Product ode : 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use : 1.3. Details of the supplier of the safety data sheet 1.4. Emergency telephone number Emergency number : SECTION 2: Hazards identification : 2.1. Classification of the substance or mixture GHS-US classification : Sin Sens. 1 H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labeling : Hazard pictograms (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : P200 - Keep away from heat, hot surfaces, open flames, sparks No smoking P222 - Contaminated work clohing must not te allowed aut of the workplace P2800 - Wear yee protection, have protection, protective diversible input P300-P323 - Nage of I on skin: Was with plenty of water P333 - Wear yee protection, face protective. Glowing, protective glows P3024-P332 - I on skin: Was with plenty of water <	DN 1: Identification of the substance	e/mixture and of the company/undertaking
Product name : Citrus Spruce Product code : 12. Relevant identified uses of the substance or mixture and uses advised against Recommended use : Perfumes, Fragrances 13. Details of the supplier of the safety data sheet 14. Emergency telephone number Emergency number : SECTION 2: Hazards identification 21. Classification of the substance or mixture GHS-US classification Film, Liq, 4 H227 Skin Sens. 1 H317 Full text of H statements : see section 16 22. Label elements GHS-US labeling Hazard pictograms (GHS-US) : Signal word (GHS-US) : Film 2: Warning Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Pr	Product identifier	
Product code : 12. Relevant identified uses of the substance or mixture and uses advised against Recommended use : Perfumes, Fragrances 13. Details of the supplier of the safety data sheet 14. Emergency telephone number Emergency number : SECTION 2: Hazards identification 21. Classification of the substance or mixture GHS-US classification Film. Liq. 4 H227 Skin Sens. 1 H317 Full text of H statements : see section 16 22. Label elements GHS-US classification Film. Liq. 4 H227 Skin Sens. 1 H317 Full text of H statements : see section 16 22. Label elements GHS-US classification Precautionary statements (GHS-US) : Hazard statements (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : P222 - Contaminated work clothing must not be allowed out of the workplace P222 - Outper text on the workplace P222 - Contaminated work clothing protection, prote	form : Mix	dure
Product code : 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use : Perfumes, Fragrances 1.3. Details of the supplier of the safety data sheet : 1.4. Emergency telephone number : Emergency number : SECTION 2: Hazards identification : 21. Classification of the substance or mixture : GHS-US classification : Film, Liq, 4 H227 Skin Sens. 1 H317 : Full text of H statements : see section 16 : 2.2. Label elements : GHS-US labeling : Hazard pictograms (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : P222 - Contaminated work colthing must not be allowed out of the workplace P232+P232 - 1 for skin: ritistan or rate coltinin, protacrive of logines P	name : Citr	rus Spruce
Recommended use : Perfumes, Fragrances 1.3. Details of the supplier of the safety data sheet 1.4. Emergency telephone number Emergency number : SECTION 2: Hazards identification 2.1. Classification Flam. Liq. 4 Flam. Liq. 4 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Precautionary statements (GHS-US) : : Warning : : H227 - Combustible liquid H327 - Statements (GHS-US) : Warning Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks - No smoking P272 - Contaminated work clothing must not be allowed out the workplace P302-P323 - If a skin: Wash with plent out the workplace P302-P323 - If a skin: Wash with plent out the workplace P303-P323 - If an skin: Wash with plent out the workplace P303-P323 - If an skin: Wash with plent out the workplace P304/P323 - If a skin: Wash with plent out the workplace P304/P323 - If an skin: Wash with plent out the workplace P303-P333 - If as skin initiation areaction perfective glowes of the skee of the set of the state set of the set of th	code :	
Recommended use : Perfumes, Fragrances 1.3. Details of the supplier of the safety data sheet 1.4. Emergency telephone number Emergency number : SECTION 2: Hazards identification 2.1. Classification Flam. Liq. 4 Flam. Liq. 4 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Precautionary statements (GHS-US) : : Warning : : H227 - Combustible liquid H327 - Statements (GHS-US) : Warning Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks - No smoking P272 - Contaminated work clothing must not be allowed out the workplace P302-P323 - If a skin: Wash with plent out the workplace P302-P323 - If a skin: Wash with plent out the workplace P303-P323 - If an skin: Wash with plent out the workplace P303-P323 - If an skin: Wash with plent out the workplace P304/P323 - If a skin: Wash with plent out the workplace P304/P323 - If an skin: Wash with plent out the workplace P303-P333 - If as skin initiation areaction perfective glowes of the skee of the set of the state set of the set of th	Relevant identified uses of the substance or	r mixture and uses advised against
1.4. Emergency telephone number Emergency number SECTION 2: Hazards identification 2.1. Classification of the substance or mixture GHS-US classification Flam. Liq. 4 H227 Skin Sens. 1 H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Hazard pictograms (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Statements P10 - Keep away from heat, hot surfaces, open flames, sparks, - No smoking P33-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occur		
1.4. Emergency telephone number Emergency number SECTION 2: Hazards identification 2.1. Classification of the substance or mixture GHS-US classification Flam. Liq. 4 H227 Skin Sens. 1 H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Hazard pictograms (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Statements P10 - Keep away from heat, hot surfaces, open flames, sparks, - No smoking P33-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occurs: Get medical advice/attention P333-P313 - If skin irritation or rash occur	Details of the supplier of the safety data she	et
Emergency number : SECTION 2: Hazards identification 21. Classification of the substance or mixture GHS-US classification Flam. Liq. 4. H227 Skin Sens. 1. H317 Full text of H statements : see section 16 22. Label elements GHS-US labelling Hazard pictograms (GHS-US) : Hazard pictograms (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective gloves P302-P382 - 10 on skin: Wash with plenty of water P333-P373 - 1 f skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated out clothing powder to extinguish P403+P233 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and re P33. Mathini formation available 2.4. Unknown acute toxicity (GHS US)		
Emergency number : SECTION 2: Hazards identification 21. Classification of the substance or mixture GHS-US classification Flam. Liq. 4. H227 Skin Sens. 1. H317 Full text of H statements : see section 16 22. Label elements GHS-US labelling Hazard pictograms (GHS-US) : Hazard pictograms (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective gloves P302-P382 - 10 on skin: Wash with plenty of water P333-P373 - 1 f skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated out clothing powder to extinguish P403+P233 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and re P33. Mathini formation available 2.4. Unknown acute toxicity (GHS US)	Emergency telephone number	
2.1. Classification of the substance or mixture GHS-US classification Flam, Liq, 4. H227 Skin Sens, 1. H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) : Signal word (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P33+P313 - If skin irritation or rash occurs: Get medical advice/attention P33+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use of vectinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and re 2.3. Other hazards No additional information available 2.4.		
2.1. Classification of the substance or mixture GHS-US classification Flam, Liq, 4. H227 Skin Sens, 1. H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) : Signal word (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P33+P313 - If skin irritation or rash occurs: Get medical advice/attention P33+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use of vectinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and re 2.3. Other hazards No additional information available 2.4.	N 2. Hozarda identification	
GHS-US classification Flam. Liq. 4 H227 Skin Sens. 1 H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Hazard pictograms (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Pass Physical Physint Physical Physical Physical Physical Physical Physic		
Flam. Liq. 4 H227 Skin Sens. 1 H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Hazard pictograms (GHS-US) Hazard statements (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Passar-Passar		
Skin Sens. 1 H317 Full text of H statements : see section 16 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Path - Keep away from heat, hot surfaces, open flames, sparks No smoking PZT2 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fine: Use dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and re 2.3. Other hazards <t< td=""><td></td><td></td></t<>		
2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Hazard pictograms (GHS-US) : Signal word (GHS-US) : Warning Hazard statements (GHS-US) : H227 - Combustible liquid H317 - May cause an allergic skin reaction Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and re 2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS US)		
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Parce Contaminated work clothing must not be allowed out of the workplace P200 Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P33+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and ree 2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS US)	of H statements : see section 16	
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Parce Contaminated work clothing must not be allowed out of the workplace P200 Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P33+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and ree 2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS US)		
Hazard pictograms (GHS-US) :	Label elements	
Hazard pictograms (GHS-US) :	labelling	
Signal word (GHS-US) : Warning Hazard statements (GHS-US) : H227 - Combustible liquid H317 - May cause an allergic skin reaction : P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and reuse Xo additional information available Z.4. Unknown acute toxicity (GHS US)	pictograms (GHS-US) :	CHS07
 Hazard statements (GHS-US) H227 - Combustible liquid H317 - May cause an allergic skin reaction P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and reute No additional information available Unknown acute toxicity (GHS US) 	vord (GHS-US) : Wa	
 P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/national laws and rest No additional information available Unknown acute toxicity (GHS US) 	statements (GHS-US) : H22	27 - Combustible liquid
No additional information available 2.4. Unknown acute toxicity (GHS US)	P27 P28 P30 P33 P33 P36 P37 P40	72 - Contaminated work clothing must not be allowed out of the workplace 80 - Wear eye protection, face protection, protective clothing, protective gloves 02+P352 - If on skin: Wash with plenty of water 33+P313 - If skin irritation or rash occurs: Get medical advice/attention 63 - Wash contaminated clothing before reuse 70+P378 - In case of fire: Use dry extinguishing powder to extinguish
No additional information available 2.4. Unknown acute toxicity (GHS US)	Other hazards	
	onal information available	
Not applicable.	Unknown acute toxicity (GHS US)	
	cable.	
SECTION 3: Composition/information on ingredients	DN 3: Composition/information on in	ngredients
3.1. Substances		
Not applicable		
3.2. Mixtures		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Benzyl benzoate	(CAS-No.) 120-51-4	20 - 40	Acute Tox. 4 (Oral), H302
Fir needle oil, Canadian	(CAS-No.) 8021-28-1	1.488 - 6.288	Flam. Liq. 3, H226 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Veltol plus crystals	(CAS-No.) 4940-11-8	0.9362 - 3.9562	Acute Tox. 4 (Oral), H302
Scentenal	(CAS-No.) 86803-90-9	0.1 - 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Allergen report available upon request. Full text of H-statements: see section 16

Full text of H-statements: see section 16			
SECTION 4: First aid measures			
4.1. Description of first aid measures	S		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.		
First-aid measures after skin contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
4.2. Most important symptoms and e	effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.		
Symptoms/effects after inhalation	: May cause an allergic skin reaction.		
4.3. Indication of any immediate med	dical attention and special treatment needed		
No additional information available			
SECTION 5: Firefighting measure	S		
5.1. Extinguishing media			
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: Combustible liquid.		
Explosion hazard	: May form flammable/explosive vapour-air mixture.		
5.3. Advice for firefighters			

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Combustible liquid.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
i iotootion during monghang	· - · · · · · · · · · · · · · · · · · ·
SECTION 6: Accidental release mea	asures
SECTION 6: Accidental release mea	
SECTION 6: Accidental release mea 6.1. Personal precautions, protective en	ASURES quipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No
SECTION 6: Accidental release mea 6.1. Personal precautions, protective en General measures	ASURES quipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No
SECTION 6: Accidental release mea 6.1. Personal precautions, protective en General measures 6.1.1. For non-emergency personnel	asures quipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
SECTION 6: Accidental release mea 6.1. Personal precautions, protective er General measures 6.1.1. For non-emergency personnel Emergency procedures	asures quipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
SECTION 6: Accidental release mea 6.1. Personal precautions, protective en General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	asures quipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. : Evacuate unnecessary personnel.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	Methods and material for containme	nt a	nd cleaning up
Methods for cleaning up		:	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections			
See H	eading 8. Exposure controls and personal	prot	ection.
SEC	FION 7: Handling and storage		
7.1.	Precautions for safe handling		
Addit	ional hazards when processed	:	Handle empty containers with care because residual vapours are flammable. Keep away from heat/sparks/open flames/hot surfaces No smoking.
Precautions for safe handling		:	No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygi	ene measures	:	Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2.	Conditions for safe storage, including	ng a	ny incompatibilities
Tech	nical measures	:	Proper grounding procedures to avoid static electricity should be followed.
Storage conditions		:	Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products		:	Strong bases. Strong acids.
Incompatible materials		:	Heat sources. Sources of ignition. Direct sunlight.
Storage temperature		:	25 °C
Stora	age area	:	Store in a well-ventilated place. Store away from heat.
Special rules on packaging		:	Store in a closed container.
Packaging materials		:	Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection				
8.1.	Control parameters			

No additional information available

8.2. Exposure controls		
Personal protective equipment	: Avoid all unnecessary exposure.	
Hand protection	: Wear protective gloves.	
Eye protection	: Chemical goggles or safety glasses.	
Respiratory protection	: Wear appropriate mask.	
Other information	: Do not eat, drink or smoke during use.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Colour	: light yellow amber	
Odour	: Pine	
Odour threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 70.2 °C (closed cup) ASTM D7094	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
06/20/2017	EN (English)	3/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈1
Solubility	: Not soluble in water alone
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
Combus	stible liquid. May form flammable/explosive vapour-air mixture. Not established.
10.3.	Possibility of hazardous reactions
Not esta	ablished.
10.4.	Conditions to avoid
Open fla	ame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong	acids. Strong bases.
10.6.	Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Citrus Spruce	
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Citrus Spruce	
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Citrus Spruce	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, M	/larch 26, 2012 / Rules and Regulations
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
Citrus Spruce	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Citrus Spruce	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known effects from this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed, or exe Substances Control Act (TSCA) inventory.	cluded from listing, on the United States Environmental Protection Agency Toxic
Scentenal (86803-90-9)	
EPA TSCA Regulatory Flag	P - P - indicates a commenced PMN substance.
15.2. International regulations	
CANADA	
Benzyl benzoate (120-51-4) Listed on the Canadian DSL (Domestic Substa	
Scentenal (86803-90-9)	

Scentenal (86803-90-9)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Veltol plus crystals (4940-11-8)

Listed on the Canadian DSL (Domestic Substances List)

Fir needle oil, Canadian (8021-28-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Veltol plus crystals (4940-11-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not determined

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

Benzyl benzoate (120-51-4)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on Turkish inventory of chemical Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Scentenal (86803-90-9)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Veltol plus crystals (4940-11-8)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Fir needle oil, Canadian (8021-28-1)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Other information

: None.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

t of H-statements:	
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
	H227 H302 H304 H317 H319

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

