MATERIAL SAFETY DATA SHEET

I. GENERAL INFORMATION ProChem DC-Plus TRADE NAME (as labeled): **DATE PREPARED/ REVISED:** Description: **Emulsion for Silk Screens** July 25, 2005 **MANUFACTURER'S NAME PREPARER** J. Monte Ross Chemical Consultants, Inc. PHONE NUMBER: 1850 Wild Turkey Circle (951)735-5511 Corona, CA 92880-1799 USA II. COMPONENT SAFETY DATA Exposure Limits in Air (give units)
CGH TLV OSHA PEL % **ACGH TLV Chemical Names CAS Numbers** Other (specify) Vinyl Acetate 108-05-4 10 ppm 0.1-0.3 III. PHYSICAL PROPERTIES NA ND Vapor density (air =1): Melting point or range, °F Specify gravity: 1.2 212 Boiling point or range, °F Evaporation rate (butyl acetate =1): <1Solubility in water: Miscible Vapor pressure, mmHg at 20 °C: NA pH (1% solution): Appearance and odor: Turquoise liquid with slight odor. Viscosity = 13000cps IV. FIRE AND EXPLOSION Flash point, °F (give method): Not Flammable Auto ignition temperature, °F: NA Flammable limits in air volume %: lower (LEL) NA upper (UEL) NA carbon dioxide Fire extinguishing materials: water spray other dry chemical foam Special fire fighting procedures: NA Unusual fire and explosion hazards: NA V. REACTIVITY DATA Stable X Unstable Stability: Conditions to avoid: Heat and exposure to sunlight. Incompatibility (materials to avoid): None known. Hazardous decomposition products (including combustion products): CO, CO2, , and unidentified organic compounds. Hazardous polymerization: May occur _____ Will not occur Conditions to avoid:

Heat and exposure to light.

Page 2	VI. HEALTH HAZARD INFORMATION	roChem DC-Plus
SYMPTON	MS OF OVEREXPOSURE for each potential route of exposure.	
Inhaled:	Excessive exposure may cause irritation to upper respiratory tract or central nervous system effects	ect.
Skin:	Prolonged or repeated exposure may cause skin irritation.	
Swallowe	ed: Gastric distress, nausea.	
HEALTH I	EFFECTS OR RISKS FROM EXPOSURE: Explain in lay terms. Possible skin irritation.	
Chronic:	Possible allergic reaction.	
	D EMERGENCY PROCEDURES: act: Irrigate flowing water immediately and continuously for 15 minutes. Consult medical personn	nel.
Skin cont	tact: Immediately flush eyes with fresh water for at least 15 minutes, remove contaminated clothing	g and shoes.
Inhaled:	Remove to fresh air.	
Swallowe	ed: Induce vomiting if large amounts are ingested. Consult medical personnel.	
This prod	OGENICITY? YES: NO: duct's ingredients are found in this list. Federal OSHA NTPIARC A L CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin conditions.	
Spili resp	Solise procedures (include employee protection measures). Absolo sman spins onto sand	or other material.
0 1	Ils should be diked and recovered. Methods: Hardened material may be land filled.	
NOTE:	Dispose of all wastes in accordance with federal, state, and local regulations.	
If respirator Ventilation Eye prote Gloves (s Other clot Work prace	VIII. SPECIAL HANDLING PROCEDURES ory protection (type): None required under normal use conditions. ory irritation is experienced, use an approved air-purifying respirator on and engineering controls: General ventilation recommended. ection (type): Chemical goggles/ Safety glasses specify material): Neoprene gloves to prevent direct skin contact othing and equipment: Adequate protective clothing to prevent skin contact. ectices, hygienic practices: Wash hands thoroughly after handling. Wash hands before eating of and storage requirements: Protect from freezing.	or smoking.
HMIS Cod	- IX. REPORTING REQUIREMENTS & ADDITIONAL INFORMATIO de System Rating = Health 1; Flammability 0; Reactivity 0 4 Code System Rating = Health 0; Flammability 0; Reactivity 0	N

HMIS Code System Rating = Health 1; Flammability 0; Reactivity 0 NFPA 704 Code System Rating = Health 0; Flammability 0; Reactivity 0 Volatile Organic Compound (VOC) = none The components in this product are all listed under TSCA.