



# *drain***SURGEON**



**Easy-to-Use Loading Wheel**

**Adjustable Height Handle**

**Power Cable Feed**

**30m x 17mm Cable**

**See inside for more details!**


# The drainSURGEON

The drainSURGEON'S field tested design offers easy handling. One person can easily load it into many vehicles as the machine slides smoothly from the loading wheel on the handle. The inbuilt stair climbers also assists with tricky site access and finally, the semi pneumatic 250mm wheels are great for moving the machine from point to point.

The adjustable height handle can be reset to be up to 75mm longer, or more compact, depending upon your preference. With the driving and pulling power for long, tough jobs, drainSURGEON'S Power Cable Feed easily handles 17mm and 19mm cables. To adjust to different cable sizes, simply turn the knob on top of the feed. A large drum holds 30 metres of 17mm or 19mm Flexicore® cable. The drum has a see-through inner cage, so you can quickly see how much cable is left in the drum.

## Portability, convenience and safety

**Equipped with 250mm wheels, stair climbers and tool box**



### ***Vehicle Loader Wheel***

One person can easily load the machine into many vehicles



### ***Stair Climbers***

V-Belt and stair climbers let you take the drainSURGEON up a flight of stairs yourself.

V-belts running on nylon rollers

# Specifications

**Weight:** 52 kg without cable

**Dimensions:** 66 cm deep; 56 cm wide; 104 cm high

**Large Drum:** Equipped with an inner drum cage; holds 30 metres of 17mm cable

**Drum Removal:** Loosen two knobs, remove ringbolt and lift off

**Motor:** 1/2 horse power with capacitor start; overload protection; forward , off, reverse switch; 6.1 metres of power cord



**Load Speed:** 170 rpm (revolutions per minute)

**Wheels:** 250mm semi-pneumatic heavy-duty wheels with ball bearings; brake locks - you can lock wheels during operation

**Foot Switch:** Pneumatic, no electrical contact between pedal and motor

## What you get

**Leather Gloves:** With double-reinforced palms for hand protection when guiding the cable

**Cable:** 30 metres x 17mm for 76mm to 152mm lines; heavy gauge wire coiled tightly around 49-strand aircraft-type wire rope and heat treated



**Vehicle Loading Wheel:** Assists with loading onto and out of many vehicles

**Power Cable Feed:** Drives or retracts cable with variable speed at up to 6.1 metres per minute without having to reverse the motor rotation

**Tool Box:** Attached to rear of machine

**Stair Climbers:** V-belts running on nylon rollers

# Cutters included with this machine

When you purchase the drainSURGEON, you also get the following cutters:



Spear Head



4" Rotary Saw



2" U-Cutter




3" Heavy Duty Saw Blade



Large Retrieving Tool



26" Flexible Trap Leader



3" & 4" Side Cutter Blades

**For more information and sales**



**Call now on 1300 331 141**

HEAD OFFICE: 53 Taylor Street, Bulimba, QLD, 4171

Fax: 1300 764 510

Email: [orders@plumboss.com.au](mailto:orders@plumboss.com.au)