

MT SERIES

TELESCOPING MULTILADDER



Model shown
MT-22



Telescoping design for maximum versatility

Adjust height quickly with spring loaded "J" locks

Adjust angle position easily with soft touch push knobs



Extra wide flared bottom for firm support



Double riveted steps for long lasting durability



Smooth curved rails for comfortable climbing

★★★★★
300 lbs. LOAD CAPACITY

Combined Weight of User and Materials

Type IA Duty Rating



TWIN
STEPLADDER



EXTENSION
LADDER



STAIRWAY
STEPLADDER



2-SCAFFOLD
BASES



MT – 17 POSITIONS & DIMENSIONS

STORAGE 4'

MAX
A FRAME 7'

MADE IN

U. S. A.

WORLD LEADERS IN LADDERS
ONE LADDER THAT DOES IT ALL

STAIR & SLOPE



SCAFFOLD 3'

WALL SUPPORT 17'



FREE
WHEEL KIT

★★★★
300 lbs.



MT – 22 POSITIONS & DIMENSIONS

STORAGE 5'

MAX
A FRAME 9'

MADE IN

U. S. A.

WORLD LEADERS IN LADDERS
ONE LADDER THAT DOES IT ALL

STAIR & SLOPE



SCAFFOLD 4'

WALL SUPPORT 19'



FREE
WHEEL KIT

★★★★
300 lbs.



MT – 26 POSITIONS & DIMENSIONS

STORAGE 6' 11"

MAX
A FRAME 12'

MADE IN

U. S. A.

WORLD LEADERS IN LADDERS
ONE LADDER THAT DOES IT ALL

STAIR & SLOPE



SCAFFOLD 6'

WALL SUPPORT 23'



FREE
WHEEL KIT

★★★★
300 lbs.



ACCESSORIES – AC18MT

AC18MT

Platform



Slip-resistant surface. Aluminum construction. Kicks out of way for easy climbing. 300 lbs. load capacity.

User Installed Only

Kit No.	Fits on All	Approx. Shipping Wt.
AC18MT	MT Series	4.5 lbs.



CAN BE USED AS A TOOL TRAY AT ANY LEVEL OF THE LADDER



STANDING PLATFORM WHICH CAN BE USED AT ANY LEVEL OF THE LADDER . HEAVY DUTY PLATFORM CAN BE USED IN SELF SUPPORT & WALL SUPPORT POSITIONS

VIDEO LINK :

<https://youtu.be/IPk5LzRsH-8>

ACCESSORIES – AC96

VIDEO LINK :

<https://youtu.be/vvC1PyB02XA>

AC96

Aluminum Stabilizer



Span: 47", Standoff :10"
 For use on aluminum ladders of all duty ratings. Attaches in minutes. Mar-resistant rubber caps protect work surface. Paint can hook included. Comes with mounting hardware and instructions.

User Installed Only

Kit No.	Fits on	Ladder Size	Approx. Shipping Wt.
AC96	Aluminum Series Extension Ladders with rails up to 3" x 1-3/16"	ALL	4.5 lbs.
	D716	16'	
	D1100	ALL	
	D1200	ALL	
	D1300	ALL	
	D1500	ALL	
	D500	20' - 24'	
	MT	ALL	
	M1	ALL	



Ideal for stabilizing M1 MultiLadder when in scaffold or stairway positions

ACCESSORIES -AC24

AC24

Multipurpose Project Tray



Project Tray conveniently holds tools, paints and supplies. Made for Werner multiladders and stepladders. Attaches easily; works at multiple heights; includes ToolLasso®.

User Installed Only

Kit No.	Fits on	Approx. Shipping Wt.
AC24	MT Series M1 Series Type IA (300 lbs.) & Type IAA (375 lbs.) Stepladders	2.8 lbs.



PRODUCT CERTIFICATIONS

Werner ladders are manufactured and tested to the strictest quality standards. All Werner ladders meet or exceed American National Standards Institute (ANSI) and Occupational Safety and Health Administration (OSHA) requirements, where applicable.



OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION CODE

All Type II, I, IA and IAA fiberglass, aluminum and wood ladders, ladder jacks and extension planks meet or exceed code. OSHA CODE applies to ladders used in the workplace. Werner Co. recommends Type II or heavier duty rated ladders for these applications.



AMERICAN NATIONAL STANDARDS INSTITUTE

PRODUCT LINES MEET OR EXCEED ANSI CODE

Fiberglass Ladders A14.5 (2007)
Aluminum Ladders A14.2 (2007)
Ladder Jacks A10.8 (2001)
Extension Planks A10.8 (2001)
Scaffolding A10.8 (2001)
Stages A10.8 (2001)
Work Platforms A10.8 (2001)
Attic Ladders..... A14.9 (2010)



CLIMBING PROSM

SAFETY TRAINING

This online training program is designed to help you provide state-of-the-art training. Climbing Pro offers an interactive way to educate users how to safely climb.

- New and improved courses
- Monitoring and measurement tools for reporting to key customers

www.wernerclimbingpro.com

Online Courses

- Knowledge check points throughout courses
- Stop and restart as you need, keeps track of where you left off
- Multimedia and interactive simulations
- Ongoing updates for additional courses