

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: 07-Apr-2019

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name BOSTIK ISR 70-08 AP BLACK
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.
Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited
19 Eastern Hutt Road Wingate,
Lower Hutt, New Zealand
Tel: 04-567 5119
Fax: 04-567 5412

Manufacturer

Bostik SA
420 rue d'Estienne d'Orves
92700 Colombes
FRANCE
Tel: +33 (0)1 49 00 90 00

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622
+64 4 917 9888
Poison Centre : 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS)

ERMA Group Not applicable

2.2. Label Elements

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS)

Signal word None

Precautionary Statements - Prevention

P264 - Wash hands thoroughly after handling
P281 - Use personal protective equipment as required

Precautionary Statements - Response

P314 - Get medical advice/attention if you feel unwell

Skin

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Precautionary Statements - Storage

P401 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/containers in accordance with local regulations

Safety Data Sheet

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: No information available

2.3. Other Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS)

Chemical name	CAS No.	Weight-%
Silane, ethenyltrimethoxy-	2768-02-7	1 - <3
Carbon black	1333-86-4	1 - <3
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1- <1

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.
Ingestion	If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).
Self-protection of the first aider	First aider: Pay attention to self-protection!.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	Carbon dioxide (CO ₂). Extinguishing powder. Water spray or fog. Alcohol resistant foam.
Large fire	When a large quantity of this material is involved in a major fire, consider an initial evacuation distance of 300 meters (1000 feet) in all directions.

Safety Data Sheet

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: No information available

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO₂). Halogenated hydrocarbons. Nitrogen oxides (NO_x).

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing. Do not touch or walk through spilled material.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Fire prevention measures. No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off contaminated clothing and wash before reuse.

Storage Conditions Keep away from food, drink and animal feeding stuffs. Protect from moisture. Keep/store only in original container. Protect from sunlight. Store in a well-ventilated place. Keep at temperatures between 41 and 95 °F. Keep container tightly closed and dry. Product cures with moisture.

Incompatible materials Water

7.3. Specific end use(s)

Safety Data Sheet

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: No information available

Specific Use(s) Sealant. Adhesives.
Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	New Zealand	Australia	European Union
Carbon black 1333-86-4	TWA: 3 mg/m ³	3 mg/m ³ TWA	-

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Carbon black 1333-86-4	TWA: 3 mg/m ³ inhalable particulate matter	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH	TWA: 3.5 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

OTHER INFORMATION Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Eye/face protection Wear safety glasses with side shields (or goggles).
Skin and body protection Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory protection No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Paste
Color Black
Odor Slight
Odor Threshold Not applicable

Safety Data Sheet

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	> 100 °C / > 212 °F	CC (closed cup)
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Relative Density	No information available	
Water Solubility	Insoluble in water	
Solubility in Other Solvents	No information available	
Partition coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	30000 - 50000 mPa s	@ 20 °C
Explosive properties	No information available	
Oxidizing properties	No information available	
<u>9.2. Other information</u>		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Density	1.48 - 1.54 g/cm ³	
Bulk Density	No information available	
VOC (volatile organic compound)	No information available	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

Hazardous Polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture. Keep away from heat, sparks and flames.

10.5. Incompatible materials

Incompatible materials Water.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

Safety Data Sheet

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: No information available

11.1. Information on toxicological effects

Acute Toxicity

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Numerical measures of toxicity

Unknown acute toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 53.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 1.9845 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 1.9845 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 2.9845 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy- 2768-02-7	LD 50 = 7120 -7236 mg/kg (Rat) OECD 401	= 3360 µL/kg (Rabbit)	LC50 (4hr) 16.8 mg/l (rat) OECD TG 403
Carbon black 1333-86-4	LD 50 > 8000 mg/kg (rat) OECD 401	> 3 g/kg (Rabbit)	-
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	LD50 (rat) > 2000 mg/kg OECD 423	LD50 (rat) > 3 170 mg/kg OECD 402	= 500 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Eyes, Lymphatic System, retina, Skin.
Aspiration hazard	Not applicable.
Carcinogenicity	No information available.

Chemical name	IARC	China	Japan
Carbon black	Group 2B	-	Group 2B

IARC (International Agency for Research on Cancer) *Group 2B - Possibly Carcinogenic to Humans*

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Harmful to aquatic life.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silane, ethenyltrimethoxy- 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus)	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	EC50(48hr) 168.7mg/l (Daphnia magna)

Safety Data Sheet

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: No information available

	EU Method C.3		
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203	EC50: >5600mg/L (24h, Daphnia magna)
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	LC50 48Hr 8.58 mg/l (Daphnia magna)

12.2. Persistence and degradability

No information available.

Component Information			
Silane, ethenyltrimethoxy- (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	BOD	51 % Not readily biodegradable

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)			
Method	Exposure time	Value	Results
OECD Test No. 303: Simulation Test - Aerobic Sewage Treatment -- A: Activated Sludge Units; B: Biofilms	28 days	Total organic carbon (TOC)	24 % Moderate

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Silane, ethenyltrimethoxy- 2768-02-7	1.1	-
Carbon black 1333-86-4	-	99
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	0.35	-

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Silane, ethenyltrimethoxy- 2768-02-7	The substance is not PBT / vPvB
Carbon black 1333-86-4	The substance is not PBT / vPvB PBT assessment does not apply
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused Disposal should be in accordance with applicable regional, national and local laws and

Safety Data Sheet

BOSTIK ISR 70-08 AP BLACK
Revision Number 2

Revision Date 07-Apr-2019
Supersedes Date: No information available

products regulations.
Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated
IATA Not regulated
ADR Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Chronic Hazard Star Legend * = *Chronic Health Hazard*

Key or legend to abbreviations and acronyms used in the safety data sheet
No information available

Key Literature References and Sources for Data
No information available

Prepared By Product Safety & Regulatory Affairs
Revision Date 07-Apr-2019
Revision note SDS sections updated: 3, 4, 8, 11, 12.
Training Advice When working with hazardous materials, regular training of operators is required by law

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet