

### HOMEOWNER CATALOGUE

HAND-HELD, WALK BEHIND MOWERS, ZERO-TURN RIDING MOWERS





### OUR STORY

### HISTORY

With roots dating back to 1914, The Toro Company was built on a tradition of quality and caring relationships. Today, the company is a leading worldwide provider of innovative solutions for the outdoor environment including turf and landscape maintenance, snow and ice management, underground utility construction, hire and speciality construction, and irrigation and outdoor lighting solutions.







#### 1914

The Toro Motor Company is founded on July 10, 1914 to build engines for the #1 brand of farm tractors in the United States – The Bull Tractor Company. The name "Toro" is chosen because of the company's association with Bull.



#### 1919

Toro invents The Toro Standard Golf Machine, the industry's first mechanised fairway mower, for the Minikahda Club in Minneapolis, thus creating the mechanised golf course equipment industry.



#### 1924

Toro introduces its first power mower, the rugged and highly versatile 30-inch Park Special. An industry standard, the Park Special becomes a leading seller during 1961 when it is displaced by demand for rotary mowers.



#### 1952

Toro opens a unique engineering and agronomic research, development and test facility in Bloomington, Minnesota. Dr. James Watson joins the company and conducts revolutionary agronomic studies at the site. Dr. Watson becomes a world renown leader in agronomics.



### 1972

Continued innovation and strong customer relationships propel Toro to #1 in golf course irrigation.





## CONTENTS

### **TRUST THE BRAND PROFESSIONALS TRUST...**



### INNOVATION

Toro products are rich with innovative features made just for homeowners. With over 100 residential patents, innovation is at the heart of Toro's success. Look for our "Blue Feature" icon to easily identify innovative, smart features developed by Toro to enhance your overall mowing experience.



#### LEGACY OF EXCELLENCE

Since 1919, The Toro Company has built, tested, and led innovative solutions to care for your turf. Today, Toro continues to lead by focusing on creating high performance, environmentally friendly solutions to help our customers around the world preserve the beauty, productivity and sustainability of the land.



#### DURABILITY

We stand behind our mowers' performance, which is why we offer some of the best warranty programmes in the business. With our full coverage warranty programmes, if the mower is defective in materials or workmanship, or if it stops functioning due to the failure of a component, under normal use and maintenance, Toro will fix it.








### AND MOW LIKE A PRO WITH **EASY-TO-USE FEATURES**



Features highlighted in **blue** point to innovative, smart features developed by Toro<sup>®</sup> to enhance your mowing experience.










\* Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

60V MAX	* FLEX-FORCE POWER SYS	STEM™ 6
NEW!	60V BATTERY WALK MOWERS	10 – 13
NEW!	60V BATTERY TOOLS	14 – 18
	60V ACCESSORIES	19
72V BATT	ERY GARDEN TRACTOR	<b>20 – 2</b> 1
BLOWER	/ VACS	22 – 23
PETROL	MOWERS	24
	46 CM & 53 CM RECYCLER®	26 – 27
	55 CM RECYCLER	28 – 29
	53 CM SUPER RECYCLER	30 – 3′
	76 CM TIMEMASTER®	32 – 33
PETROLS		34 – 3!
ZERO-TU	RN RIDING MOWERS	30
	TIMECUTTER®	38 – 39
	TITAN®	40 – 41
PARTS &	ACCESSORIES	42 – 4
SPECIFIC	ATIONS	<b>46 - 5</b> 1

# LET'S TALK BATTERY

Now, let's focus on what it takes for you to experience the greatest runtime and lifetime from our battery systems...

WATT HOURS



**BATTERY WATT HOURS** 

#### **IT'S ALL ABOUT THE WATT HOURS**

Watt hours show how much power is stored in a battery, a bit like knowing how much fuel is in the tank. The higher the watt hours, the more power stored meaning longer trigger time.



**KNOW YOUR TRIGGER TIME, NOT OVERALL** TIME IT TAKES TO FINISH THE TASK

We recommend an area to cut rather than how long the battery lasts. The important consideration is Trigger Time, the amount of time the mower is in use.

Stopping to empty the grass bag or move obstacles will affect the time it takes to mow the lawn but will have no affect on the trigger time.

**TORO** 



#### THINK ABOUT THE AREA YOU WANT TO CUT, CLEAN **OR TRIM**

Follow our recommendation garden size, number of cuts, or runtime for each mower or hand tool, however, the conditions will have a big affect on how much you can cut, trim, or blow. The more inclines, thicker grass or logs, wet material or heavier vegitation, the more power is consumed.



### 60V CORDLESS FAMILY 60V MAX<sup>+</sup> | FLEX-FORCE POWER SYSTEM<sup>™</sup>

# EASY / POWER

Get more done and enjoy more free-time with the Toro<sup>®</sup> 60V\* Flex-Force Power System<sup>™</sup>. Toro's legendary reliability, durability and performance, now available with the benefits of battery power. Finally, a cordless platform without compromises.

\* Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

BATTERY

4

The same battery can be

used on multiple products

for added flexibility



Spring, Summer, Autumn and Winter, you will find the tool right for the job



## ENGINE EXHAUST EMISSIONS

No fumes, no engine exhaust emissions, low noise for maximum comfort

 $\mathbf{O}$ 

## **60V MAX<sup>\*</sup> BATTERY AND CHARGER**

60V MAX<sup>\*</sup> | FLEX-FORCE POWER SYSTEM<sup>™</sup>



### **A BATTERY SYSTEM DESIGNED FOR** THE FUTURE

Interchangeable across the entire Flex-Force Power System so as tools become bigger and better, you already have the best battery to power them. The battery's performance is optimised for each product/application, so you'll always get the most out of your experience.

10

1 Amp Charger 81801

2 Amp Charger 81802







	1.0 AMP CHARGER 81801	2.0 AMP CHARGER 81802	5.5 AMP CHARGER 81805
BATTERY CHARGE	TIMES^		
L108 BATTERY	90 Minutes	45 Minutes	20 Minutes
L135 BATTERY	120 Minutes	60 Minutes	22 Minutes
L216 BATTERY	200 Minutes	100 Minutes	37 Minutes
L324 BATTERY	300 Minutes	150 Minutes	55 minutes
L405 BATTERY	360 Minutes	180 Minutes	66 Minutes
^ D /		o:	

Based on controlled laboratory testing. Charge times may vary with temperature and battery voltage.



LED ON-BOARD POWER METER LED indicator lights show the battery's charge level in increments of 25%. Easily check by pressing the blue battery button after each activity.



SAFE CHARGING The battery will only charge when it's at the right temperature. The easy to read on-board LED indicator shows when it's fully charged.



NEW 81820 81825 81850 **8** a Z 6----



L108 BATTERY 81820	L135 BATTERY 81825	L216 8185
LED on-board power meter, fits all 60V products	LED on-board power meter, fits all 60V products	LEC m
60 Volts MAX <sup>+</sup>	60 Volts MAX <sup>+</sup>	
2.0 Ah	▶ 2.5 Ah	
108 Wh	▶ 135 Wh	
		3-Y
	81820 LED on-board power meter, fits all 60V products 60 Volts MAX <sup>+</sup> 2.0 Ah	8182081825LED on-board power meter, fits all 60V productsLED on-board power meter, fits all 60V products60 Volts MAX*60 Volts MAX*2.0 Ah2.5 Ah

\* Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. \*Max power output measured in watts based on battery cell manufacturer's rating. Actual max power output dependent on the use conditions and tool used. \*\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

**ALL-SEASON POWER** Compatible with the rest of the products in the Flex-Force Power System<sup>™</sup>, including snow blowers.

### EASY<sup>+</sup>POWER

#### ✓ CLASS-LEADING POWER OUTPUT<sup>+</sup>


Ultimate innovation with our 3P design for 3 times the power, higher max performance, and the ability to push your tools harder, for longer.

#### ✓ TEMPERATURE RESISTANT CASING

Plastic components made from a unique thermoplastic material that provides superior resistance against extreme temperature ranges.


#### ✓ BUILT-IN CARRYING HANDLE

Gives you a hand where others don't. Easily switch from tool to tool and task to task.



### **60V MAX\* BATTERY WALK MOWERS**

36 cm & 43 cm Battery Recycler®



SMALL GARDENS (UP TO 300 m<sup>2</sup>) IDEAL FOR

## EASY TO START, EASY TO USE, **EASY TO MAINTAIN**

The 60V\* Recycler<sup>®</sup> models offer all of the legendary performance and durability you expect from Toro<sup>®</sup>, without having to deal with petrol. Best of all, your 60 Volt battery is compatible with all the other products in Toro's Flex-Force battery-powered lineup.



#### EARTH FRIENDLY, GARDEN FRIENDLY

Spend less time emptying grassbags with Toro's Recycler Cutting System. This unique design chops clippings into a fine nutrient-rich mulch, efficiently nourish the soil, feeding roots for a healthy, lush garden.



**SMARTSTOW®** Save up to 70%^ floor space by storing the mower upright – with easy grass box storage.



POWER AT THE **TOUCH OF A BUTTON** 

Easy push-button start gets you mowing fast. Personalise the mower speed to your desired pace with the variable speed control (model 21844 onlv).



Step-up Feature

+ Based on low speed in controlled laboratory testing of product. Run time varies with load. ^ Space savings are in relation to the space consumed by a Toro® 36 and 43 cm Walk Power Mower stored with the handle in the standard operating position. \*\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

\* Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

12

**SMART POWER** 

Intelligent RunSmart<sup>™</sup> Software maximises run time and performance by automatically adjusting the speed of the motor to match the conditions and optimise runtime. Engage MAX mode for tougher mowing conditions.

### **60V MAX\* BATTERY WALK MOWERS**

48 cm, 52 cm & 55 cm Battery Recycler®



MEDIUM - LARGE GARDENS (UP TO 1,000 m<sup>2</sup>) **IDEAL FOR** 

## LEGENDARY PERFORMANCE, **NOW BATTERY-POWERED**


Save time, finish faster, and make your job easier with the Toro<sup>®</sup> 60V\* Max Battery Mowers. Raise your expectations with these easy-to-start, easy-to-use, and easy-to-maintain mowers. Best of all, your 60 Volt battery is compatible with all the other products in Toro's Flex-Force battery-powered lineup.



POWER AT THE TOUCH **OF A BUTTON** Easy push-button start gets you mowing fast.



MOW AT YOUR OWN PACE Get a unique mowing experience! The AutoMatic Drive System senses and smoothly adjusts to your walking pace putting you in control of how fast you want to mow. Available on selected models.



	KEY FEATURES	RunSmart™, 2-Speed Switch (RunSmart/Max Speed), Height Adjustable Handlebar, Quick Storage Handlebar, Recycle on Demand, Washout Port			RunSmart Switch (F Inter
	DRIVE SYSTEM	• AutoMatic Drive System, Rear Wheel Drive			Variable S
	CUTTING WIDTH	▶ 48 cm			
	MOTOR	1.5kW Brushless 60V			1.5k
	TORO 60V BATTERY & CHARGER			► I	_324 Battery Cl
	MAXIMUM RUN TIME⁺ WITH ONE CHARGE	Battery	Watt Hours	Max Run Time*	Battery
		L324 (6.0 Ah)	324	Up to 31 mins	L324 (6.0 Ah)
	STARTER	Push Button			
	DECK TYPE		Aluminum		
	WARRANTY**		ear Full Cover	0	3-Ye

▶ Step-up Feature

+ Based on low speed in controlled laboratory testing of product. Run time varies with load. \*\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

14

**SMART POWER** 

Intelligent RunSmart<sup>™</sup> Software maximises run time and performance by automatically adjusting the speed of the motor to match the conditions and optimise runtime. Engage MAX mode for tougher mowing conditions.

## **60V BATTERY BLOWER**

60V MAX<sup>+</sup> | FLEX-FORCE POWER SYSTEM<sup>™</sup>

### **60V BATTERY STRING TRIMMER** 60V MAX<sup>+</sup> | FLEX-FORCE POWER SYSTEM<sup>™</sup>

### **CLEAR LARGE PILES OF LEAVES IN A SNAP,** WITH CONTROL AT YOUR FINGERTIPS.

### **PICK YOUR PERFORMANCE! MAXIMIZE RUN** TIME OR PERFORMANCE FOR THE JOB.

No spools required. Quick and easy line replacement. Get power and longer life out of your trimmer



LONG-LASTING PERFORMANCE Enjoy more power and longer life with a highperformance brushless DC motor.



Move large piles of leaves faster with 17 m<sup>3</sup>/ min of air volume and 185 Km/h air speed\*\*



ULTIMATE CONTROL WITH **ON DEMAND POWER** 

Variable speed trigger and turbo boost button delivers more power when you need it.



	60V BLOWER 51825T
Air Volume	Up to 17.3 m <sup>3</sup> /min.
Air Speed	Up to 185 km/h
Motor	Brushless 60V DC
	Up to 90 minutes at low speed
Run Time^ w/ L135 Battery	Up to 25 minutes at high speed
	Up to 10 minutes with turbo boost
Speed Control	Variable trigger, Turbo boost
Weight	3.4 kg w/ L135 Battery
Noise Rating	Measured Sound Power: 101 dBA; Guaranteed Sound Power: 103 dBA; Sound Pressure: 86 dBA; K-factor: 3
Hand/Arm /ibration	Left & Right: 1.5 m/s <sup>2</sup> rms, Uncertainty K: 0.1 m/s <sup>2</sup>
Comfort Grip	Standard
Battery & Charger	Sold Separately
Warranty*	3-Year Full Coverage

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com ^Based on battery at low speed in controlled laboratory testing of product

+ Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.



ULTIMATE EASE-OF-USE. ULTIMATE CONTROL Instant power at your fingertips with the variable speed trigger with two speed ranges.



MATCH POWER TO YOUR CONDITIONS Easily adapt performance and the job by choosing line size of either 2.0 mm or 2.4 mm and cutting width of either 36 cm or 41 cm.



Adjust line length like a pro, just tap the head of the trimmer on the ground to advance the line, without stopping.

### **Cutting Width**

Line Advance Quick Feed H

**Trimmer Lin** 

Motor

Run Time^ w/ L135 Bat

Speed Contro Weight

Noise Rating

Hand/Arm Vibration **Comfort Grip** 

Battery & Ch Warranty\*





	60V STRING TRIMMER 51835T
h	36 cm or 41 cm
ement	Tap and Go
lead	Standard
e	<ul><li>2.4 mm line included</li><li>2.0 mm line sold separately</li></ul>
	Brushless 60V DC
	Up to 50 min (cut width: 36 cm and line diameter: 2.0 mm)
tery	Up to 45 min (cut width: 36 cm and line diameter: 2.4 mm)
	Up to 30 min (cut width: 41 cm and line diameter: 2.4 mm)
ol	Variable trigger, 2 speed ranges
	4.6 kg w/ L135 Battery
1	Measured Sound Power: 90 dBA; Guaranteed Sound Power: 93 dBA; Sound Pressure: 78 dBA; K-factor: 3
	Left & Right: 3.2 m/s <sup>2</sup> rms, Uncertainty K: 0.8 m/s <sup>2</sup>
p	Standard
arger	Sold Separately
	3-Year Full Coverage

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com + Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

### **60V BATTERY HEDGE TRIMMER**

60V MAX' | FLEX-FORCE POWER SYSTEM™

### **60V BATTERY CHAINSAW** 60V MAX<sup>•</sup> | FLEX-FORCE POWER SYSTEM<sup>™</sup>

### TAKE ON BIG JOBS IN NO TIME

Cut your long story short with this time-saving hedge trimmer. It can tackle big jobs in no time with a 61 cm bar and 1.9 cm cut capacity.

# 

**HANDY HANDLE** Push a button to make vertical trimming quick, easy, and comfortable with the 90° rotating handle.



**CLEANER CUT** The exclusive blade design with 1.9 cm cut capacity provides a cleaner, more efficient cut.



**TIME SAVER** A 61 cm bar makes this trimmer sturdy and robust to tackle big jobs in less time.



	60V HEDGE TRIMMER 51855T
Bar Length	61 cm
Cut Capacity	1.9 cm
Blade Material	Hardened Steel
Rotating Handle	Standard
Motor	60V DC
Run Time^	Up to 75 min w/ L135 Battery
Bar Cover	Included
Strokes/Minute	3,200
Speed Control	Variable trigger
Weight	4.2 kg w/ L135 Battery
Noise Rating	Measured Sound Power: 91.5 dBA; Guaranteed Sound Power: 96 dBA; Sound Pressure: 80 dBA; Uncertainty: 3
Hand/Arm /ibration	Left & Right: 1.65 m/s <sup>2</sup> rms, Uncertainty K: 1.5 m/s <sup>2</sup>
Comfort Grip	Standard
Battery & Charger	Sold Separately
Warranty*	3-Year Full Coverage

^ Based on controlled laboratory testing of product

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

BUILT TO LAST

Get more power, more runtime, and longer life with the digitally controlled brushless DC motor that provides power when you need it.



**PRO-STYLE CHAIN TENSIONING** Tensioning tool mounts on-board the chainsaw for quick and easy access.



**GET MORE DONE** Cut through 15 cm x 15 cm timber up to 50 times on a single charge<sup>^</sup>.

### Bar Length

Chain Pitch, Chain Oil Ca Chain Tensi Motor Cuts Per Ch Bar Cover Chain Speed Speed Contr Weight Noise Ratin

Hand/Arm

Comfort Grip Battery & Ch

Warranty\*

### LIGHTWEIGHT YET POWERFUL

This cordless Chainsaw with 41 cm bar and chain starts easily every time and lets you cut big logs and timber like a pro.





_	
	60V CHAINSAW 51845T
	41 cm
/Gauge	Pitch 0.375" (9.5mm); Gauge 0.043" (1.1mm)
pacity	270 ml
oning	Tooled
	Brushless 60V DC
arge^	Up to 50 w/ L135 Battery
	Included
ł	11 m/s (36 ft/s)
rol	Variable trigger
	5.8 kg w/ L135 Battery
g	Measured Sound Power: 101.1 dBA; Guaranteed Sound Power: 105 dBA Sound Pressure: 91 dBA; Uncertainty: 3
/ibration	Left & Right: 5.7 m/s <sup>2</sup> rms, Uncertainty K: 3 m/s <sup>2</sup>
р	Standard
harger	Sold Separately
	3-Year Full Coverage

^Based on controlled laboratory testing of product, using a 2.5Ah battery to cut 15 cm x 15 cm timber. Run-time varies with load.

 $^{\ast}$  For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

### **60V BATTERY POLE SAW** 60V MAX<sup>\*</sup> | FLEX-FORCE POWER SYSTEM<sup>™</sup>



TORO

### LIGHTWEIGHT YET POWERFUL

Cut hard to reach branches like a pro with this cordless pole saw with 25 cm bar and chain.

**FORO** 


BRUSHLESS

## COMPLETE **YOUR TORO EXPERIENCE**



#### **BUILT TO LAST**

Get more power, more runtime, and longer life with the digitally controlled brushless DC motor that provides power and peak cutting performance when you need it.



GET MORE DONE Cut through 10 cm X 10 cm timber up to 300 times on a single charge^.



PULL THE TRIGGER AND GO -The days of pulling a starter cord are gone.

A STATE		

	60V POLE SAW 51847T
Bar Length	25 cm
Chain Pitch/Gauge	Pitch 0.25" (6.4 mm) ; Gauge 0.05" (1.3 mm)
Chain Oil Capacity	80 ml
Motor	840 Watt, Brushless 60V DC
Toro 60V Battery & Charger	Battery and charger sold separately
Cuts Per Charge^	Up to 100 w/ L135 Battery
Bar Cover	Included
Chain Speed	10 m/s
Speed Control	Variable trigger
Weight	5.5 Kg w/ L135 Battery
Comfort Grip	Standard
Warranty**	3-Year Full Coverage

^ Based on controlled laboratory testing of product using 7.5 Ah battery

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com



#### **SPRING BUCKET**

Collapse-able bucket makes garden clean up a breeze.

#### DESCRIPTION PART# 29210 163 litre (43 gallon) capacity

#### **MOWER COVER**

This waterproof Toro walk behind mower cover is abrasion- and tear-resistant. Its design helps reduce heat and moisture build-up. DESCRIPTION PART# 490-7462 For all 46–55 cm Toro WPMs

#### **F-150 LUBRICANT SPRAY**

Keeps tools and equipment in peak working order.

PART#	DESCRIPTION	
29100	8 oz bottle	

#### **BAR & CHAIN OIL**

38914

Bar and chain oil lubricates the bar and chain for low friction and smooth movement of the chain around the bar. For models 51845T & 51847T PART# DESCRIPTION

0.95 L bottle







#### **GUTTER CLEANING KIT**

Ditch the ladder and clean your gutters from the comfort of solid ground. Shown above.

#### PART# DESCRIPTION 51668 Universal Gutter Cleaner



#### **SMARTSTOW® COVER**

Protect your SmartStow mower from the elements while saving space.

PART#	DESCRIPTION
490-2012	For all SmartStow lawnmowers



#### **STRING TRIMMER LINE**

Fits the 60V MAX String Trimmers with bump feed. No spools required, just thread the line and spin the dial.

PART#	DESCRIPTION
88201	2.0 mm line reel (30.5 m)
88202	2.4 mm line reel (30.5 m)

#### **SAW CHAIN**

Comes with one chain per package.

PART#	DESCRIPTION
88614	For model 51845T
88621	For model 51847T

### **72V BATTERY RIDE-ON MOWER**

76 & 81 cm Garden Tractor

NEW!



IDEAL FOR LARGE GARDENS (UP TO 2,500 m<sup>2</sup>)

## RECHARGE **YOUR GARDEN**

Finish garden clean-up faster and have more time to enjoy it with the eS3000SD and eS3200DC, Toro's newest ride-on battery-powered tractor mowers. These powerful machines features a 72V rechargeable battery for a quiet and convenient mowing experience. With no belts, oil or fuel to worry about, they are extremely low-maintenance. They are also easy to manoeuvre in tight spaces, including through standard gates.



#### EASY TO MANOEUVRE IN SMALL SPACES

Get the productivity of a riding mower in a smaller footprint with a 76 or 81 cm deck. It's easy to steer in tight spaces like smaller gardens and through standard gates. And the nimble 46 cm turning radius also makes it easy to trim around trees and other landscape features.



#### DESIGNED FOR A COMFORTABLE RIDE

The adjustable seat provides premium support during longer mowing sessions and adjusts to put the pedals and steering wheel within comfortable reach. Mowing in open areas? Engage the cruise control feature to maintain the mower speed so you can take your foot off the pedal.



	72V eS3000SD 75500	72V eS3200DC 75501
KEY FEATURES	Right Side Discharge , Cruise Control, Mow in Reverse, Adjustable Seat, Cup Holder, LED Front Lights, USB Connector, Mulch Plug	Rear Collection, Cruise Control, Mow in Reverse, High Back Seat, Cup Holder, LED Front Lights, USB Connector, Mulch Plug
CUTTING WIDTH	76 cm	► 81 cm
MOTOR	Single motor with a rating of 800w. Powered by an integrated battery with mains charging cable (in place charging) Lead acid AGM 72V	Single motor with a rating of 800w. Powered by an integrated battery with mains charging cable (in place charging) 72V 22.5 Ah Li-ion
BATTERY & CHARGER	Battery Included (72V;24Ah) Charger Included	Battery Included (72V;24Ah) Charger Included
MAXIMUM RUN TIME <sup>+</sup> WITH ONE CHARGE	Up to 120 mins	Up to 100 mins
DECK	Two blade mid-mounted rotary. Formed steel housing with welded mounting brackets	Two blade mid-mounted rotary. Formed steel housing with welded mounting brackets
WARRANTY**	3-Year Limited Coverage	3-Year Limited Coverage
Step-up Feature	a controlled laboration testion of product Due time varies with land	

+ Based on low speed in controlled laboratory testing of product. Run time varies with load. \*\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

PLENTY OF POWER TO DO THE JOB

Get up to 2 hours of runtime with the powerful 72V brushless motor. That's more than enough to comfortably mow the average garden. The battery charge indicator on the control panel tells you the exact level at a glance, and therefore reminds you when it's time to recharge.



### **CORDED BLOWER / VACS**

Ultra & UltraPlus



IDEAL FOR

### **CLEARING CLIPPINGS & AUTUMN CLEAN-UP**

## **GET THE JOB DONE FASTER**

The Ultra and UltraPlus are three machines in one; a powerful blower, high speed vacuum, and leaf shredder. Count on these blowers to make light work of clearing leaves from your garden.



**CLEAR EVEN EASIER** Add an Oscillating Nozzle to reduce time and fatigue when clearing hard surfaces, and clear a wider path. Standard on the UltraPlus.

Part #51664



SHREDZ-ALL<sup>™</sup> SHRED RING Reduces debris by 97% and therefore the number of waste bags (UltraPlus only). The zip on the bottom of the bag makes emptying quick and easy.

VARIABLE SPEED CONTROL Matches the air-speed to the task in both blower and vac mode for optimum performance.

#### MULTIPLE TUBES FOR SPECIALISED USES



MAIN TUBE Moves debris away from houses, shrubs, etc.

**POWER INSERT** Moves debris into wind rows and creates piles



	ULTRA 51581	ULTRAPLUS 51558
Maximum Air Speed	up to 402 km/h	up to 402 km/h
Speed Control	Variable	Variable
Low Air Speed	161 km/h	161 km/h
Motor	6 Amps	6 Amps
Air Volume (blower mode)	9.91 m³/min	9.91 m³/min
Air Volume (vacuum mode)	11.6 m <sup>3</sup> /min	11.6 m³/min
Air Horse Power	0.7	0.7
Leaf Reduction	88% to 1 ¼ cm	▶ 97% to 1 ¼ cm
Weight	3.8 kg	4.0 kg
Shredz-All Shred Ring	Optional	Standard
Oscillating Nozzle	Optional	Standard
Warranty*	2-Year Limited Coverage	2-Year Limited Coverage

Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com





LARGER METAL IMPELLER Reduces 88% of mulched debris to less than 1¼ cm and the UltraPlus will shred 97% of debris to less than 1¼ cm (see Shredz-All Shred Ring), allowing you to use less disposal bags.





CONCENTRATOR Moves debris out of cracks, edging and moves stubborn leaves





## PETROL WALK **MOWERS**

Make caring for your lawn easier than ever before. Our mowers start fast, move at your speed and stow away nice and neatly when done. Trust Toro to make your life easy.

**RECYCLER®** 46 cm, 53 cm, 55 cm

Manoeuvrable & Easy to Use PAGE 26-29



SUPER RECYCLER 53 cm

Professional Results & Superior Finish PAGE 30-31



**TIMEMASTER®** 76 cm

Time-Saving & Reliable PAGE 32-33





#### Choose from innovative features you'll love!



MOVE AT YOUR OWN PACE with AutoMatic Drive System



EASILY CLEAN THE DECK with the Washout Port



**REDUCE RESTARTS** with **Blade Brake Clutch** 



**GO FROM BAGGING TO** C/ RECYCLING with Recycle on Demand



ADJUST HANDLE HEIGHT with the Height Adjustable Handlebar



SAVE SPACE with SmartStow®



QUICKLY STORE with Quick Storage Handlebar

### 46 CM & 53 CM PETROL WALK MOWERS

*Recycler*<sup>®</sup>



**IDEAL FOR** SMALL - MEDIUM GARDENS (UP TO 500m<sup>2</sup>)

## **GREAT GARDENS START HERE**

Recycler<sup>®</sup> mowers make lawn care easier than ever. They start the first time every time and are easy to maintain and store. With Toro's legendary performance and durability, your mower will run smoothly for years to come.



**PROTECT YOUR INVESTMENT** Add a water- abrasion- and tearresistant cover to protect your mower and keep it running for years to come.

Part #490-7462



#### **EASY HEIGHT OF CUT** ADJUSTMENT

Select the desired height of cut in one easy move on model 20944. Model 21750 has a two-point height of cut adjustment.

THE





	20944	21750
KEY FEATURES	Washout Port, Mulch Plug	Integrated Mulch Plug
CUTTING WIDTH	46 cm	► 53 cm
ENGINE	Toro® OHV 159cc	Briggs & Stratton® Series 675 EXI 163cc
DRIVE SYSTEM	Fixed Speed, Rear-Wheel Drive	Variable Speed, Rear-Wheel Drive
STARTER	Recoil, Zone Start	Recoil, Zone Start
DECK TYPE	Steel	Steel
WARRANTY*	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start

Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com





**INTEGRATED MULCH PLUG** Switch from bagging to Recycling and maintain a clean finish with the integrated mulch plug. Available on model 21750.

### **RECYCLER® ADVANTAGE**

### ✓ TIME SAVING

Spend less time emptying grassbags

#### ✓ BENEFICIAL TO YOUR TURF

Nutrient-rich clippings are returned to the soil where they quickly feed the roots for a healthy, lush garden.

#### ✓ ENVIRONMENTALLY FRIENDLY

No need for disposal, which eliminates transportation costs and landfill use.





### **55 CM PETROL WALK MOWERS**


*Recycler*<sup>®</sup>



LARGE GARDENS (UP TO 1,000 m<sup>2</sup>) IDEAL FOR

**RECYCLER®** MAKES **MOWING EASIER** 

The Toro Recycler line has smart features that make mowing easier. Choose between front, rear and all-wheel drive options. With available step-up features that include SmartStow<sup>®</sup>, AutoMatic Drive System, Blade Brake Clutch and All-Wheel Drive.



**BETTER BAGGING** Fit more clippings and spend less time emptying bags with the combination of the new wide-mouth bag design and Toro's Vortex Technology.



MOW AT YOUR OWN PACE Toro's unique Automatic Drive System senses and smoothly adjusts the mower speed to your preferred walking pace. Not available on model 21770



PERFORMANCE

Increased airflow supercharges your grass cutting with Vortex Technology. The vacuum effect pulls grass upright for better cutting and the Recycler deck shreds clippings into an ultra fine mulch, forcing them back into the turf where they provide nutrients to the grass.

1000m <sup>2</sup>	1000m <sup>2</sup>			Dm <sup>2</sup>	1000m <sup>2</sup>
	21770	21771	21772	21773	21774
KEY FEATURES	<b>Vortex Technology,</b> <b>SmartStow®</b> , Mulch Plug	Vortex Technology, Height Adjustable Handlebar, Recycle on Demand	Vortex Technology, Blade Brake Clutch, Height Adjustable Handlebar, Recycle on Demand	Vortex Technology, SmartStow, Recycle on Demand	Vortex Technology, SmartStow®, Recycle on Demand, All-Wheel Drive
CUTTING WIDTH	55 cm	55 cm	55 cm	55 cm	55 cm
ENGINE	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc
DRIVE SYSTEM	Fixed Speed, Front Wheel Drive, High Wheel	• AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, Rear Wheel Drive, High Wheel	• AutoMatic Drive System, All-Wheel Drive, High Wheel
STARTER	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start
DECK TYPE	Steel	Steel	Steel	Steel	Steel
WARRANTY*	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start

1000m <sup>2</sup>	1000m <sup>2</sup>			Dm <sup>2</sup>	1000m <sup>2</sup>
	21770	21771	21772	21773	21774
KEY FEATURES	<b>Vortex Technology,</b> <b>SmartStow®</b> , Mulch Plug	Vortex Technology, Height Adjustable Handlebar, Recycle on Demand	Vortex Technology, Blade Brake Clutch, Height Adjustable Handlebar, Recycle on Demand	Vortex Technology, SmartStow, Recycle on Demand	Vortex Technology, SmartStow®, Recycle on Demand, All-Wheel Drive
CUTTING WIDTH	55 cm	55 cm	55 cm	55 cm	55 cm
ENGINE	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc
DRIVE SYSTEM	Fixed Speed, Front Wheel Drive, High Wheel	• AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, Rear Wheel Drive, High Wheel	• AutoMatic Drive System, All-Wheel Drive, High Wheel
STARTER	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start
DECK TYPE	Steel	Steel	Steel	Steel	Steel
WARRANTY*	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start	2-Year Full Coverage 2-Year Guaranteed to Start

Step-up Feature

^Space savings are in relation to the space consumed by a Toro® 55 cm Walk Power Mower stored with the handle in the standard operating position \* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Save up to 70%^ floor space by storing the mower upright, with no fuel or oil leaks, with SmartStow®. SmartStow available on select models

### **53 CM PETROL WALK MOWER**

Super Recycler



**IDEAL FOR** MEDIUM GARDENS (UP TO 500 m<sup>2</sup>)

## FOR A PROFESSIONAL **FINISH**

Super Recycler mowers are Toro's best residential recycling mowers. The blade, durable cast aluminium cutting deck, and bagging system work together to deliver excellent recycling or bagging performance for a healthy, lush-looking lawn.



MOVE AT YOUR OWN PACE with AutoMatic Drive System



SAVE SPACE with SmartStow®



QUICKLY STORE





ADJUST HANDLE HEIGHT

with Quick Storage Handlebar

with the Height Adjustable Handlebar



**3-IN-1 VERSATILITY** Easily switch from bagging to Recycling or side discharge mode with the supplied mulch plug and optional side discharge chute (sold seperately).



SAVE STORAGE SPACE Save up to 70%^ floor space by storing the mower upright, with no fuel or oil leaks, with SmartStow<sup>®</sup>.



✓ RUST-PROOF

SIDE DISCHARGE CHUTE

allowing for side discharging of

clippings

Part #144-0242

Add more versatility to your Super

Recycler with a side discharge chute,

#### **KEY FEATUR**

CUTTING WI

ENGINE

DRIVE SYSTE

STARTER

DECK TYPE

WARRANTY\*



32





AUTOMATIC DRIVE SYSTEM Senses and smoothly adjusts mower speed to your preferred walking pace.

### **STEP UP TO TORO ALUMINIUM MOWERS**

Aluminum is naturally rust-proof

#### ✓ BEAUTIFUL FINISH

Underdeck kickers create a fine mulch

#### ✓ 5-YEAR WARRANTY

Extra peace of mind



	21693
ES	SmartStow®, Vortex Technology, Height Adjustable Handlebar, Quick Storage Handlebar, Mulch Plug
TH	53 cm
	Briggs & Stratton® Series 675 EXI 163cc
M	AutoMatic Drive System, Rear Wheel Drive
	Recoil, Zone Start
	Aluminum
	5-Year Limited Coverage 5-Year Guaranteed to Start

^Space savings are in relation to the space consumed by a Toro® 55 cm Walk Power Mower stored with the handle in the standard operating position.

### **76 CM PETROL WALK MOWERS**

*TimeMaster*®



**IDEAL FOR** EXTRA LARGE GARDENS (1,000m<sup>2</sup> +)

## **MOW UP TO 40% FASTER**

Cover more ground in far less time with the Dual-Force™ twin blade cutting system of the TimeMaster<sup>®</sup>. The sleek, lightweight body is surprisingly easy to manoeuvre, making it simple to mow around landscaping.



EASILY CLEAN THE DECK with the Washout Port



REDUCE RESTARTS with Blade Brake Clutch



with Quick Storage Handlebar

QUICKLY STORE

ADJUST HANDLE HEIGHT with the Height Adjustable Handlebar



AUTOMATIC DRIVE SYSTEM WITH **TRACTION ASSIST** 

The traction assist handle keeps you mowing at a steady speed and senses and smoothly adjusts to your preferred walking pace.



QUICK STORAGE HANDLEBAR Handle stores vertically for easy compact storage and adjusts to ensure a comfortable mowing experience for any operator.








	21810
KEY FEATURES	Blade Brake Clutch, Height Adjustable Handleba Storage Handlebar, Washout Port, Mulch Plug
CUTTING WIDTH	76 cm
ENGINE	Briggs & Stratton <sup>®</sup> Series 1000 Quantum 223cc
DRIVE SYSTEM	AutoMatic Drive System, Rear Wheel Drive with Traction Assist
STARTER	Recoil, Zone Start
DECK TYPE	Steel
WARRANTY*	3-Year Full Coverage 3-Year Guaranteed-to-Start

Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com


**DUAL-FORCE™ CUTTING SYSTEM** Unique twin blade system chops clippings repeatedly into tiny bits and forces them back into the turf where they decompose quickly and provide nutrients and moisture to the soil.





	21811
ar, Quick	Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port, Mulch Plug
	76 cm
	Briggs & Stratton Series 1000 Quantum 223cc
	AutoMatic Drive System, Rear Wheel Drive with Traction Assist
	▶ Recoil/Electric, Zone Start
	Steel
	3-Year Full Coverage 3-Year Guaranteed-to-Start

### **PETROL SCARIFIER**



DE-THATCHING AND REVITALISING YOUR TURF **IDEAL FOR** 

## **IMPROVE YOUR TURF HEALTH**

Maintain a healthy, lush lawn with the new Toro® Scarifier. De-thatching allows for healthy root growth by making water, air, and nutrients available to the soil. Featuring a durable steel deck and the power you need to pull out bad thatch and eliminate moss problems.



E-10 APPROVED TORO **PREMIUM FUEL TREATMENT** Part #131-6572 - 12 oz bottle



36

Cutting

Engine Drive

Starte Worki Height Deck 1

Grass

Rotors

Weigh

Warra

54610
40 cm
Briggs & Stratton® 163cc XR-750 Series
Push
Recoil
+10 to -15 mm
Single Point
Steel
50 L
1 x 24 steel springs 1 x 18 verticutter
41 kg^
2-Year Coverage

^ To Be Confirmed : New product information as of September 2020. Specifications subject to change. \* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com



# ZERO-TURN **RIDING MOWERS**

Toro riding lawn mowers give homeowners exceptional durability and control while riding on a swift, comfortable machine. Owners of our zero-turn radius riding mowers report an average time saving of 50% over their previous mower. You'll not only have more time to enjoy, you'll extend the working life of your mower.

#### **TIMECUTTER®**

Time-Saving, Extra Comfortable and Convenient PAGES 38-39



74695

**TITAN**® Professional Grade Results, Durable, and Comfortable PAGES 40-41











TimeCutter ZS 4200S 74683

TimeCutter ZS 4200T 74687



TimeCutter MX 4275T 74691



Titan X 4850 74875


Titan XS 4850 74890



Titan X 5450 74877

### **TIMECUTTER®**

107 cm & 127 cm Zero-Turn Mowers



GARDENS UP TO 10,000 m<sup>2</sup> IDEAL FOR

## LESS TIME MOWING, **MORE TIME LIVING**

### CUT MOWING TIME UP TO 50%<sup>^</sup>

Don't let overgrown grass slow your summer plans. Toro's TimeCutter riding mower allows you to create both a beautiful lawn and saves you up to 50% more time^ than ever to enjoy what matters most to you.



TRADITIONAL TRACTOR ZERO-TURN MOWER

#### **RIDE IN STYLE**

Tackle tough jobs with style while you mow with a handcrafted seat that provides the ultimate in padding and back support.



#### **HASSLE-FREE** MAINTENANCE

Spend less time maintaining your mower with tool-less oil change and filter, and belt cover. Simply unlatch the belt cover and easily sweep away debris to prevent deck corrosion and belt wear.



	TIMECUTTER ZS 4200S 74683	TIMECUTTER ZS 4200T 74687	
KEY FEATURES	<ul> <li>Smart Speed, Onboard Storage, Hitch Kit,</li> <li>Washout Port, 41 cm High Back Comfort Seat</li> </ul>	Smart Speed, Storage, Hitch Washout Port, Back Comfort	
CUTTING WIDTH	▶ 107 cm	107 cm	
ENGINE	Briggs & Stratton® 500cc Single	▶ Toro® 708cc	
TRANSMISSION SYSTEM	Dual Hydrostatic	Dual Hydrosta	
DECK TYPE	Stamped: 2-Blade; Recycler, Side Discharge	Stamped: 2-Bl Recycler, Side	

Recycler, Side Discharge

3-Year Limited

WARRANTY\* Step-up Feature

<sup>A</sup> Time savings based on survey of consumers who purchased TimeCutters from 1/1/18-9/30/19. Time savings will vary. \* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

#### **NO MORE ROCKY RIDES**

Save your body from the toughest terrain and avoid slow mowing speeds with the MyRide® suspension system\*. MyRide keeps you perched above the action, and any blows from your lawn are absorbed by the mower, not you. \*available on selected models.



### **TITAN®**

122 cm & 137 cm Zero-Turn Mowers



GARDENS UP TO 10,000+ m<sup>2</sup> IDEAL FOR

## **BE YOUR OWN** LAWN CARE PRO

### **BUILT FOR THE TOUGHEST CONDITIONS**

Take reign over your domain with a machine fit for the toughest job. Built for tough conditions, the 50 grade 10-gauge high strength cutting deck with bull nose reinforced leading edge is ready for the toughest hits. The Titan will give you professionallevel performance and will keep your garden looking better than ever for years to come.



LIGHT KIT Connecting to the existing accessory circuit, this quick install light kit keeps your productivity into the night.

Part #136-7493

#### **NO MORE ROCKY RIDES**

Save your body from the toughest terrain and avoid slow mowing speeds with the MyRide® suspension system\*. MyRide keeps you perched above the action, and any blows from your lawn are absorbed by the mower, not you. \*available on selected models.



MAINTENANCE Spend less time maintaining your mower with tool-less oil change and filter. Simply flip open the air filter to replace it.



	TITAN X 4850 74875	TITAN XS 4850 74890	TITAN X 5450 74877	TITAN XS 5450 74898
KEY FEATURES	Hitch Kit, Hourmeter, Deck Foot Lift, 46 cm High Back Comfort Seat with Armrests, Fabricated Deck	▶ MyRIDE®, Hitch Kit, Hourmeter, Deck Foot Lift, 46 cm High Back Comfort Seat with Armrests, Fabricated Deck	Hitch Kit, Hourmeter, Deck Foot Lift, 46 cm High Back Comfort Seat with Armrests, Fabricated Deck	▶ MyRIDE, Hitch Kit, Hourmeter, Deck Foot Lift, 46 cm High Back Comfort Seat with Armrests, Fabricated Deck
CUTTING WIDTH	122 cm	122 cm	▶ 137 cm	137 cm
ENGINE	Kohler® 725cc V Twin	Kohler 725cc V Twin	Toro® 708cc V Twin	Kohler 725cc V Twin
TRANSMISSION SYSTEM	Dual Hydrostatic with Charge Pumps	Dual Hydrostatic with Charge Pumps	Dual Hydrostatic with Charge Pumps	Dual Hydrostatic with Charge Pumps
DECK TYPE	Fabricated: 3-Blade; Recycler, Side Discharge	Fabricated: 3-Blade: Recycler, Side Discharge	Fabricated: 3-Blade: Recycler, Side Discharge	Fabricated: 3-Blade: Recycler, Side Discharge
WARRANTY*	3-Year Limited or 300 hours	3-Year Limited or 300 hours	3-Year Limited or 300 hours	3-Year Limited or 300 hours

Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

#### HANDCRAFTED COMFORT

Ride your mower in style with a handcrafted high-back seat with arm rests and Toro's iconic bullhorn logo. You can trust your seat provides the ultimate in padding and back support.



**GET A GRIP** Keep your grip and remove excess mud from your shoes with a cast aluminium stomp pad.





### **KEEP YOUR MOWER RUNNING IN TOP CONDITION**



#### **ENGINE OIL**

Designed to perform at peak efficiency in any environment. Coupled with the fuel treatment it delivers high protection of the engine.

PART#	DESCRIPTION
38916	Toro Standard SAE Oil (.53 L bottle)
38903	Toro Standard SAE Oil (1 L bottle)



**T-150 LUBRICANT SPRAY** Keeps tools and equipment in peak

J	
PART#	DESCRIPTION
29100	8 oz bottle



#### MAINTENANCE KITS

PART#	DESCRIPTION
130-8148	Maintenance Kit: Briggs & Stratton <sup>®</sup> Engine
20239	Maintenance Kit: Toro® Engine (2012 & prior)
20240	Maintenance Kit: Toro Engine (2013 - 2016)
139-0650	Maintenance Kit, Single Cylinder (TimeCutter Toro Engine only)
139-0649	Maintenance Kit, Twin Cylinder (TimeCutter Toro Engine only)
139-0646	Maintenance Kit, Twin Cylinder (Titan Toro Engine only)

## **COMPLETE YOUR TORO EXPERIENCE**

The lineup of Toro<sup>®</sup> mowers won't change how often you mow, but they will change how well you mow. Enhance your mowing experience by adding accessories to your Toro mower.



#### **MOWER COVER**

This waterproof Toro walk behind mower cover is abrasion- and tearresistant. Its design helps reduce heat and moisture build-up.





#### TORO MESH UTILITY BAG

Use Toro mesh utility bags for personal items or storing collected rubbish. Hangs conveniently behind the mower with easy on/off straps.

#### PART# DESCRIPTION

490-7318 Toro® Small Walk Behind Bag 490-7322 | Large Walk Behind Bag (no logo) 490-7325 Small Walk Behind Bag (no logo)

#### **TRACTION ASSIST HANDLE**

Increase traction and make mowing difficult terrain easier, just squeeze to get additional power.

#### PART# DESCRIPTION

Super Recycler & Recycler mowers with 131-4590 AutoMatic Drive System (clamp-on)





#### **E-10 APPROVED TORO** PREMIUM FUEL TREATMENT

PART# DESCRIPTION 131-6572 12 oz bottle

gutters safely. PART# DESCRIPTION 51668 Universal Gutter Cleaner

### **REAL PEOPLE MEANS REAL SUPPORT**

Toro dealers are locally operated and ready to serve you with expert advice, after-sale service and an extensive range of Genuine Toro Parts and Accessories.







PART#	DESCRIPTION
20601	For all 50-55 cm Walk mowers
20602	For 76 cm TimeMaster






#### **GUTTER CLEANING KIT** Ditch the ladder and clean your

#### SPRING BUCKET

Collapse-able bucket makes garden clean up a breeze.

PART#	DESCRIPTION
29210	163 litre (43 gallon) capacity



## ENHANCE NOUR NOURING EXPERIENCE

#### SUNSHADE

Shields the operator from the sun while mowing. Made of heavyduty, water-repellent material for maximum durability.

 PART#
 DESCRIPTION

 140-2054
 TimeCutter

 137-7011
 Titan



### ANTI-VIBRATION FLOOR MAT

Dampen vibrations for a more comfortable ride.

PART#	DESCRIPTION

140-2059 For TimeCutter, 107 cm & 127 cm



#### DECK LIFT ASSIST KIT

Gain access to the underside of your zero-turn mower's deck with no hassle thanks to its comfortable and ergonomic design.

#### PART# DESCRIPTION

140-2711 Mount Kit 127-6666 Jack Kit



ROPS KIT Add rollover protection to your zero-turn mower

79485	For TimeCutter
139-2638	For Titan





SEAT COVER

Increase your comfort with optional armrests.

 PART#
 DESCRIPTION

 140-2058
 For TimeCutter ZS, 107 cm

17

# Protect your Toro seat from typical wear and tear. PART# DESCRIPTION 117-0096 For TimeCutter and Titan models without armrests 117-0097 For TimeCutter and Titan models

with armrests

#### **TWIN BAGGER**

PART#	DESCRIPTION
79410	For TimeCutter ZS, 107 cm
79411	For TimeCutter ZS, 107 cm, MyRide®
79412	For TimeCutter ZS, 127 cm, MyRide®
79346	For Titan



#### LIGHT KIT

Connecting to the existing accessory circuit, this quick install light kit keeps your productivity into the night.

PART#	DESCRIPTION
140-2056	For TimeCutter
136-7493	For Titan

#### **ZERO-TURN COVER**

This waterproof cover is abrasion- and tear-resistant. Its design helps reduce heat and moisture build-up.

PART#	DESCRIPTION
490-7516	For TimeCutter
137-7012	For Titan

#### LEAF BAG ENHANCEMENT KIT

Enhance bagging performance in extreme conditions such as heavy, wet grass or autumn leaf bagging.

PART#	DESCRIPTION
139-7478	TimeCutter
140-5121	Titan, 122 cm
140-5122	Titan, 137 cm





# 

**10.** Factory-Trained Service Technicians

**9.** Genuine Toro Parts and Accessories

**8.** Products Professionally Set Up, Serviced and Ready To Go

7. Competitive Financing Options

**6.** On-Site Product Demonstrations (where available)

**5.** Best Selection of Products to Fit Your Needs

4. Delivery Available

3. Competitive Prices

**2.** Experienced, Knowledgeable and Courteous Staff

And the #1 Reason...

Locally Owned and Operated!







### **PERFECT & QUALITY FIT** To ensure you are getting the most

out of your Toro insist on Genuine Toro Parts. Toro parts are designed for an exact fit, reducing the wear on your machine.





Most local channel partners deliver parts within 24 hours. Toro backs this promise with 48-hour delivery support.




lion O

> **PRICE REFLECTS d** QUALITY **V**PERFORMANCE **d**URABILITY







partner, supported by Toro's parts network, offers the parts you need when you need them.



**TORO INVESTS IN** INNOVATION Toro reinvests a percentage of revenue towards continuing innovation of new products

\*Specifications and design subject to change without notice. Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. All trademarks are property of their respective owners.





DURABILI Built tough, Toro parts are

engineered to not only meet but exceed your expectations



Since the inception of The Toro Company, we have been patenting our products and protecting the innovation that Toro brings to market.



							-	10			0				
LAWN SIZE	<b>SMALI</b> up to 2			SMALL up to 300 m <sup>2</sup>					<b>MEDIU</b> up to 5						
	60V RECYCLER® 21836		60V RECYCLER 21843		60V RECYCLER 21844		60V SUPER RECYCLER 21848		60V RECYCLER 21852						
KEY FEATURES	RunSmart™, SmartStow®, 2-Speed Switch (RunSmart/ Max Speed), Mulch Plug, Quick Storage Handlebar, Grassbox Full Indicator		RunSmart, SmartStow, 2-Speed Switch (RunSmart/Max Speed), Mulch Plug, Quick Storage Handlebar, Grassbox Full Indicator		RunSmart, SmartStow, 2-Speed Switch (RunSmart/Max Speed), Mulch Plug, Quick Storage Handlebar, Grassbox Full Indicator		RunSmart, 2-Speed Switch (RunSmart/ Max Speed), Height Adjustable Handlebar, Quick Storage Handlebar, Recycle on Demand, Washout Port		RunSmart, 2-Speed Switch (RunSmart/Max Speed), SmartStow, Integrated Mulch Plug						
CUTTING WIDTH	36 cm			▶ 43 cm			43 cm			▶ 48 cm			▶ 52 cm		
MOTOR	600W Bru	shless 60\	1	► 850W	Brushless	60V	850W Brus	shless 60 <sup>1</sup>	V	▶ 1.5 kW	Brushless	s 60V	1.5 kW Bru	shless 60	V
TORO 60V BATTERY	L135 Battery Included 60V 2.5 Ah 135 Wh		L216 Battery Included 60V 4.0 Ah 216 Wh		L216 Battery Included 60V 4.0 Ah 216 Wh		► L324 Battery Included 60V 6.0 Ah 324 Wh		L324 Battery Included 60V 6.0 Ah 324 Wh						
TORO 60V CHARGER	Charger Included		Charger Included		Charger Included		Charger Included		Charger Included						
MAXIMUM AREA CUT*	Battery	Watt Hours	Max Area Cut⁺	Battery	Watt Hours	Max Area Cut⁺	Battery	Watt Hours	Max Area Cut⁺	Ballery	Watt Hours	Max Area Cut*	Battery	Watt Hours	Max Area Cut⁺
WITH ONE CHARGE	L135 (2.5 Ah)	135	up to 800 m²	L216 (4.0 Ah)	216	up to 900 m²	L216 (4.0 Ah)	216	up to 750 m²	L324 (6.0 Ah)	324	up to 800 m²	L324 (6.0 Ah)	324	up to 925 m²
DRIVE SYSTEM	Push			Push		► Variable Speed, Rear Wheel Drive		AutoMatic Drive System, Rear Wheel Drive w/ Traction Assist		Variable Speed, Rear Wheel Drive					
STARTER	Push Butt	ton		Push Button		Push Butt	on		Push Butt	on		Push Butt	on		
HEIGHT OF CUT	1-point, 1	9 - 70 mn	n	1-point, 19 - 70 mm		1-point, 1	9 - 70 mr	n	1-point, 25–102 mm		2-point, 32–95 mm				
DECK TYPE	Polymer			Polymer			Polymer		Aluminum		Steel				
WEIGHT	21.9 kg (with L13	5 Battery)		25.2 kg (with L216 Battery)			27.1 kg (with L216 Battery)		37 kg (with L324 Battery)		32 kg (with L324 Battery)				
GRASSBAG CAPACITY	40 L			► 50 L 50 L			▶ 60 L		▶ 70 L						
DIMENSIONS (Length x	Width x H	leight, mi	m)												
COLLAPSED	1135 x 41	17 x 412		1140 x 485 x 410		1140 x 485 x 410		965 x 597 x 432		965 x 581 x 432					
ASSEMBLED	1306 x 417 x 1073		1362 x 485 x 1085		1362 x 485 x 1085		1520 x 530 x 1090		1400 x 560 x 1020						
WARRANTY Residential*	3-Year Full Coverage		3-Year Full Coverage		3-Year Full Coverage		ge	3-Year Full Coverage, 5-Year Deck		3-Year Full Coverage					
WARRANTY Commercial*	30 Days		30 Days		30 Days		30 Days		30 Days						
BLADE ACCELERATOR	-		-		-		Standard			-					
DECK KICKERS	-		-		-			Standard			-				
WHEEL BEARINGS		Standard			Standard	1		Standard		Standard			-		

-

-

Standard

-

Standard

Standard

-

-

-

-

Standard



LAWN SIZE	LARGE up to 100	)0 m²	LAWN SI	IZE	
	60V REC 21864	YCLER			
KEY FEATURES	Adjustable	, SmartStow, F 9 Handlebar, 1 Demand, Wa	KEY FEATUR	ES	
CUTTING WIDTH	▶ 55 cm			CUTTING WI	DTI
MOTOR	2 kW Brus	hless 60V		DECK CONS	TRI
TORO 60V BATTERY	L324 Battery 60V 6.0 Ah 3	Included 24 Wh			
TORO 60V CHARGER	Charger Inclu	uded		MOTOR	
	Battery	Watt Hours	Max Area Cut⁺		
MAXIMUM AREA CUT* With one charge	L324 (6.0 Ah)	324	up to 1300 m <sup>2</sup>	BATTERY	
DRIVE SYSTEM	► AutoMati Wheel Drive	c Drive Syster	n, Rear	CHARGER	
STARTER	Push Button				
HEIGHT OF CUT	4-point, 25–	102 mm		WITH ONE C	
DECK TYPE	Steel			HEIGHT OF (	CUT
WEIGHT	36 kg (with L324 B	attery)		TURNING RA	\DI
GRASSBAG CAPACITY	70 L			GRASSBOX	CAF
DIMENSIONS (Length x	: Width x Heig	jht, mm)		WEIGHT	
COLLAPSED	1029 x 597 x	406		WARRANTY	
ASSEMBLED	1500 x 580 x	: 1070	RESIDENTIA	۱L*	
WARRANTY Residential*	3-Year Full C	overage	WARRANTY COMMERCIA	1*	
WARRANTY Commercial*	30 Days			oor menor	
BLADE ACCELERATOR		Standard			
DECK KICKERS		Standard			
WHEFI BEARINGS		-			
DUAL BLADES		-			
TRACTION ASSIST		Optional			
2-IN-1 BAG, RECYCLE		-			
3-IN-1 BAG, RECYCLE, SIDE DISCHARGE		Standard			

+ Based on low speed in controlled laboratory testing of product. Run time varies with load.

-

-

Standard

-

-

Standard

-

DUAL BLADES

2-IN-1 BAG, RECYCLE

DISCHARGE

50

TRACTION ASSIST

3-IN-1 BAG, RECYCLE, SIDE



E	<b>EXTRA LARGE</b> Up to 2500 m <sup>2</sup>						
	<b>ES3000SD</b> 75500	<b>ES3200DC</b> 75501					
3	Cruise Control, Mow in Reverse, Adjustable Seat, Cup Holder, LED front Lights, USB connector, Mulch Plug	Rear Collection, Cruise Control, Mow in Reverse, High Back Seat, Cup Holder, LED front Lights, USB connector, Mulch Plug					
.H	76 cm	▶ 81 cm					
UCTION	Steel	Steel					
	Single motor with a rating of 800w. Powered by an integrated battery with mains charging cable (in place charging) Lead acid AGM 72V	Single motor with a rating of 800w. Powered by an integrated battery with mains charging cable (in place charging) 72V 22.5 Ah Li-ion					
	Battery Included (72V;24Ah)	Battery Included (72V;22.5Ah)					
	Charger Included	Charger Included					
EA CUT⁺ Arge	2,500 m <sup>2</sup>	2,500 m <sup>2</sup>					
т	25 - 106 mm	25 - 135 mm					
IUS	46 cm	46 cm					
PACITY	-	190 L					
	188 kg	150 kg					
	3-Year, Limited Coverage	3-Year, Limited Coverage					
	30 Days	30 Days					



LAWN SIZE	MEDIUM up to 500 m <sup>2</sup>			LARGE up to 1000 m <sup>2</sup>		
	RECYCLER® 20944	RECYCLER 21750	SUPER RECYCLER 21693	RECYCLER 21770	RECYCLER 21771	
KEY FEATURES	Washout Port, Mulch Plug	Integrated Mulch Plug	SmartStow®, Vortex Technology, Height Adjustable Handlebar, Quick Storage Handlebar	SmartStow, Vortex Technology	Vortex Technology, Height Adjustable Handlebar, Recycle on Demand,	
CUTTING WIDTH	46 cm	▶ 53 cm	53 cm	▶ 55 cm	55 cm	
ENGINE/MOTOR	Toro® OHV 159cc	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	
DRIVE SYSTEM	Fixed Speed, Rear-Wheel Drive	► Variable Speed, Rear-Wheel Drive	• AutoMatic Drive System, Rear-Wheel Drive	Fixed Speed, Front-Wheel Drive, High Wheel	• AutoMatic Drive System, Rear-Wheel Drive	
STARTER	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	
HEIGHT OF CUT	1-point, 25-70 mm	2-point, 32-95 mm	4-point, 32-108 mm	4-point, 25-105 mm	4-point, 25-105 mm	
DECK TYPE	Steel	Steel	► Aluminium	Steel	Steel	
WEIGHT	29 kg	30 kg	38 kg	32 kg	35 kg	
GRASSBAG CAPACITY	55 L	▶ 70 L	63 L	63 L	63 L	
FUEL TANK CAPACITY	1.0 L	0.95 L	0.95 L	0.9 L	0.9 L	
DIMENSIONS (Length x	(Width x Height, mm)					
COLLAPSED	1230 x 530 x 560	965 x 581 x 432	1054 x 585 x 1110	990 x 602 x 445	1029 x 597 x 406	
ASSEMBLED	1480 x 530 x 1050	1400 x 560 x 1020	1577 x 585 x 1110	1500 x 580 x 1070	1500 x 580 x 1070	
WARRANTY RESIDENTIAL*	2 Year Full Coverage* 2 Year Guaranteed to Start*	2 Year Full Coverage*	5 Year Limited Coverage* 5 Year Guaranteed to Start*	2 Year Full Coverage* 2 Year Guaranteed to Start*	2 Year Full Coverage* 2 Year Guaranteed to Start*	
WARRANTY Commercial*	30 Days	90 Days	90 Days	90 Days	90 Days	
BLADE ACCELERATOR	-	-	-	-	-	
DECK KICKERS		-	-	-	-	
WHEEL BEARINGS	Standard	-	-	-	-	
DUAL BLADES	-	-	-	-	-	
TRACTION ASSIST	-	-	-	-	► Optional	
2-IN-1 Bag, recycle	-	-	Standard	Standard	Standard	
3-IN-1 BAG, RECYCLE, SIDE DISCHARGE	Standard (Rear Discharge)	Standard	-	-	-	



	A	D			
	Jan Barris				
LAWN SIZE	LARGE up to 1000 m <sup>2</sup>			EXTRA LARGE over 1000 m <sup>2</sup>	
	RECYCLER® 21772	RECYCLER 21773	ALL-WHEEL DRIVE RECYCLER 21774	TIMEMASTER® 21810	<b>TIMEMASTER</b> 21811
KEY FEATURES	Vortex Technology, Blade Brake Clutch, Height Adjustable Handlebar, Recycle on Demand	SmartStow, Vortex Technology, Recycle on Demand, Mulch Plug	SmartStow, Vortex Technology, Recycle on Demand	Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port, Mulch Plug	Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port, Mulch Plug
CUTTING WIDTH	55 cm	55 cm	55 cm	▶ 76 cm	76 cm
ENGINE/MOTOR	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 1000 Quantum 223cc	Briggs & Stratton Series 1000 Quantum 223cc
DRIVE SYSTEM	AutoMatic Drive System, Rear-Wheel Drive	AutoMatic Drive System, Rear-Wheel Drive	AutoMatic Drive System All-Wheel Drive	AutoMatic Drive System w/ Traction Assist, Rear-Wheel Drive	AutoMatic Drive System w/ Traction Assist, Rear-Wheel Drive
STARTER	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil/Electric, Zone Start
HEIGHT OF CUT	4-point, 25–102 mm	4-point, 25–102 mm	4-point, 25-102 mm	2-point, 32-108 mm	2-point, 32-108 mm
DECK TYPE	Steel	Steel	Steel	Steel	Steel
WEIGHT	37 kg	35 kg	37 kg	62 kg	65 kg
GRASSBAG CAPACITY	63 L	63 L	63 L	▶ 88 L	88 L
FUEL TANK CAPACITY	0.9 L	0.9 L	0.9 L	▶ 1.1 L	1.1 L
DIMENSIONS (Length x	width x Height, mm)				
COLLAPSED ASSEMBLED	1029 x 597 x 406 1500 x 580 x 1070	1029 x 597 x 406 1500 x 580 x 1070	1029 x 597 x 406 1500 x 580 x 1070	1041 x 813 x 533 1630 x 810 x 1120	1041 x 813 x 533 1630 x 810 x 1120
WARRANTY Residential*	2 Year Full Coverage* 2 Year Guaranteed to Start*	2 Year Full Coverage* 2 Year Guaranteed to Start*	2 Year Full Coverage* 2 Year Guaranteed to Start*	3 Year Full Coverage* 3 Year Guaranteed to Start*	3 Year Full Coverage* 3 Year Guaranteed to Start*
WARRANTY Commercial*	90 Days	90 Days	90 Days	90 Days	90 Days
BLADE ACCELERATOR	-	-	-	-	-
DECK KICKERS	-	-	-	-	-
WHEEL BEARINGS	-	-	-	Standard	Standard
DUAL BLADES	-	-	-	Standard	Standard
TRACTION ASSIST	Optional	Optional	Standard	Standard	Standard
2-IN-1 Bag, recycle	Standard	Standard	Standard	-	-
3-IN-1 BAG, RECYCLE, SIDE DISCHARGE	-	-	-	Standard	Standard





LAWN SIZE	UP TO 7000 m²	UP TO 10,000 m²			
	TIMECUTTER ZS 4200S 74683	TIMECUTTER ZS 4200T 74687	TIMECUTTER MX 4275T 74691	TIMECUTTER MX 5075T 74695	
KEY FEATURES	Smart Speed, Onboard Storage, Hitch Kit, Washout Port	<mark>Smart Speed</mark> , Onboard Storage, Hitch Kit, Washout Port	► MyRide®, Smart Speed, Hitch Kit, Washout Port	MyRide, Smart Speed, Hitch Kit, Washout Port	
CUTTING WIDTH	▶ 107 cm	107 cm	107 cm	▶ 127 cm	
DECK CONSTRUCTION	Stamped Deck	Stamped Deck	Fabricated Deck	Fabricated Deck	
ENGINE	Briggs & Stratton® 500cc Single	► Toro® 708cc V Twin	Kohler® 725cc V Twin	Kohler 725cc V Twin	
TRANSMISSION	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	
HEIGHT OF CUT	38 - 114 mm	38 - 114 mm	38 - 114 mm	38 - 114 mm	
GRASSBAG CAPACITY	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L	
WEIGHT	232 kg	247 kg	267 kg	288 kg	
FUEL TANK CAPACITY	11.3 L	11.3 L	11.3 L	11.3 L	
TIRE DIMENSIONS Front Rear	28 cm x 10 cm Smooth 46 cm x 19 cm - 20 cm	28 cm x 10 cm Smooth 46 cm x 19 cm - 20 cm	28 cm x 10 cm Smooth 46 cm x 19 cm - 20 cm	28 cm x 15 cm Smooth 46 cm x 24 cm - 20 cm	
WARRANTY Residential*	3-Year, Limited Coverage	3-Year, Limited Coverage	3-Year, Limited Coverage	3-Year, Limited Coverage	
WARRANTY Commercial*	30 Days	30 Days	30 Days	30 Days	
ARMRESTS	-	-	Standard	Standard	
ANTI-SCALP ROLLERS	Standard	Standard	Standard	Standard	
HITCH KIT	Standard	Standard	Standard	Standard	
RECYCLER®	Standard	Standard	Standard	Standard	
WASHOUT PORT	Standard	Standard	Standard	Standard	
DUAL HEADLIGHTS	Optional	Optional	Optional	Optional	
SEAT – BACK HEIGHT	► 41 cm	41 cm	► 46 cm	46 cm	
SEAT ADJUSTMENT	-	-	Lever Slide	Lever Slide	
ANTI-VIBRATION MAT	Optional	Optional	Optional	Optional	
KIT - TWIN BAGGER	Optional Bagger Kit	Optional Bagger Kit	Optional Bagger Kit	Optional Bagger Kit	
DECK LIFT	Hand-lift Standard, Foot-lift Optional	Hand-lift Standard, Foot-lift Optional	Hand-lift Standard, Foot-lift Optional	Hand-lift Standard, Foot-lift Standard	

LAWN SIZE	UP TO 10,000 m² +						
	TITAN <sup>®</sup> X 4850 74875	TITAN XS 4850 74890	TITAN X 5450 74877	TITAN XS 5450 74898			
KEY FEATURES	Hitch Kit, Hourmeter	MyRide®, Hitch Kit, Hourmeter	Hitch Kit, Hourmeter	► MyRide®, Hitch Kit, Hourmeter			
CUTTING WIDTH	122 cm	122 cm	▶ 137 cm	137 cm			
DECK CONSTRUCTION	Fabricated Deck	Fabricated Deck	Fabricated Deck	Fabricated Deck			
ENGINE	Kohler 725cc V Twin	Kohler 725cc V Twin	Toro 708cc V Twin	Kohler 725cc V Twin			
TRANSMISSION	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic			
HEIGHT OF CUT	38 - 114 mm						
GRASSBAG CAPACITY	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L			
WEIGHT	344 kg	360 kg	351 kg	373 kg			
FUEL TANK CAPACITY	18.9 L	18.9 L	18.9 L	18.9 L			
TIRE DIMENSIONS Front Rear	33 cm x 16.5 cm Smooth 56 cm x 28 cm	33 cm x 16.5 cm Smooth 56 cm x 28 cm	33 cm x 16.5 cm Smooth 56 cm x 28 cm	33 cm x 16.5 cm Smooth 56 cm x 28 cm			
WARRANTY Residential*	3-Year, Limited Coverage or 300 hrs						
WARRANTY Commercial*	30 Days	30 Days	30 Days	30 Days			
ARMRESTS	Standard	Standard	Standard	Standard			
ANTI-SCALP ROLLERS	Standard, 3	Standard, 3	Standard, 3	Standard, 3			
HITCH KIT	Standard	Standard	Standard	Standard			
RECYCLER®	Standard	Standard	Standard	Standard			
WASHOUT PORT	-	-	-	-			
DUAL HEADLIGHTS	Optional LED Kit	Optional LED Kit	Optional LED Kit	Optional LED Kit			
SEAT - BACK HEIGHT	46 cm	46 cm	46 cm	46 cm			
SEAT ADJUSTMENT	Lever Slide - 6 Positions, 10cm Travel						
ANTI-VIBRATION MAT	Standard	Standard	Standard	Standard			
KIT - TWIN BAGGER	Optional Powered Bagger Kit						
DECK LIFT	Foot-lift Standard	Foot-lift Standard	Foot-lift Standard	Foot-lift Standard			



Every product that carries the Toro<sup>®</sup> brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business. We also stand behind our products with a global network of knowledgeable dealers for parts and service support.

The Brand Professionals Trust.





facebook.com/TheToroCompany twitter.com/TheToroCompany youtube.com/ToroCompanyEurope

toro.com Worldwide Headquarters The Toro Company 8111 Lyndale Ave. So. Bloomington, MN 55420 U.S.A. Phone: (1) 952 888 8801 Fax: (1) 952 887 8258

©2022 The Toro Company. All Rights Reserved.

#### 22-502-MASTER

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your distributor for details on all our warranties.