



Model Number:	GR3-CI-TF-143T-2-B-D-1.5
MFG PN:	444
List Price:	

All data shown at HIGH voltage setting

Format: STD 3 Phase

Electrical Data				General Data			
Rated Motor Output Power	1.5	HP		Frame Size	143T		
Rated Motor Speed	3450	r/min 60Hz		Enclosure	TEFC		
	2850	r/min 50Hz		Mounting	Rigid		
Rated Motor Voltage (3 Phase)	230/460	V/60Hz		NEMA Design	A		
	190/380	V/50Hz		IP Rating	55		
Rated Motor Current	2-Apr	A (In) @ 60Hz		Insulation Class	F		
	5.2/2.6	A (In) @ 50Hz		Tropicalization	1		
FL Current @ 208V	None	A (In) @ 60Hz		Duty	Cont. / S1		
Service Factor	1.25	@ 60Hz		Cable Entry	1-NPT 3/4"		
	1.25	@ 50Hz		Feet Removable	1		
KVA Code	K	60Hz		Double Drilled	0		
	J	50Hz		Frame Material	Cast Iron		
Nominal Efficiency	84.0	% @ 60Hz		Shaft Material	None		
	81.0	% @ 50Hz		Coating	RAL	7024	
Nominal Power Factor	0.83	cos ϕ @ 60Hz					
Full Load Torque Ft-Lb	S			Mechanical Data			
Load Data	Trq Ft-Lb	Trq %FL	Current Amps	Bearing DE Side	6205ZZ		
Locked Rotor				Bearing NDE Side	6205ZZ		
Breakdown	8.346032013	381.0	-	Comp Ring (wavey washer)	NDE		
Pull Up	4.99447585	228.0	-	Weight	41.895	Lbs	
Load Data	RPM	Eff %	Current Amps	Moment of Inertia	None	kg.m3	
125% of FL	3481.3	85.66	2.39	Site Conditions			
75% of FL	3533.7	85.78	1.69	Temp Rise @ Full Load °C	B	@ 60Hz	
50% of FL	3556.2	83.17	1.43	Ambient Temperature °C	40		
No Load	1199.0	0	1.22	Altitude Above Sea Level (M)	1000		
Brake Torque (N-M)	100.0	Loaded Torque Curves		None			
Brake Coil Voltage	None	P1 = Output Power (KW), S = Slip (% of Sync RPM), η = Efficiency (%), cos ϕ = Power Factor					

CT VFD Range	
Haz Loc Rating	
Options:	
UL File Number	
CSA File Number	
DOE File Number	
CE APPROVAL	
Wiring Diagram	NEMA-3-9-YY-Y
3 Phase - YY/Y - 9 Lead	
4,1 Blue / 5,2 White / 6,3 Org / 7 Yl / 8 Blk / 9 RD	
Cast Iron- 1,2,3 Top - 4,5,6,7,8,9 Bottom	
Aluminum - 4,5,6,8,9 Top - 1,2,3,7 Bottom	
CONNECTIONS	
LOW VOLTAGE	HIGH VOLTAGE

Techtop Industries -2815 Colonnades Court - Peachtree Corners, GA 30071 - Phone: (678) 436-5540




Model Number:	GR3-CI-TF-143T-2-B-D-1.5
MFG PN:	
List Price:	444

Dimensional Drawing (For Reference Only)

GR3-CI-TF-143T-CFC-2D

FRAME: 143T | HP: | RPM: | PHASE: 3 | VOLT: 208 - 230/460V | ENCL: TEFC | FREQ: 60 Hz | FLA: | LRA:



	MODEL NUMBER:	REV	BY	DATE	CHANGES
	GR3-CI-TF-143T	1			
	MFG PN:	2			
		3			
		4			
		5			
		6			
MATERIAL: UNITS: INCH BY: SSEE DRAWN: 6/15/2018 WWW.TECHTOP.COM		7			

Components

Item	Model	Description	List Price
C-Face Kit			

D-Flange Kit			
DE Endplate Kit			
NDE Endplate Kit			
Junction Box			
Cooling Fan Cover			
Cooling Fan			
Replacement Feet			
DE Bearing Retainer Kit			
NDE Bearing Retainer Kit			

Techtop Industries -2815 Colonnades Court - Peachtree Corners, GA 30071 - Phone: (678) 436-5540