

PRM Pressure Transmitters are built to withstand the harsh environments of the remediation industry. Accuracy: +/-0.25%FS, Working Temp: 14°F to 176°F



[PT5PSICABLE025MNPTX](#)

Range: 0-5 PSI
 Material: 304 SS
 Output: 4~20mA
 Power: 24 VDC
 Connection: 1/4 MNPT



[PT50PSI24VDCX](#)

Range: 0-50 PSI
 Material: 304 SS
 Output: 4~20mA
 Power: 24 VDC
 Connection: 1/4 MNPT



[PT100PSICABLE025MNPTX](#)

Range: 0-100 PSI
 Material: 304 SS
 Output: 0-10 VDC
 Connection: 1/4 MNPT



[PT145PSI24VDCX](#)

Range: 0-145 PSI
 Material: 304 SS
 Output: 4~20mA
 Power: 24 VDC
 Connection: 1/4 MNPT



[PT1000200PSIXPX](#)

Range: 0-200 PSI
 Output: 4~20mA
 Power: 24VDC
 Connection: 1/2 MNPT 316 SS
 Enclosure: 2088 Type, Anti-Explosion



[PTYD322II050PSIX](#)

Range: 0-50 PSI
 Output: 4~20mA
 Power: 24VDC
 Connection: 1/4 MNPT 316 SS
 Enclosure: 2088 Type, Anti-Explosion with LCD Display



[PTYD322II0145PISX](#)

Range: 0-145 PSI
 Output: 4~20mA
 Power: 24 VDC
 Connection: 1/4 MNPT 316 SS
 Enclosure: 2088 Type, Anti-Explosion with LCD Display

PRM Pressure Transmitters are built to withstand the harsh environments of the remediation industry. Accuracy: +/-0.25%FS, Working Temp: 14°F to 176°F



PGTYDDPTI040WCX

0-40"WC; 1/4" MNPT; 316 SS;
24VDC; 4~20 mA Output;
3 Meter Cable; 7 PSI MAX.



PGTYDDPTII100PSIX

0-100 PSI; 1/4" FNPT; 316 SS;
24VDC; 4~20 mA Output;
3 Meter Cable;
Max. Static Pressure 300 PSI



PGTYDDPTLI040WCX

With LCD Display; 0-40" WC;
1/4" FNPT; 316 SS; 24VDC; 4~20 mA Output;
3 Meter Cable; 7 PSI MAX.



PGTYD322DP040WCX

2088 Type (XP)
with LCD Display; 0-40" WC
1/4" FNPT; 316SS; 24VDC;
4~20 mA Output;
3Meter Cable; 7 PSI MAX.

PGTYD322DP100WCX

2088 Type (XP)
with LCD Display; 0-100" WC
1/4" FNPT; 316SS; 24VDC;
4~20 mA Output;
3 Meter Cable; 7 PSI MAX.

Micro Differential Pressure Transmitters



PGTLFMI001WCX
0-1"WC; 24VDC;
4~20 mA Output;
30 PSI Max.



PGTLFMI005WCX
0-5"WC; 24VDC;
4~20 mA Output;
30 PSI Max.



PGTLFMI010WCX
0-10"WC; 24VDC;
4~20 mA Output;
30 PSI Max.



PGTLFMI040WCX
0-40"WC; 24VDC;
4~20 mA Output;
30 PSI Max.



PGTLFMI100WCX
0-100"WC; 24VDC;
4~20 mA Output;
30 PSI Max.



PGTLFMI010WCX
With LCD Display
0-10"WC; 24VDC;
4~20 mA Output;
30 PSI Max.



(888-TREAT-IT) • www.prmfiltration.com • sales@prmfiltration.com