

RT-6151 Rental AS/SVE Trailer



SVE and Air Sparge Extraction System - 7' x 12' enclosed trailer

Features:

SVE Capabilities: 135 CFM @ 60" WC

AS Capabilities: 63-90 CFM @ 20 PSI

System Rating: 230 V, 3 phase

Controls:

- NEMA 4/12 control panel
- PLC Controller with wireless connectivity and remote login
- Includes Telemetry Service, no configuration required by client.
- Includes all motor starters, HOA switches and IS safety barriers.
- Includes load center for power distribution

SVE Package:

Ametek Rotron EN808 Regen Blower

◇ 7.5 HP 230V 3ph TEFC motor

◇ Rated for minimum 135 ACFM @60"WC

MS-120 Aluminum Moisture Separator

SVE Manifold includes (5) - 2" SVE legs

Carbon by-pass manifold so blower can pull through carbons, eliminates the need for heat exchanger

Air Sparge System:

Ohio Medical CA7L Rotary Claw Compressor

◇ 15 HP 230V 3ph TEFC motor

◇ Rated for between 63-90 CFM @ 20 PSI

Integrated Inlet Filter Silencer

Heat Exchanger plumbed inline


(9) - 1" sparge legs, each with check valves, pressure gauges, rotameter




**Short or Long Term Lease Options or
Purchase Available!**

Contact PRM for Details


(888-TREAT-IT) • www.prmfiltration.com • sales@prmfiltration.com



SPARGE MANIFOLD ELEVATION DETAIL



SVE MANIFOLD ELEVATION VIEW DETAIL



WATER DISCHARGE AND CARBON BYPASS PLUMBING ELEVATION VIEW DETAIL

