


POWER & DATA

ACCESSORIES & GADGETS

Today the world is fast-paced and ever-changing, and the modern office is now a home to some of the most advanced technology you'll see anywhere. Furniture and equipment that allows quick set-up and connections is a high priority so employees can take their electrical devices with them and pick up where they left off in another working area, reaping the benefits of a more connected, advanced working environment.



PRODUCT SPECS

BS EN63096:2008, BS EN5733, BE EN7671 (selected products)





Product guarantee

Manufactured in the UK

STYLES











Clip-on

Multi Surface

On Surface

Panel Mounted

In Surface



CHROMA PAGE 178



HUBBLE PAGE 179





PHASE PAGE 180



CLUSTER PAGE 181



PIXEL PAGE 182



ION PAGE 183



PLUTO PAGE 184



INCA PAGE 185



PROTON PAGE 186



AERO PAGE 187



ECLIPSE PAGE 188



THOLUS PAGE 189

MODULAR COMPONENTS



UK FUSED SOCKET
The standard and instantly recognisable UK 3-pin plus socket compliant with the British Standard BS 1363



USB FAST CHARGE (A&C CONNECTORS) USB-C port, for enhanced charging of phones and tablets, plus the original USB-A for charging legacy devices



RJ45 SOCKETS

RJ45 is a standardised physical network interface for connecting telecommunications or data. Twin terminals for attaching CAT6 cable



HDMI SOCKET

HDMI (high definition multimedia interface) is a socket and plug interface that is used to transmit both audio and video digital data



charge and power socket ports which allows the user to connect various devices quickly and efficiently. The stylish Chroma power module is designed for use in office and educational establishments to clamp on to the back of tables and desks and is available in black and white with circular socket apertures.

Excellent clamping fixtures with top and bottom fix options available

> A practical and stylish addition to clip on to any desktop

Black & white units with 30 and 60 degree positioning

Manufactured and tested in accordance with BS6396:2008

Modular Components









TWIN RJ45 SOCKETS









CODE	DESCRIPTION	W	D	Н	MTO
CRM-1	2 x UK sockets, 1 x USB fast charge (A&C connectors)	279	94	62	£240
CRM-2	2 x UK sockets, 2 x RJ45 sockets	279	94	62	£130
CRM-3	2 x UK sockets, 1 x USB fast charge (A&C connectors), 2 x RJ45 sockets	333	94	62	£270

MTO

3-4 week lead time





Starter kit ML3M-B required sold separately





Modular Components







CHARGE (A&C) SOCKET





HBL-1-R



HBL-2-DB



HBL-3-K

power module complement the modern workstation and allow the user easy access to desktop power without having to rummage in cable trays under the desk or service boxes in the floor. The clip-on moulded front and rear decorative frames with circular socket apertures create a distinctive design perfectly matched to modern office furniture.

Twin clamp brackets for better stability for table tops 5mm-35mm thick

Tough and elegant aluminium body with coloured fronts that is built to last

Fun and distinctive power modules available in multiple colour options

BS5733 and UL962A certified and CE marked as applicable

CODE	DESCRIPTION	W	D	Н	МТО
HBL-1	1 x UK socket, 1 x USB fast charge (A&C connectors)	150	49	72	£677
HBL-2	1 x UK socket, 1 x USB fast charge (A&C connectors), 2 x RJ45 sockets	218	49	72	£878
HBL-3	2 x UK sockets, 1 x USB fast charge (A&C connectors)	218	49	72	£306

3-4 week lead time

HBL-3 only available in Black (K) and White (WH)





















charging in offices, hotels, restaurants, airports and many other locations. Available in black or white and compact, robust and unconstrained by convention, you will find Phase with its innovative concealed mounting bracket and through-back or through base cable entry options, simple to securely install on furniture.

On-surface or under-surface fitting solutions with hidden fitting bracket

Two socket apertures can be configured with power, charging or data

High-strength and flame retardant polycarbonate main body and back mouldings

All units fitted with fuses to comply to BS6396 and CE marked

Modular Components









TWIN RJ45 **SOCKETS**





CODE	DESCRIPTION	W	D	Н	RRP	MTO
PH-1	1 x UK socket, 1 x USB fast charge (A&C connectors)	115	63	67	£400	£400
DH-2	1 v IIV socket 2 v P M5 sockets	115	63	67	NI/A	£240

STOCKED



Black

(**K**)

3-4 week lead time





Starter kit ML3M-B required sold separately



МТО



Required cut out size



Modular Components







locatable power or USB charging socket for casual seating areas and aother working zones. An individual module can be securely fixed using the special bracket with optional cable tidy, or alternatively up to 3 Cluster modules can be conveniently located in the 80mm grommet table top cradle ready for use.

> Fixed or free standing mounting for handy power and data

Adds style and a splash of colour to the office enviroment

Under desk wire cradle and cable tidy supplied for single units or grommet hole for up to 3 units

Individual cluster units are BS6396 compliant and CE marked

CODE	DESCRIPTION	W	D	Н	МТО
CLUS-1	1 x UK socket	66	150	66	£370
CLUS-2	1 x USB fast charge (A&C connectors)	66	150	66	£600


















Starter kit ML3M-B required sold separately





pleasing power and data unit to fit neatly into a wide range of furniture. Pixel discreetly presents power, data and AV connections in an ultra-compact form, meeting the growing need for easily accessible connectivity in informal areas, fitting flush into a standard 80mm cut out without the need for tools.

Ideally suited to breakout areas, smaller meeting rooms, and hotel rooms

The perfect choice for space saving installations and discreet power solutions

CAT6 RJ45 outlet with 2m flylead & HDMI 1.3 Hi-speed outlet with 1.8m flylead

Sweeping organic curves ensure protection against liquid ingress as required by BS6396

Modular Components













Required cut out size





CODE	DESCRIPTION	W	D	Н	RRP	МТО
PX-1	1 x UK socket, 1 x USB fast charge (A&C connectors)	90	90	16	£330	£330
PX-2	1 x UK socket, 1 x HDMI socket	90	90	16	N/A	£470
PX-3	1 x UK socket, 2 x RJ45 sockets	90	90	16	N/A	£300

STOCKED

PX-1 only



3-4 week lead time



(**K**)



(DB)



Light Green

(LG)



Orange

(O)



(**R**)






(WH)



(Y)

Starter kit ML3M-B required sold separately









OR (80mm





SOCKET





CODE DESCRIPTION W RRP D Н 1 x UK socket, 1 x USB Charger (type A) 100 100 2



Black (**K**) (WH)



Starter kit ML3M-B required sold separately



power in café and dining table environments with no

more crawling under tables

to find power points. Ion fits in a 60mm grommet home or it can also be used with the collar to fit a standard 80mm hole size, available in black and white to complement any interior design theme.

> Space saving power solution for café and dining tables

Power and connectivity conveniently placed right where you might need it

Ultra-compact to fit in 60mm or 80mm port holes or in table cutouts

> BS5733 certified and conforms to CE European directives



rooms and coffee tables in offices and public spaces, Pluto satisfies the growing need for easily accessible AC power sockets and USB charging in informal areas, with a unique combination of colour, style and function. Pluto can be securely clamped to a standard 80mm grommet hole screwed to any suitable surface.

> The perfect colour or pattern to match any interior design scheme

3 socket apertures with 360° socket access for ease of use

Ideal table top module for communal meeting or dining areas

Can also be screwed to any table top with an 80mm porthole or cut-out

Modular Components



USB FAST CHARGE (A&C)



TWIN RJ45 SOCKETS

Required cut out size





CODE	DESCRIPTION	W	D	Н	MTO
PL-1	2 x UK sockets, 1 x USB fast charge (A&C connectors)	140	140	73	£910
PL-2	1 x UK socket, 1 x USB fast charge (A&C connectors)	140	140	73	£525
PI -3	1 v LIK socket 1 v LISB fast charge (A&C connectors) 2 v R.I45 sockets	140	140	73	£625

МТО





Black Dark Blue (**K**) (DB)



Light Green (LG)



Orange

(O)





Red

(**R**)



(WH)



(Y)

Starter kit ML3M-B required sold separately





Required cut out size













rooms. This stylish power and USB charging module is available in black, grey and white and has four faces to meet the power and data needs of any working environment. Inca has been designed to fit any table top, free-standing use or fitted in grommet hole, allowing users to personalise and simultaneously power devices.

4 usable faces offering a wide range of configurations for power and charging

Free-standing on desk module or a desk/table grommet fixing

Can also be used free-standing on table tops ideal for meetings

Flame retardant ABS plastic body independently certified to comply with BS 5733

CODE	USAGE	DESCRIPTION	W	D	Н	MTO
79-1	Cut out required	2 x UK sockets, 2 x USB fast charge (A&C connectors)	140	140	72	£550
79-2	Free standing	2 x UK sockets, 2 x USB fast charge (A&C connectors)	140	140	72	£550

3-4 week lead time



(**K**)

Black Grey



(**G**)



White (WH)

Starter kit ML3M-B required sold separately





fast charging in its simplest form. Designed for panel mounting in furniture where it offers a discreet, Proton presents a single or double outlet module with UK socket and USB charging options in a stylish black frame. To enable compliance to BS6396, UK sockets are fitted with 5 x 20mm anti-surge ceramic fuses.

> Designed for panel mounting in soft seating or screens

To cater for the needs of any corporate or educational environment

Can be snapped into panels of 16mm or screw fixed into any suitable surface

Manufactured to enable compliance with BS6396/ BS7671

Modular Components





Required cut out sizes



PTN-1T-KG

50 x 103mm PTN-1T PTN-2S-KG







PTN-1T-K



PTN-2S-KG-K

CODE	DESCRIPTION	W	D	Н	RRP	МТО
PTN-1T-KG	1 x USB fast charge (A&C connectors)	64	8	60	N/A	£310
PTN-1T	1 x UK socket, 1 x USB fast charge (A&C connectors)	117	8	60	£330	N/A
PTN-2S-KG	2 x UK sockets	117	8	60	N/A	£175

STOCKED

МТО

PTN-1T only



Black

(**K**)

3-4 week lead time



Black (**K**)

Starter kit ML3M-B required sold separately





Required cut out sizes

132 x 215mm

132 x 272mm

APD2PINF/1S-K APD2PINF/1S/2D-K APD2PINF/1S/1D/1T-K


Modular Components



USB FAST CHARGE (A&C)







CODE DESCRIPTION RRP W D н APD2PINF/1S 2 x UK sockets 255 150 13-63 N/A APD2PINF/1S/2D 2 x UK sockets, 2 x RJ45 sockets 255 150 13-63 N/A **APD2PINF/1S/1D/1T** 2 x UK sockets, 1 x RJ45 socket, 1 x USB fast charge (A&C connectors) 312 150 13-63 £330

STOCKED

APD2PINF/1S/1D/1T only



Grey/Silver

(**K**)

3-4 week lead time



ML3M-B required sold Grey/Silver separately (**K**)



media connections. Available in

a variety of configurations, Aero units are designed to naturally

connect people with technology to enhance productivity with solutions that meet the needs of today's diverse workplaces, and the flip up cover can go flat when not in use for an unobtrusive addition to the table top.

> Aero flip power modules in grey with distinctive

low profile

Ideal for boardroom environment and large meeting areas

Sloping edge design ensures cables run flat and smoothly on exit

Flame retardant ABS plastic body independently certified

to comply with BS 5733

£165

£200

N/A

Starter kit



The ever versatile Eclipse in-desk power unit is particularly suitable for meeting and boardroom tables and other locations where space or uncluttered appearance is important. Designed to operate in the closed position with power and data cables plugged in, Eclipse smoothly rotates with light finger pressure to reveal the open position, which can be accessed easily from both sides.

Designed to operate in the closed or open position

For fitting into a wide range of formal and informal office furniture

Total flexibility to meet the demands of any power and data requirement

Manufactured to enable compliance with BS6396





CODE	DESCRIPTION	W	D	Н	МТО
ENDD1	2 x UK sockets, 1 x USB fast charge (A&C connectors)	300	150	3	£570
ENDD2	2 x UK sockets, 1 x USB fast charge (A&C connectors), 1 x RJ45 socket, 1 x HDMI socket	300	150	3	£990
ENDD4	4 x UK sockets	459	150	3	£540

МТО

3-4 week lead time





Required cut out sizes

132 x 192mm

132 x 272mm

THL-1

THL-2



Modular Components




USB FAST CHARGE (A&C)





HDMI



'floating surface' design, is an elegant new approach for providing power and data connectivity to meeting tables. Despite a low visual profile requires only 50mm mounting depth, four supplied M8 screw clamps are then all that is needed to fix the power unit securely in place, and with the choice of 6 or 8 sockets, Tholus can be configured for where a wide range power options.

> Aluminium extrusion body with 3mm mild steel end caps

Suitable for table tops 10mm-30mm thick and secured by the 4 screw clamps

CAT6 RJ45 outlet with 2m flylead & HDMI 1.3 Hi-speed outlet with 1.8m flylead

> Certified and tested to British standard BS1363/5733

CODE	DESCRIPTION	W	D	Н	MTO
THL-1	4 x UK sockets, 2 x USB fast charge (A&C connectors)	220	155	22	£1210
THL-2	4 x UK sockets, 2 x USB fast charge (A&C connectors), 1 x RJ45 socket, 1 x HDMI socket	300	155	22	£1680

3-4 week 0000 lead time

> Black/Brushed Steel **(S**)





Power Bar



CODE	DESCRIPTION	RRP
PMK205-F	2 x UK sockets	£65

- UK sockets which incorporate fuses as standardBS6396 compliant and CE marked

Data Bar



CODE	DESCRIPTION	МТО
PMK-DH-4-3	4 x B.I45 sockets Cat5e	£145

- Data modules come with 3m leads
- · Can also be connected directly to under desk power modules

Connector Leads



CODE	DESCRIPTION	RRP
DCL15M-B	Connector Lead	£45

- 1.5m connector lead
- · Male 3 pole connector to female 3 pole connector





CODE	DESCRIPTION	RRP
PMK405-E	4 x UK sockets	£75

- · UK sockets which incorporate fuses as standard
- BS6396 compliant and CE marked

Mains Starter Lead



CODE	DESCRIPTION	RRP
ML3M-B	Mains lead	£57

- 3m long mains lead with UK 3 pin plug
- · Female 3 pole connector

Connector Leads



CODE	DESCRIPTION	МТО
CL3M-B	Connector Lead	£55

- · 3m connector lead
- Male 3 pole connector to female 3 pole connector



STOCKED

3-4 week lead time




Black

Product	Туре	Recommended for use with	Fitting details	Power cord	Separate mains lead required
Chroma	Clip-On Power Units	Desks	Clamp bracket (supplied)	Hardwired with 800mm lead to male GST Connector	✓
Hubble	Clip-On Power Units	Desks	Clamp bracket (supplied)	Hardwired with 800mm lead to male GST Connector	/
Phase	Multi-Surface Power Units	Meeting Tables / Soft Seating	Clip-on mounting bracket (supplied)	Hardwired with 800mm lead to male GST Connector	/
Cluster	Multi-Surface Power Units	Meeting Tables / Soft Seating	Cradle (supplied) or 80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	✓
Pixel	Multi-Surface Power Units	Meeting Tables	80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	/
lon	Multi-Surface Power Units	Cafe & Dining Tables / Desks	60 or 80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	✓
Pluto	On-Surface Power Units	Meeting Tables	80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	✓
Inca	On-Surface Power Units	Meeting Tables	80mm circular grommet hole	Supplied with a 1M mains lead to 3 pole connector	/
Proton	Panel Mounted Power Unit	Soft Seating	50mm (PTN-1T-KG) & 103mm x 50mm (PTN-1T/2S) grommet holes	Hardwired with 800mm lead to male GST Connector	✓
Aero	In-Surface Power Units	Boardroom Tables	215mm x 132mm (1S), 215mm x 132mm (1S/2D), 272mm x 132mm (1S/1D/1T), rectangular cutouts	Hardwired with 800mm lead to male GST Connector	/
Eclipse	In-Surface Power Units	Boardroom Tables	272mm x 132mm (ENDD1-2), 430mm x 132mm (ENDD4), rectangular cutouts	Hardwired with 3M 3 pin connector	X
Tholus	In-Surface Power Units	Boardroom Tables	192mm x 132mm (THL-1), 272mm x 132mm (THL-2), rectangular cutouts	Hardwired with 800mm lead to male GST Connector	/
Power Bars	Under-Surface Power Units	Desks	No fitting required	Integrated GST18-3 connectors	/


did you know ...

...how quick, simple and easy it is to place your order online with us?

select your products



select your specification and add it to the cart



and fill in the form with your invoice details

